

Prevalence and Genotype of *Giardia duodenalis* of Asymptomatic Individual in a Child Care Center, Bangkok, Thailand / Duangnate Pipatsatitpong, Ratchaneewan Aunpad, Suradej Siripattanapipong, Mathirut Mungthin, Saovanee Leelayoova.

Duangnate Pipatsatitpong, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20487907&lokasi=lokal>

Abstrak

ABSTRAK

Giardia duodenalis (*G. duodenalis*) is an intestinal flagellate protozoan, which infects in humans and animals. It can be causing giardiasis. The symptoms are acute or chronic diarrhea, abdominal pain, weight loss and dehydration. *G. duodenalis* can be transmitted by eating food or drinking water contaminated with infected stage cysts. Children who live and share facility in an orphanage are the high risk groups for infection. The objective of this paper is to study the prevalence and genotypes of *G. duodenalis* infection of asymptomatic individual in a child care center. This study was conducted in Mercy Centre orphanage, Klong Toey community. 289 stool samples were collected from children and childcare workers. Stool samples were extracted DNA. Small subunit ribosomal DNA (SSU-rDNA) and glutamate dehydrogenase (*gdh*) genes were amplified using Nested PCR. PCR products of *gdh* gene were cut using *NlaIV* and *RsaI* restriction enzymes. Genotypes were identified. The results of this study showed the prevalence of giardiasis in an orphanage, Klong Toey community, Thailand was 17.6% (51/289). PCR-RFLP analysis of 19 samples revealed that genotype AII was 63.2% (12/19), genotype BIV was 31.6% (6/19) and genotype BIII was 5.3% (1/19) respectively. Consequently, the study of prevalence and genotypes of *G. duodenalis* is beneficial for control planning of giardiasis in an orphanage, Klong Toey community.