

Tren jumlah fasilitas pelayanan kesehatan, tenaga kesehatan, dan persalinan bedah sesar di Indonesia tahun 2007-2017 serta faktor yang memengaruhi persalinan bedah sesar di Indonesia tahun 2017 = Trend of health care facility, health worker, and caesarean section of delivery in Indonesia 2007-2017 and factors that influence of caesarean section of delivery in Indonesia 2017

Septiana Lazasniti, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20489425&lokasi=lokal>

Abstrak

ABSTRAK

Persentase persalinan bedah sesar di Indonesia mengalami peningkatan pada tahun 2012-2017 dari 12% menjadi 17%. Penelitian ini bertujuan untuk mengetahui tren jumlah fasilitas pelayanan kesehatan, tenaga kesehatan, dan persalinan bedah sesar di Indonesia tahun 2007-2017 serta faktor yang memengaruhi persalinan bedah sesar di Indonesia tahun 2017. Penelitian dilakukan dengan desain cross sectional menggunakan data sekunder Survei Demografi Kesehatan Indonesia (SDKI) dan Profil Kesehatan Indonesia tahun 2007, 2012, dan 2017. Analisis data yang digunakan adalah univariat, bivariat, dan multivariat menggunakan uji Chi-Square dan Regresi Logistik Sederhana. Hasil penelitian menunjukkan tren jumlah fasilitas pelayanan kesehatan, tenaga kesehatan, dan persalinan bedah sesar di Indonesia pada tahun 2007-2017 mengalami peningkatan. Hasil analisis didapatkan faktor confounding yaitu paritas dan jarak kelahiran. Kekuatan hubungan faktor yang memengaruhi persalinan bedah sesar di Indonesia pada tahun 2017 yaitu penolong persalinan adalah tenaga kesehatan spesialis (OR= 8,54), kehamilan kembar (OR= 2,48), kunjungan ANC 4 kali (OR= 1,51), indeks kepemilikan tinggi atau kuintil 4 dan 5 (OR= 1,20), tempat tinggal di perkotaan (OR= 1,13), indeks kepemilikan rendah atau kuintil 1 dan 2 (OR= 0,80), tempat persalinan di fasilitas pelayanan kesehatan swasta (OR= 0,79), dan pemeriksa ANC oleh bukan tenaga kesehatan (OR= 0,37). Pilihan persalinan melalui bedah sesar perlu dipertimbangkan lagi berdasarkan faktor risikonya.

<hr>

ABSTRACT

The percentage of cesarean delivery in Indonesia has increased in 2012-2017 from 12 to 17. This study aims to show the trend of number health care facility, health worker, and cesarean delivery in Indonesia year 2007-2017 as well factors that influence of cesarean delivery in Indonesia year 2017. The study was conducted with a cross sectional design using secondary data on the Indonesian Health Demographic Survey (SDKI) and Indonesian Health Profile in 2007, 2012, and 2017. Analysis of data was univariate, bivariate, and multivariate using the Chi-Square test and Simple Logistic Regression. The results show that the trend of number health care facility, health worker, and cesarean delivery in Indonesia year 2007-2017 had increased. The results of research obtained confounding factors, that is parity and birth interval. The strength of the correlation between the factors that influence cesarean delivery in Indonesia year 2017 are birth attendant was specialist health worker (OR = 8.54), multiple pregnancy (OR = 2.48), ANC visits 4 times (OR = 1.51), high wealth index or quintile 4 and 5 (OR = 1.20), low wealth index or quintile 1 and 2 (OR = 0.8), place of delivery in a private health facility (OR = 0.79), and ANC examiners by non-health worker

(OR = 0.37). The choice of labor through cesarean section needs to be considered again based on the risk factors.