

Analisis Pengaruh Coefficient of Variance terhadap Daya dan Torsi Motor 125 CC Berbahan Bakar Gasoline dan Fuel Grade Bioethanol = Analysis of the Effect of Coefficient of Variance on Power and Torque of 125 CC Motor Fueled by Gasoline and Fuel Grade Bioethanol

Shafyandra Farras Maulidina, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20489974&lokasi=lokal>

Abstrak

Seperti yang kita ketahui saat ini, keadaan dari Bumi kita tidaklah dalam keadaan yang seperti sebelumnya. Hari demi hari, Bumi kita semakin menua dan semakin rusak pula. Salah satu faktor utama yang menyebabkan tragedi ini adalah banyaknya konsumsi dari bahan bakar fosil. Di sisi lain, ketersediaan dari bahan bakar fosil pun akan terus berkurang dan tidak bisa diperbaharui lagi. Dengan pengisian bahan bakar fosil yang relatif mudah dan tidak merepotkan, tidak heran bahwa bahan bakar fosil menjadi favorit di antara sumber energi lainnya. Penulis melihat fenomena ini sebagai suatu hal yang mendesak. Oleh karena itu, penulis bertujuan untuk mencari sumber energi alternatif sebagai pengganti dari bahan bakar fosil. Dan akhirnya dilakukanlah penelitian mengenai bahan bakar fosil bercampur Bioetanol. Bahan bakar campuran ini terdiri dari berbagai macam persentase campuran yang mengandung Bioetanol. Persentase ini di antara lain campuran 0%, campuran 5%, campuran 10%, dan campuran 15%.....As we all know, the earth that we live in is not as healthy as it was before. Our earth grows older and simultaneously weaker every day. One of the main factors that cause this is the use of fossil fuel. While the supply of fossil fuel will not be available for generations to come, another problem rises as the usage of fossil fuel is not declining at a significant rate, since it is trouble-free and can be consumed effortlessly. We see this as an emergency and as a background motivation for us to find an alternative power source for our motor vehicles. Then, fuel-grade Bioetanol was chosen as our base variable to help people from further using fossil fuel. To maximize the result, the Bioetanol is divided into several mixtures that contains different amount of Premium (PT Pertamina's product of a lower-grade fossil fuel) and Bioethanol