

Faktor-faktor yang berhubungan dengan komplikasi persalinan di 34 provinsi di Indonesia tahun 2012-2017 : analisis lanjut survei demografi dan kesehatan Indonesia tahun 2017 = Factors related to the complications of labor in 34 provinces in Indonesia : advanced analysis of Indonesian demographic and health survey 2017

Zakiah, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20493399&lokasi=lokal>

Abstrak

Komplikasi persalinan menyebabkan morbiditas dan mortalitas ibu, kejadiannya meningkat dari 46% pada tahun 2012 menjadi 71,1% pada tahun 2017. Penelitian analisis lanjut menggunakan data SDKI 2017 dengan desain cross sectional, bertujuan untuk mengetahui faktor-faktor yang berhubungan dengan komplikasi persalinan di 34 Provinsi di Indonesia tahun 2012-2017. Sampel dalam penelitian ini adalah wanita usia subur (WUS) yang melahirkan dalam periode 2012-2017 yaitu sebanyak 14.996 orang. Hasil penelitian ini membuktikan adanya hubungan yang signifikan antara status ekonomi, umur, paritas, komplikasi kehamilan, riwayat komplikasi persalinan, penolong persalinan dan tempat persalinan dengan komplikasi persalinan. Hasil analisis regresi logistik ganda didapatkan faktor yang paling dominan berhubungan dengan komplikasi persalinan adalah riwayat persalinan. Responden yang pernah mengalami komplikasi persalinan berisiko hampir 4 kali (OR 3,585; 95% CI: 2,760-4,656) mengalami komplikasi persalinan setelah dikontrol oleh faktor umur, paritas, komplikasi hamil, penolong persalinan, dan tempat persalinan.

Komplikasi kehamilan, dan tempat persalinan berinteraksi dengan riwayat komplikasi persalinan terhadap komplikasi persalinan. Disarankan Kementerian Kesehatan dan BKKBN dapat memberikan pelatihan ANC, INC, dan metode kontrasepsi kepada petugas yang memiliki wewenang untuk memberikan perawatan antenatal, intranatal dan pascanatal. Serta memberikan KIE khususnya pada ibu yang mempunyai riwayat komplikasi persalinan.

.....Labor complications caused maternal morbidity and mortality, the incidence increased from 46% in 2012 to 71.1% in 2017. Further analysis of the study used the 2017 IDHS data with a cross sectional design, aimed to finding out the factors associated with labor complications at 34 Provinces in Indonesia in 2012-2017. The sample in this study were women of childbearing age (WUS) who gave birth within the period 2012-2017 which were 14,996 people. The results of this study showed significant correlation between economic status, age, parity, pregnancy complications, history of labor complications, birth attendants and place of delivery with labor complications.

The results of multiple logistic regression analysis found that the most dominant factor associated with labor complications was labor history. Respondents who had experienced labor complications had a risk of almost 4 times (OR 3,585; 95% CI: 2,760-4,656) experiencing labor complications after being controlled by factors such as age, parity, pregnancy complications, birth attendants, and place of delivery.

Complications of pregnancy, and the place of delivery factors interact with a history of labor complications in labor complications. It is recommended that the Indonesia Ministry of Health and BKKBN to provide ANC, INC and contraceptive training for health practitioner who have the authority to provide antenatal, intranatal and postnatal care. As well as providing IEC especially for mothers who have a history of labor

complications.