

Pengaruh dukungan sosial terhadap kualitas hidup pasien tuberkulosis di Kota Depok, Provinsi Jawa Barat = The influence of social support on the quality of life of tuberculosis patients in Depok city, West Java Province

Siti Nur Anisah, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20496024&lokasi=lokal>

Abstrak

Penelitian ini membahas pengaruh dukungan sosial terhadap kualitas hidup Pasien Tuberkulosis (TBC) di Kota Depok, Provinsi Jawa Barat, dengan pendekatan kuantitatif dan kualitatif menggunakan desain studi longitudinal (pengukuran berulang) dan Rapid Assessment Procedure (RAP). Pengumpulan data kuantitatif dengan wawancara kepada responden menggunakan kuesioner WHOQOL-BREF untuk data kualitas hidup dan Multidimensional Scale of Perceived Social Support (MSPSS) untuk data dukungan sosial.

Pengumpulan data kualitatif dengan kelompok diskusi terarah (DKT) dan wawancara mendalam. Analisis data menggunakan analisis regresi logistik untuk pengukuran data berulang yaitu General Estimation of Equation (GEE). Hasil penelitian menunjukkan bahwa dukungan sosial mempunyai pengaruh kuat terhadap kualitas hidup Pasien TB; pengaruh dukungan sosial terhadap kualitas hidup Pasien TBC terus meningkat mulai bulan ke-2 sampai akhir bulan ke-6; sumber dukungan sosial yang berpengaruh untuk meningkatkan kualitas hidup Pasien TBC adalah keluarga, teman dan orang terdekat lainnya; bentuk dukungan sosial yang berpengaruh untuk meningkatkan kualitas hidup Pasien TBC adalah dukungan emosional, informasi dan persahabatan. Kesimpulan: dukungan sosial kepada Pasien TBC yang diberikan selama masa pengobatan sampai pasien sembuh memberikan dampak terhadap kualitas hidupnya. Studi ini merekomendasikan untuk peningkatan dukungan sosial dari keluarga, teman dan orang terdekat lainnya dalam bentuk dukungan emosional, informasi dan persahabatan agar kualitas hidup Pasien Tuberkulosis lebih baik.

<hr>

This study discusses the influence of social support on the quality of life of tuberculosis (TBC) patients in Depok, West Java, with quantitative and qualitative approaches using the design of longitudinal studies (repeated measurements) and Rapid Assessment Procedure (RAP). Quantitative data collection with interviews to respondents using the WHOQOL-BREF questionnaire for quality of life data and Multidimensional Scale of Perceived Social Support (MSPSS) for social support data. Qualitative data collection with focus groups discussion (FGD) and in-depth interviews. Data analysis using logistical regression analysis for repeated data measurement is General Estimation of Equation (GEE). The results showed that social support has a strong influence on the quality of life of TBC patients; The influence of social support on TBC patients quality of life continues to increase from the 2nd month to the end of the 6th month; An influential source of social support to improve the quality of life of TBC patients are family, friends and other nearby people; An influential form of social support to improve the quality of life of TBC patients is emotional support, information and friendship. Conclusion: Social support to TBC patients given during the period of treatment until the patient is healed to have an impact on the quality of his life. This study recommends improving the social support of families, friends and significant others in the emotional support, information support and companionship support in order to make a better quality of life of tuberculosis patient.