

## Score of the preoperative absolute number of lymphocytes, monocytes, and neutrophils as a prognostic indicator for patients with gastric cancer

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20503041&lokasi=lokal>

---

### Abstrak

#### Purpose

The association between the preoperative absolute neutrophil count (NC), lymphocyte count (LC), and monocyte count (MC) in the peripheral blood and the prognosis of gastric cancer (GC) patients has not been investigated widely.

#### Methods

We enrolled 445 patients who underwent surgery for GC between January, 2005 and April, 2013 to analyze the correlations among NC, LC, and MC and their prognoses.

#### Results

Based on cut-off values calculated by ROC analysis, patients were sub grouped as having: NC  $\geq 4477$  (NCHigh), NC  $< 4477$  (NCLow); and as LC  $\geq 1447$  (LCHigh), LC  $< 1447$  (LCLow); and as MC  $\geq 658,5$  (MCHigh), MC  $< 658,5$  (MCLow). Each group was assigned as follows; NCHigh group = 1, NCLow group = 0, LCHigh group = 0, LCLow group = 1, MCHigh group = 1, MCLow group = 0, and the sum of each score was defined as the lymphocyte-monocyte-neutrophil score (LMN score). The overall 5-year survival rates were 89%, 74%, 57,8%, and 53,3% for LMN scores of 0, 1, 2, and 3, respectively (P = 0,0004). Multivariate analysis indicated that the LMN score was an independent prognostic indicator.

#### Conclusions

The combination of preoperative NC, LC, and MC appears to be a useful indicator of GC prognosis.