

Faktor-Faktor Yang Berhubungan Dengan Kejadian Hipertensi pada kelompok Usia Produktif di Wilayah Kerja Puskesmas Kecamatan Jagakarsa = Factors Related to the Occurrence of Hypertension on Productive Age Group in the Jagakarsa Primary Health Center Work Area in 2019.

Ayu Herawati, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20506572&lokasi=lokal>

Abstrak

Hipertensi sampai saat ini masih menjadi masalah kesehatan di dunia termasuk di Indonesia. Prevalensi hipertensi di Provinsi DKI Jakarta cukup tinggi yakni sebesar 33,4% (Kementerian Kesehatan RI, 2018). Terdapat beberapa faktor yang berkontribusi terhadap kejadian hipertensi baik faktor yang dapat dimodifikasi maupun tidak dapat dimodifikasi. Penelitian ini bertujuan untuk mengetahui faktor – faktor yang dapat mempengaruhi hipertensi. Desain penelitian ini adalah cross sectional dengan menggunakan data sekunder Surveilans penyakit tidak menular di wilayah kerja puskesmas Kecamatan Jagakarsa tahun 2019. Sampel dalam penelitian ini dipilih dengan menggunakan metode total sampling dengan kriteria inklusi penduduk berusia 15-59 tahun yang terdaftar dan data pemeriksaan tercatat lengkap sesuai variabel penelitian dan minimal melakukan satu kali pengukuran hipertensi. Hasil penelitian menunjukkan bahwa proporsi hipertensi di wilayah kerja Puskesmas Kecamatan Jagakarsa yaitu 10%. Aktivitas fisik yang cukup memiliki risiko 0,5 kali, cukup konsumsi sayur memiliki resiko 0,27 kali lebih rendah, tidak merokok memiliki risiko 0,73 kali lebih rendah, tidak bekerja memiliki risiko lebih rendah 0,43 kali daripada responden yang bekerja untuk terjadi hipertensi. Oleh karena itu perlu ditingkatkan peran serta masyarakat dan pengaplikasian perilaku GERMAS serta pengoptimalan Skринning PTM

.....Hypertension is still a health problem in the world including in Indonesia. The prevalence of hypertension in DKI Jakarta Province is quite high at 33.4% (Indonesian Ministry of Health, 2018). There are several factors that contribute to the incidence of hypertension, both factors that can be modified or cannot be modified. This study aims to determine the factors that can influence hypertension. The design of this study was cross sectional using secondary data Surveillance of non-communicable diseases in the working area of Puskesmas subdistrict Jagakarsa in 2019. The sample in this study was selected using the total sampling method with the inclusion criteria of population aged 15-59 years registered and the inspection data recorded according research variables and at least one measurement of hypertension. The results showed that the proportion of hypertension in the working area of Jagakarsa District Health Center is 10%. Enough physical activity has a risk of 0.5 times, enough consumption of vegetables has a risk of 0.27 times lower, not smoking has a risk of 0.73 times lower, does not work has a lower risk of 0.43 times than respondents who work to occur hypertension. Therefore it is necessary to increase community participation and the application of GERMAS behavior as well as optimizing Screening NCDs.