

Faktor-faktor yang mempengaruhi kasus rujukan rawat jalan tingkat pertama (RJTP) peserta JKN: Literature review = Factors influencing outpatient reference cases first level (RJTP) of JKN participants: Literature review.

Esti Rahmayuni, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20506639&lokasi=lokal>

Abstrak

Penelitian ini merupakan literature review mengenai faktor- faktor yang berkaitan dengan angka rujukan rawat jalan tingkat pertama (RJTP) peserta JKN. Tujuan penulisan ini adalah untuk mendapatkan gambaran pelaksanaan dan faktor apa saja yang berkaitan dengan angka rujukan rawat jalan tingkat pertama (RJTP) peserta JKN. Tinjauan literatur menggunakan pedoman PRISMA. Didapatkan 12 jurnal yang layak uji dan semua jurnal menggunakan metode kualitatif. Terdapat 4 faktor yang diidentifikasi berkaitan dengan masih tingginya angka rujukan rawat jalan di FKTP, yaitu masih kurangnya jumlah tenaga kesehatan atau SDM di fasilitas kesehatan tingkat pertama, kurangnya pemahaman tenaga kesehatan mengenai sistem rujukan dan fungsinya sebagai gatekeeper, belum memadainya ketersediaan fasilitas dan alat kesehatan, serta ketidakcukupan ketersediaan obat- obatan atau bahan medis habis pakai.

.....This research is the literature review regarding the factors that related with the first level outpatient referral rate (RJTP) of JKN participants. The purpose of this paper is to discover an overview of the implementation and several factors are associated with the first level outpatient referral rate (RJTP) for JKN participants. The literature review in this paper is using PRISMA guidelines. There were 12 journals that were worth for the test and all journals used qualitative methods. There are 4 factors are identified that the number of outpatient on referrals is still quite high at FKTP, that are the lack of number of health workers or human resources in first-level health facilities, lack of understanding of health workers regarding the referral system and the function as gatekeepers, inadequate availability of medical facilities and devices, as well as insufficient availability of medicines or medical consumables.