

## Analisis asuhan keperawatan pada pasien kolelitiasis dengan penerapan intervensi mobilisasi post operasi laparoskopi kolesistektomi = Nursing care analysis in cholelithiasis patients with the application of post laparoscopic early mobilization of cholecystectomy

Nilu Wahyuningsih, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20507845&lokasi=lokal>

---

### Abstrak

Kolelitiasis merupakan penyakit kandung empedu dimana terdapat endapan satu atau lebih komponen diantaranya empedu, kolesterol, bilirubin, garam empedu, kalsium, protein, asam lemak, dan fosfolipid yang membentuk suatu senyawa padat yang disebut batu empedu. Laparoskopi kolesistektomi merupakan salah satu prosedur pembedahan yang ditujukan sebagai upaya kuratif untuk mengatasi masalah penyumbatan saluran empedu, yaitu dengan mengangkat kandung empedu. Asuhan keperawatan dilakukan untuk mengatasi masalah keperawatan yang terjadi pada pasien post laparoskopi kolesistektomi. Penulisan karya ilmiah bertujuan untuk menganalisis asuhan keperawatan yang dilakukan pada pasien kolelitiasis dengan penerapan mobilisasi dini post laparoskopi kolesistektomi. Hasil evaluasi didapatkan masa pemulihan yang lebih cepat dengan masa rawat yang singkat, nyeri lebih cepat teratasi, dan penyembuhan luka yang baik. Mobilisasi dini sangat disarankan untuk diterapkan sesegera mungkin bagi para pasien usai dilakukan pembedahan untuk menghindari terjadinya perlambatan pemulihan pasca bedah.

<hr>

Cholelithiasis is a gallbladder disease where there is one or more deposits of the bile, cholesterol, bilirubin, bile salt, calcium, proteins, fatty acids, and phospholipids that form a solid compound called gallstones. Laparoscopic cholecystectomy is one of the surgical procedures aimed at curative efforts to overcome the problem of bile duct blockage, by removing the gallbladder. Nursing care is done to overcome the nursing problems of the patient who have had a laparoscopic cholecystectomy. Scientific writing aims to analyze nursing care conducted in cholelithiasis patients with the application of early mobilization post laparoscopic cholecystectomy. The results of the evaluation are obtained faster recovery time with short length of stay, faster pain resolved, and good wound healing. Early mobilization is recommended to be carried out as soon as possible for patients after surgery to avoid slowing down post-surgical recovery.