

# Asuhan Keperawatan Pada Pasien Kanker Kolorektal yang Menjalani Kemoterapi dengan Penerapan Terapi Akupresur untuk Mengurangi Mual Muntah = Nursing Care In Colorectal Cancer Patients Undergoing Chemotherapy With The Application of Acupressure Therapy to Reduce Nausea and Vomiting.

Mega Apriyanti, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20508124&lokasi=lokal>

---

## Abstrak

Mual dan muntah merupakan efek samping kemoterapi yang paling umum terjadi pada pasien yang menjalani siklus kemoterapi. Mual ini berpengaruh pada kualitas hidup pasien, kepatuhan dalam proses pengobatan, serta biaya perawatan secara keseluruhan dan dapat menyebabkan permasalahan psikologis yaitu berupa kecemasan ataupun pemicu terjadinya stress yang membuat pasien bersikap untuk menghentikan kemoterapinya, hal tersebut tentu akan membuat keadaan pasien menjadi buruk dan menurunkan harapan hidup di masa depan sehingga perlu dilakukan intervensi untuk mengatasi keluhan mual tersebut. Tujuan dari penulisan ini ialah menganalisis asuhan keperawatan pada pasien kanker yang menjalani kemoterapi dengan penerapan terapi akupresur untuk mengurangi mual muntah saat menjalani kemoterapi. Akupresur salah satu terapi komplementer yang berbasis bukti dapat mengurangi keluhan mual dan muntah pada pasien kemoterapi. Area titik pemijatan untuk menekan atau menurunkan mual muntah berada pada titik P6 dan ST36. Pemberian intervensi teknik akupresur ini diberikan selama 5 hari perawatan. Hasil yang didapatkan diukur melalui evaluasi subjektif pasien dan instrumen Visual Analog Scale (VAS) setelah selesai diberikan intervensi. Berdasarkan hal tersebut intervensi teknik akupresur titik P6 dan ST36 efektif menurunkan keluhan mual pada pasien kanker yang menjalani kemoterapi.

<hr>

Nausea and vomiting are the most common side effects of chemotherapy in patients undergoing chemotherapy cycles. This nausea affects the quality of life of patients, adherence in the treatment process, as well as overall treatment costs and can cause psychological problems in the form of anxiety or stressors that make patients behave to stop their chemotherapy, this will certainly make the patients condition worse and lower expectations living in the future so that interventions need to be done to overcome the nausea complaints. The purpose of this paper is to analyze nursing care in cancer patients undergoing chemotherapy with the application of acupressure therapy to reduce nausea and vomiting while undergoing chemotherapy. Acupressure is an evidence-based complementary therapy that can reduce complaints of nausea and vomiting in chemotherapy patients. The area of ; massage points to suppress or reduce nausea and vomiting is at points P6 and ST36. This acupressure technique intervention was given for 5 days of treatment. The results obtained were measured through the subjective evaluation of the patient and the Visual Analog Scale (VAS) instrument after the intervention was completed. Based on this, the P6 and ST36 point acupressure technique interventions are effective in reducing nausea complaints in cancer patients undergoing chemotherapy.