

Analisis Asuhan Keperawatan pada Pasien Adenokarsinoma Kolon Desendens Pasca End Colostomy dan Laparotomi Adhesiolisis dengan Intervensi Teknik Relaksasi Napas Dalam di RSUPN Cipto Mangunkusumo Jakarta = ANALYSIS OF NURSING CARE IN DECENDENCE COLON ADENOCARCINOMA PATIENTS POST END COLOSTOMY AND ADHESIOLYSIS LAPAROTOMY WITH INTERVENTION DEEP BREATHING RELAXATION TECHNIQUES IN CIPTO MANGUNKUSUMO HOSPITAL, JAKARTA

Gusyani Rahmawati, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20509935&lokasi=lokal>

Abstrak

Kanker kolorektal merupakan jenis kanker terbanyak ketiga di Indonesia. Hal ini disebabkan oleh pola hidup yang tidak sehat seperti merokok, pola makan yang mengadopsi makanan cepat saji, kegemukan, dan kurangnya aktivitas fisik. Penatalaksanaan medis utama pada kasus kolorektal yaitu pembedahan dengan cara mereseksi kanker, kemudian membuat stoma, dan penyambungan kembali usus yang disebut anastomosis. Salah satu masalah utama pada pasien postoperasi adalah nyeri akut. Penelitian ini bertujuan untuk menyajikan hasil analisis asuhan keperawatan pada pasien post operasi close colostomy dan laparotomi adhesiolisis. Metode yang digunakan adalah studi kasus. Adapun intervensi berbasis bukti yang diterapkan yaitu intervensi manajemen nyeri berupa teknik relaksasi napas dalam guna menurunkan intensitas nyeri pada pasien post operasi close colostomy dan laparotomi adhesiolisis. Penerapan teknik relaksasi napas dalam diharapkan dapat diaplikasikan oleh perawat bedah di ruangan khususnya untuk mengurangi nyeri akut post operasi close colostomy dan laparotomi adhesiolisis. Kata kunci : kanker kolorektal, close colostomy, laparotomi adhesiolisis, nyeri akut, relaksasi napas dalam.

.....Colorectal cancer is the third most common type of cancer in Indonesia. This is caused by unhealthy lifestyles such as smoking, eating patterns that adopt fast food, obesity, and lack of physical activity. The main medical management in colorectal cases is surgery by resecting the cancer, then making a stoma, and reconnecting the intestine which is called anastomosis. One of the main problems in postoperative patients is acute pain. This study aims to present the results of the analysis of nursing care in postoperative patients with close colostomy and adhesiolysis and laparotomy. The method used is a case study. The evidence-based intervention applied is pain management intervention in the form of deep breathing relaxation techniques to reduce pain intensity in postoperative close colostomy and adhesionic laparotomy patients. It is hoped that the application of deep breathing relaxation techniques can be applied by surgical nurses in the room especially to reduce acute pain after close colostomy surgery and adhesiolysis laparotomy. Keywords : colorectal cancer, close colostomy, laparotomy adhesiolisis, acute pain, deep breath relaxation.