

Evaluasi Program Needle Safety Contest terhadap Perubahan Angka Needle Stick Injury di Rumah Sakit X Tahun 2020 = Evaluation of Needle Safety Contest Program toward the Change of The Needle Stick Injury Number in Hospital X,2020

Yosia Efa, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20511096&lokasi=lokal>

Abstrak

Latar Belakang: Needle Stick Injury (NSI) masih menjadi masalah keselamatan kerja bagi tenaga kesehatan. Hal ini menjadi tanggung jawab kita bersama untuk dapat bekerja dalam lingkungan yang lebih aman. Tujuan penelitian ini untuk mengetahui hasil program Needle Safety Contest (NSC) dalam menurunkan angka NSI.

Metode: Penelitian ini adalah evaluasi program yang menggunakan mixed methods. Kuantitatif berupa jumlah NSI yang dibandingkan empat bulan sebelum, dan sesudah kontes. Kualitatif berupa pendalaman penyebab masalah dalam Focus Group Discussion (FGD). **Hasil:** Terjadi penurunan 50% prevalensi NSI pada periode sesudah kontes. Dari FGD didapatkan penyebab NSI adalah recapping jarum insulin; tindakan yang kurang berhati-hati saat menjahit luka, pengambilan darah, memasang infus, dan menyuntikkan obat ke pasien; jarum yang ditemukan tidak pada tempatnya atau dalam keadaan terbuka; melakukan modifikasi jarum yang tidak sesuai kegunaannya; kurangnya SOP tindakan menjahit luka, melakukan tindakan yang tidak sesuai kewenangan klinis; kurangnya supervisi staf baru, terutama saat melakukan tindakan invasif; kurangnya pengecekan inden consumables.

Kesimpulan: NSC berhasil menurunkan prevalensi NSI pada periode sesudah kontes. Faktor penyebab NSI adalah recapping jarum insulin yang banyak terjadi pada pekerja shift dan staf baru; tindakan kurang berhati-hati saat tindakan invasif; penggunaan jarum yang tidak sesuai prosedur; kurangnya SOP tindakan penjahitan luka, kurangnya pengawasan dari senior.

Background: Needle Stick Injury (NSI) is still a safety issue for all health workers. Our shared responsibility to be able to work in a safer environment. This study aims to evaluate the Needle Safety Contest (NSC) program in reducing NSI.

Methods: This study is an evaluation program that used mixed methods. Quantitative data is the number of NSI compared to four months before and after the contest. Qualitative will deepen the causative problem, using Focus Group Discussion (FGD). **Results:** There was a 50% decrease in NSI prevalence after the contest period. From the FGD, the cause of NSI are recapping insulin needles; careless actions when suturing wounds, preparing blood sample, infusing patients, and injecting drugs into patients; misplaced needle or put needle not properly; modifying needles not suitable for the use; lack of suture care SOP; perform actions not according to clinical authority; less senior supervision, especially when doing an invasive procedure; and lack of consumables indent checking. **Conclusion:** NSC succeeded in reducing the NSI prevalence in the post-contest period. NSI causative factors are recapping insulin needles, usually among shift workers and new

staff; careless actions when doing invasive procedures; needles that are not suitable for the use; lack of suture care SOP; needles used not ideal with the process; less senior supervision.</p>