

# Efektifitas program intervensi pengelolaan kelelahan terhadap kelelahan, harga diri, citra tubuh dan kualitas hidup penyintas kanker payudara = The effectiveness of fatigue management intervention program on fatigue, self esteem, body image and quality of life in breast cancer survivors

Dwi Prihatin Era, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20518784&lokasi=lokal>

---

## Abstrak

Kejadian kanker payudara di Indonesia tertinggi di antara kanker lainnya pada wanita, dengan prevalensi kelelahan diperkirakan antara 25-99%. Penelitian saat ini merupakan penelitian tindakan metode campuran selama 6 minggu terhadap kelelahan pada penderita kanker payudara. Tujuan penelitian ini mengembangkan program intervensi pengelolaan diri untuk mengurangi kelelahan berbasis pemberdayaan dengan strategi telenursing dan mencari bukti pengaruhnya terhadap tingkat kelelahan, harga diri, citra tubuh, dan kualitas hidup. Tahap pertama mendeskripsikan masalah dengan metode kualitatif dengan menggali masalah kelelahan dalam persepsi penyintas. Tahap kedua tahap pengembangan intervensi dan tahap ketiga menguji keefektifan intervensi, dilakukan dalam penelitian kuasi eksperimental desain kelompok kontrol pre-posttest. Tahap pertama menghasilkan 5 tema dan tahap kedua menghasilkan intervensi keperawatan berdasarkan teori keperawatan transisi dan strategi pemberdayaan dari jauh (telenursing). Penelitian tahap ketiga membuktikan terdapat efektifitas dari intervensi pengelolaan kelelahan (IPK) terhadap penurunan tingkat kelelahan, peningkatan harga diri dan citra tubuh, dan kualitas hidup pada penderita kanker payudara. Penelitian ini merekomendasikan perawat onkologi mempertimbangkan pendampingan pada penyintas menggunakan intervensi ini agar masa transisi penyintas kanker payudara mencapai kesehatan fisik dan psikologis yang sehat, mencapai kesehatan optimal setelah diagnosis kanker .

.....The incidence of breast cancer in Indonesia is the highest among other cancers in women, with an estimated prevalence of fatigue between 25-99%. The current study is a 6-week mixed methods action study on fatigue in breast cancer patients. The purpose of this study was to develop a self-management intervention program to reduce empowerment-based fatigue with telenursing strategies and to seek evidence of its effect on fatigue levels, self-esteem, body image, and quality of life. The first stage describes the problem with a qualitative method by exploring the problem of fatigue in the survivor's perception. The second stage is the intervention development stage and the third stage is testing the effectiveness of the intervention, carried out in a quasi-experimental study with a pre-posttest control group design. The first stage produces 5 themes and the second stage produces nursing interventions based on transitional nursing theory and telenursing strategies. The third stage of the study proved that there was an effectiveness of the fatigue management intervention (GPA) in reducing fatigue levels, increasing self-esteem and body image, and quality of life in breast cancer patients. This study recommends oncology nurses consider mentoring survivors using this intervention so that the transition period for breast cancer survivors achieves healthy physical and psychological health, achieving optimal health after cancer diagnosis.