

## Penerapan Terapi Musik Aktif: Bernyanyi untuk Menurunkan Tanda dan Gejala pada Pasien Risiko Perilaku Kekerasan = Application of Active Music Therapy: Singing to Reduce Signs and Symptoms in Patients at Risk of Violent Behavior

Alwi Hadad, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20520616&lokasi=lokal>

---

### Abstrak

Skizofrenia merupakan salah satu fenomena gangguan jiwa yang banyak dialami oleh masyarakat di Indonesia. Skizofrenia menimbulkan gejala yang berbeda-beda salah satunya gejala positif yaitu perilaku kekerasan. Individu dengan masalah risiko perilaku kekerasan jika tidak segera ditangani dapat membahayakan bagi penderita sendiri, orang lain, dan lingkungan sekitar. Penulisan karya ilmiah akhir ini bertujuan untuk menganalisis asuhan keperawatan pada pasien risiko perilaku kekerasan selama 8 hari. Intervensi keperawatan berfokus pada terapi musik bernyanyi selama 30 menit dalam satu hari di ruang Arimbi RSJ Marzoecki Mahdi Bogor. Hasil asuhan keperawatan yang diberikan menunjukkan bahwa terdapat penurunan tanda dan gejala risiko perilaku kekerasan. Studi kasus ini diharapkan dapat sebagai gambaran dalam pemberian asuhan keperawatan pada Pasien dengan risiko perilaku kekerasan.

.....Schizophrenia is a mental disorder phenomenon that is experienced by many people in Indonesia. Schizophrenia causes different symptoms, one of which is positive symptoms, namely violent behavior. Individuals with risk problems for violent behavior if not treated immediately can be dangerous for the sufferer himself, others, and the environment. The purpose of writing this final scientific paper for nurses is to analyze nursing care for patients at risk of violent behavior for 8 days. The nursing intervention focused on singing music therapy for 30 minutes in one day in the Arimbi room of the Marzoecki Mahdi Hospital, Bogor. The results of the nursing care provided showed that there was a decrease in signs and symptoms of the risk of violent behavior. This case study is expected to serve as an illustration in providing nursing care to clients at risk of violent behavior.