

## Karakteristik mineral pembawa Unsur Tanah Jarang (UTJ) di Pulau Bangka dan Belitung = Characteristics of Rare Earth Element (REE) minerals in Bangka and Belitung Island

Alfit Taufikoh, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20525171&lokasi=lokal>

---

### Abstrak

Di Indonesia, terdapat beberapa wilayah yang berpotensi untuk ditemukannya cadangan unsur tanah jarang (UTJ). Salah satunya di Pulau Bangka dan Belitung yang berasosiasi dengan keberadaan Tin Belt of Southeast Asia. Mineral pembawa UTJ di wilayah penelitian terdiri dari zirkon, monasit, dan xenotim yang berasosiasi dengan endapan timah plaser. Metode yang digunakan dalam penelitian ini terdiri dari analisis binokuler, sayatan tipis, sayatan poles, dan micro-XRF. Karakteristik monasit dan xenotim cenderung memiliki ciri yang hampir sama, sedangkan zirkon lebih mudah untuk dibedakan. Secara keseluruhan, komposisi zirkon di wilayah penelitian lebih dominan daripada monasit dan xenotim. M1 merupakan sampel dengan kandungan xenotim yang sangat tinggi. Berdasarkan jenis unturnya, sampel penelitian lebih banyak mengandung unsur tanah jarang ringan (LREE) daripada unsur tanah jarang berat (HREE). Keterdapatan HREE yang cukup dominan ditemukan dalam sampel P1 dan M1.

.....In Indonesia, several areas have potential reserves of rare earth elements (REE). One of them is the Bangka Belitung Islands which are related to the existence of the Tin Belt of Southeast Asia. REE minerals in the research area consist of zircon, monazite, and xenotime that are associated with tin placer deposits. This study used several methods, such as binocular, thin section, polished section, and micro-XRF analysis. The characteristics of monazite and xenotime incline to have the same pattern, while zircon is easier to distinguish. Relatively, the research area has a prominent zircon than monazite and xenotime. M1 is a sample with the highest xenotime content. Based on the type of REE, the sample study conceived of more light rare earth elements (LREE) than heavy rare earth elements (HREE). The dominant HREE was just found in P1 and M1 samples.