

# Analisis penerapan asuhan keperawatan jiwa generalis dan psikoreligius pada klien dengan halusinasi pendengaran = Analysis of the application of generalist and psychoreligious mental nursing care for clients with auditory hallucinations

Areta Dewi Pramudita, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20529347&lokasi=lokal>

---

## Abstrak

Latar belakang: Psikotik akut merupakan gangguan jiwa yang bercirikan gangguan perilaku yang parah seperti kegelisahan dan agitasi, mendengar suara atau melihat hal-hal yang tidak dapat didengar atau dilihat orang lain, kepercayaan aneh, ucapan dan tingkat emosional. ketakutan atau emosi berubah dengan cepat, seperti dari menangis menjadi tertawa. Halusinasi pendengaran adalah halusinasi yang dialami oleh 60% hingga 80% penderita psikotik. Kasus: Ny. IP (24 tahun) diantar oleh keluarga ke rumah sakit karena berbicara sendiri dan marah-marah di rumah. Selama di rumah sakit, pasien mengalami halusinasi pendengaran, harga diri rendah kronik, risiko perilaku kekerasan, dan isolasi sosial. Diskusi: Asuhan keperawatan dimulai dari pengkajian, analisa data, perencanaan, implementasi hingga evaluasi. Seluruh proses asuhan keperawatan dilakukan selama 13 hari sejak tanggal 23 September – 7 Oktober 2022 di ruangan Utari Rumah Sakit Jiwa Dr H. Marzoeki Mahdi (RSJMM) Bogor. Intervensi yang diberikan kepada Ny. E dilakukan sesuai standar asuhan keperawatan generalis untuk setiap diagnosis keperawatan yang muncul serta dikombinasikan dengan pendekatan terapi psikoreligius mengaji. Kesimpulan: Penerapan intervensi keperawatan generalis dengan pendekatan terapi psikoreligius: mengaji terhadap pasien Ny. IP dengan masalah keperawatan halusinasi pendengaran terbukti efektif dalam mengurangi tanda dan gejala halusinasi, dapat meningkatkan kemampuan dalam mengontrol halusinasi. ....Background: Acute psychosis is a mental disorder characterized by severe behavioral disorders such as restlessness and agitation, hearing sounds or seeing things that other people cannot hear or see, strange beliefs, speech and emotional levels. fear or emotion changes rapidly, such as from crying to laughing. Auditory hallucinations are hallucinations experienced by 60% to 80% of psychotic sufferers. Case: Mrs. IP (24 years old) was brought by his family to the hospital because he was talking to himself and being angry at home. While in hospital, patients experience auditory hallucinations, chronic low self-esteem, risk of violent behavior, and social isolation. Discussion: Nursing care starts from assessment, data analysis, planning, implementation to evaluation. The entire nursing care process is carried out for 13 days from 23 September to 7 October 2022 in the Utari room of the Dr H. Marzoeki Mahdi Mental Hospital (RSJMM) Bogor. The intervention given to Mrs. E is carried out according to generalist nursing care standards for each nursing diagnosis that appears and is combined with a psychoreligious therapy approach to the Koran. Conclusion: The application of generalist nursing interventions with a psychoreligious therapy approach: reciting the patient of Mrs. IP with auditory hallucinations nursing problems proved effective in reducing signs and symptoms of hallucinations, can improve the ability to control hallucinations.