

## Hubungan kunjungan ke posyandu dengan kejadian KEP anak usia 6-23 Bulan di 4 Kabupaten di Jawa Barat tahun 1998

Rita Djupuri, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=71265&lokasi=lokal>

---

### Abstrak

**LATAR BELAKANG:** Salah satu strategi yang digunakan oleh pemerintah dalam penanggulangan kekurangan gizi adalah dengan promosi kesehatan yang dilakukan di Posyandu, untuk itu ingin diketahui apakah ada hubungan antara kunjungan ke Posyandu dengan kejadian kurang energi protein.

<br /><br />

**METODOLOGI:** Desain penelitian ini adalah cross sectional dengan memanfaatkan data sekunder hasil penelitian Baseline Survey A Longitudinal Study on Nutritional Status of Children at Early Child Development Project areas in Indonesia, dengan sampel anak usia 6-23 bulan di 4 Kabupaten di Jawa Barat. Data dianalisa dengan menggunakan analisa regresi logistik.

<br /><br />

**HASIL:** Kejadian KEP di 4 Kabupaten Jawa Barat tahun 1998 rata-rata adalah 35,9%, dan Kabupaten Indramayu adalah kabupaten dengan kejadian KEP tertinggi yaitu 40,9%. Kejadian KEP berhubungan dengan status pekerjaan ibu (OR 0,76; 95% Interval kepercayaan 0,59;0,98), jumlah balita dalam keluarga (OR=2,01; 95% Interval kepercayaan 1,22;3,31), umur anak (OR=3,48 95% Interval kepercayaan 2,71;4,47 dan OR=1,35 ;1,05;1,73) dan kejadian sakit dalam sebulan terakhir (OR=1,44; 95 Interval kepercayaan 1,31;1,83), sementara itu tidak ditemukan adanya hubungan antara kunjungan ke Posyandu dengan kejadian KEP (OR=0,88;95% Interval kepercayaan 0,69;1,13 dan OR=0,97; 0,73;1,28)

<br /><br />

**KESIMPULAN :** Hasil Analisa menunjukkan bahwa tidak ada hubungan antara kunjungan ke Posyandu dengan kejadian KEP, baik sebelum maupun setelah dikendalikan dengan variabel lainnya.

<hr>

*Associated Between Visit to Integrated Health Services Post with Protein Energy Malnutrition among Children 6-23 Months in 4 Districts in West Java, 1998*  
**BACKGROUND:** A part of national strategy for tackling under nutrition problem with health promotion in Integrated Health Service Post. This study aims to know associated between visit to Integrated Health Services Post with Protein Energy Malnutrition

<br /><br />

**METHODS:** The research design used cross-sectional. Data used were secondary data from Baseline Survey a longitudinal Study on Nutritional Status of Children at Early Child Development Project areas in Indonesia by Centre for Food and Nutrition Studies University of Hasanuddin collaboration with Directorate of Community Nutrition, Ministry of Health. Data were then analysed using the logistic regression.

<br /><br />

**RESULTS:** Prevalence of PEM in four district in West Java 1998 was 35,9 %, and Indramayu the district with the highest the prevalence of protein energy malnutrition (PEM), 40,9%.PEM associated with mother occupation status (OR=0,76; 95%CI 0,59;0,98), the number of under five years old in house (OR=2,01; 95%CI 1,22;3,31), child-aged (OR=3,48 95% CI 2,71;4,47 and OR=1,35 95%CI 1,05;1,73)and the last

month the incidence of child illness(OR=1,44; 95 CI 1,31;1,83) and no associated between visit to Integrated Health Services Post with Protein Energy Malnutrition (OR=0,88;95% CI 0,69;1,13 and OR=0,97;95% CI 0,73;1,28)

<br /><br />

CONCLUSION: Data analysis revealed no found associated between visit to Integrated Health Services Post with Protein Energy Malnutrition.</i>