

## Faktor-faktor yang berhubungan dengan peningkatan status gizi balita kepala keluarga miskin pada pelaksanaan PMT-P di Kecamatan Kuranji, Kota Padang, tahun 1999

Nany Syuryati R., author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=72333&lokasi=lokal>

---

### Abstrak

Terjadinya krisis ekonomi yang berkepanjangan sejak pertengahan tahun 1997 yang lalu, berpengaruh buruk terhadap kesehatan dan status Gizi masyarakat, terutama keluarga miskin. Salah satu kelompok yang rentan adalah balita yang dengan keadaan ini menjadi Kurang Energi Protein (KEP). Untuk mencegah meluasnya kasus KEP, maka pemerintah Propinsi Sumatera Barat bekerja sama dengan swasta memberikan bantuan berupa makanan tambahan untuk pemulihan (PMT-P). Pemberian PMT-P telah diteliti di beberapa daerah, namun sampai saat ini di kota Padang sendiri belum pernah dilaksanakan penelitian ini.

Penelitian ini bertujuan untuk mengetahui faktor-faktor yang berhubungan dengan peningkatan status Gizi balita KEP keluarga miskin. Penelitian dilaksanakan di wilayah kerja Puskesmas Kuranji dan Puskesmas Belimbing, Kecamatan Kuranji, kota Padang terhadap balita KEP keluarga miskin yang mendapatkan PMT-P. Desain penelitian ini adalah cross sectional. Sampel terdiri dari 93 orang balita KEP keluarga miskin yang merupakan total sampling dengan responden ibu balita KEP.

Pengolahan data menggunakan analisis -univariat, bivariat dan multivariat. Hasil penelitian menunjukkan keberhasilan peningkatan status gizi balita KEP setelah PMT pemulihan selama 3 bulan hanya 43%. Ada hubungan yang bermakna antara jumlah dan jenis PMT-P, berat ringan infeksi serta pelayanan kesehatan ( $p < 0.05$ ). Variabel balita KEP dengan infeksi berat mempunyai hubungan yang paling kuat untuk tetap/kurang status gizinya dibandingkan dengan balita KEP yang menderita infeksi ringan. Pada pelaksanaan PMT-P, agar tegadi peningkatan status gizi balita KEP yang lebih baik, maka disarankan adanya pengobatan dan perawatan khusus di Rumah Sakit pada kasus-kasus balita KEP berat dan KEP dengan infeksi berat.

Disamping itu perlu adanya pengawasan dalam mengkonsumsi makanan, sehingga PMT-P yang diberikan benar-benar hanya diberikan pada sasaran. Walaupun dari hasil penelitian tidak didapatkan hubungan yang bermakna antara pengetahuan, penyuluhan dan pemantauan oleh petugas dengan peningkatan status gizi, yang kemungkinan oleh karena sebagian besar ibu berpendidikan rendah, untuk itu penyuluhan praktis yang informatif perlu ditingkatkan, sehingga hal ini dapat meningkatkan pengetahuan ibu tentang gizi dan KEP pada balita. Penelitian ini juga menyarankan agar PMT-P diteruskan terutama pada kasus-kasus KEP berat dan sedang serta adanya penelitian yang lebih lanjut dengan desain khusus yang menggunakan indeks BBITB.

<hr><i>Factors Related with the Increase of the Nutrition Status of PEM at the Under Five Year, on Poverty Community in Distric of Kuranji, PadangThe long economic crisis since 1997, cause bad effects to the community, specially community's health and nutrition's on poverty community. One of the most vulnerable group to get protein - energy malnutrition (PEM) is children under five year with this condition can get

PEM. To prevent the protein - energy malnutrition from spreading further, the regional government on West Sumatra and some privates commits donated to the community, such supplementary feeding program. The supplementary feeding program was researched some regions, but until now the research never done in Padang.

The purpose of the research is to knowing the factors which related with the increase of the nutrition status of PEM at the children under five year, on poverty community. The research is done on Community Health Center on Kuranji and Belimbing region, distric, Kuranji, Padang; to the children under five year, with PEM on poverty community who got supplementary feeding. The research design was Cross Sectional. The sample's are 93 children's under five year on poverty community; they were total sampling, using their mother as respondents.

The data processing is using Univariat, Bivariat and Multivariat analysis. The result of research shows that only 43% success on increasing Nutrition's status at the children's under five year with PEM on poverty community after 3 months giving supplementary feeding. Kind and number of supplementary feeding, severe and mild infection and the health services have significant relation ( $p < 0,05$ ). PEM at children under five year variable with the severe infection have a strong relation to statis or less of nutrition status compared with PEM at the children under, five year who got mild infection.

To increase the good children under five year nutrition status, suggested to handle seriously severe protein - energy malnutrition and severe infection with the intensive care. Beside that, need to giving supplementary feeding with the adequate number. It necessary to observe more intensively so that kind and number of the supplementary feeding given used by the PEM at children under five year only. Although from the research did not found significant relationship beetwen knowledge. give of information and supervision of health providers with the rise of nutrition status that may be most of mather have low education, that's need to increase giving of information with informatif practice in order it can increase knowledge of mather about nutrition and PEM at the children under five year, and also the supervision that done of health providers need to be repair in quality and adequacy. The research also recommended to be continuing supplementary feeding program, especially for moderate and severe PEM. And the further researchs with special design like body weight and body height indecs.