

Faktor-faktor yang berhubungan dengan status gizi usia lanjut di daerah binaan puskesmas Jakarta Selatan tahun 1997

Oktoruddin Harun, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=77396&lokasi=lokal>

Abstrak

Banyak cara yang dapat dipergunakan untuk mengetahui keadaan gizi seseorang. Salah satu diantaranya adalah dengan mengukur indeks massa tubuh (IMT). Dan dapat menggolongkan status gizi seseorang normal atau tidak normal. Penelitian ini bertujuan untuk memperoleh gambaran status gizi (IMT) usia lanjut dan mengetahui faktor-faktor apa saja yang berhubungan dengan status gizi usia lanjut (IMT).

Penelitian ini merupakan analisis data sekunder dari penelitian potong lintang Studi Evaluasi Program Kesehatan Usia Lanjut di Puskesmas DKI Jakarta (kerja sama Fakultas Kesehatan Masyarakat Universitas Indonesia dan Dinas Kesehatan DKI Jakarta), dengan mengambil wilayah Jakarta Selatan. Pengumpulan data dilakukan pada bulan Nopember s.d Desember 1997, dengan sampel adalah usia lanjut ≥ 55 tahun sebanyak 173 orang yang terdiri 77,46% wanita dan 22,54% pria.

Penelitian ini melibatkan 7 variabel independen yaitu faktor-faktor yang diduga mempunyai hubungan dengan status gizi (IMT) pada usia lanjut, variabel tersebut adalah sebagai berikut : jenis kelamin, umur, tingkat pendidikan, tingkat pendapatan., status kesehatan, aktifitas fisik dan kebiasaan merokok.

Hasil analisis bivariat dan multivariat diketahui bahwa secara statistik tidak ada variabel independen yang berhubungan bermakna dengan status gizi usia lanjut (IMT).

Dari hasil penelitian ini disarankan agar diteliti faktor-faktor lain yang belum tercakup dalam penelitian ini seperti % karbohidrat terhadap energi, % lemak terhadap energi, tingkat stress, keturunan dan tingkat hormonal.

.....Factors Associated With Nutritional Status of Guided Elderly in Community Health Centres Area in South Jakarta in 1997
Nutritional status can be measured by many methods and one them is measuring body mass index (BMI). Based on BMI we would know if someone had normal or not nutritional status. The objective of this study is to find the nutritional status (BMI) of elderly and were had know factors associated with the nutritional status of elderly.

This study use secondary data according to study evaluation health program elderly in community health centers in DKI Jakarta (cooperation Faculty of Public Health University of Indonesia and Department of Health DKI Jakarta). Design of study was a cross sectional and data were collected on November - December 1997. Total sample were 173 persons aged ≥ 55 years, consist of 22,54% male and 77,46% female.

This study involved 7 variables independent possibly related to the nutritional status (BMI) of elderly, those variables as follow : sex, age, level of education, level of income, health status, physical activities and smoking habits.

Based on bivariate analysis and multivariate analysis there are not independent variables significant associated with nutritional status elderly (BMI).

According to this result it is suggested to study another factors not included, those factors as follow : % karbohidrat by energy, % fat by energy, level of stress, genetic and level of hormonal.