

Faktor-faktor yang berhubungan dengan lama hari rawat pasien tidak mampu di zal khusus RSUD Budhi Asih Jakarta, tahun 1997

A. Syarkowi Marzuki, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=77887&lokasi=lokal>

Abstrak

RSUD Budhi Asih sejak dahulu dikenal dengan rumah sakit gelandangan dan pengemis, sebagai rumah sakit yang merawat penderita terlantar dan tidak mampu secara cuma-cuma. Terhitung 1 April 1998 RSUD Budhi Asih ditetapkan sebagai rumah sakit swadana. Dengan besarnya beban sosial yang harus ditanggung sedangkan anggaran kesehatan yang diperoleh sangat terbatas, memaksa manajemen RSUD Budhi Asih harus melakukan efisiensi secara optimal. Salah satu indikator dalam melakukan efisiensi kegiatan rumah sakit adalah dengan melihat lama hari rawat. Karena pengaruh berbagai faktor, terjadi perpanjangan lama hari rawat pasien tidak mampu yang dirawat di Zal Khusus RSUD Budhi Asih.

Tujuan : Untuk mengetahui faktor-faktor yang diduga berhubungan dengan perpanjangan lama hari rawat pasien tidak mampu di Zal Khusus RSUD Budhi Asih.

Desain penelitian yang digunakan adalah survey analisa dengan pendekatan cross sectional, terhadap 150 sampel dari 75 pasien Zal Khusus dan 75 pasien Zal Pembanding RSUD Budhi Asih periode April. 1997 - September 1997. Metodologi analisa data yang digunakan dengan analisis univariat, analisis bivariat dan multivariat. Dari ke 13 variabel yang diteliti ternyata setelah dilakukan analisis univariat dan bivariat keluar 7 variabel bebas bermakna sebagai kandidat untuk dianalisa secara multivariat yaitu : kelas perawatan, jenis penyakit, komplikasi penyakit, hubungan keluarga, hari keluar rumah sakit, asal rujukan dan pengisian resume. Dari hasil analisa multivariat ternyata faktor kelas perawatan (Zal Khusus) terbukti berhubungan dengan perpanjangan lama hari rawat. Faktor utama yang berpengaruh terhadap perpanjangan lama hari rawat di Zal Khusus adalah faktor jenis penyakit khronis, disamping adanya komplikasi penyakit, tidak adanya hubungan keluarga dan tidak lengkapnya pengisian resume.

Hipotesis yang dibuat berdasarkan kerangka konsep tidak semua mendukung hasil penelitian ini. Tidak semua faktor penelitian dapat dibuktikan bermakna secara statistik. Dari hasil penelitian ini, dapat dibuat langkah-langkah untuk mempersingkat lama hari rawat pasien di Zal Khusus RSUD Budhi Asih.

Daftar Bacaan (1973 - 1998).

<hr><i>Factors that Influence the Length of Stay of Special Ward for Homeless Patient in Budhi Asih Hospital Jakarta, 1997</i> Budhi Asih hospital has predicated as a Hospital for homeless patients and the beggars

(Gepeng = Gelandangan dan Pengemis). Since April, 1 st 1998, Budhi Asih hospital has become a Swadana Hospital. Considering the social mission of Budhi Asih Hospital as an independent Hospital in the future, the management in running its services, has to be efficient. The Length of Stay is one of the indicators of

hospital efficiency.

This research objective was to analyze factors presumed have some influence on the length of stay in the ward of the homeless (special ward).

The research was a cross sectional which studied 150 cases in which 75 cases were from special ward and 75 cases from a regular yet similar level (conducted April 1997 - September 1997). Data were acquired from the medical record of the hospital information unit. Univariate, bivariate and multivariate analyze were employed.

Seven out of 13 independent variables which showed significant difference by univariate analyze and bivariate analyze, were candidate of the multivariate analysis. Those are : Patient class, acute or chronic disease, complication, family, day of check - out and medical record (resume) completely. The multivariate analysis result showed that difference ward was related to the length of stay. The main factors that influence of diseases length of stay in special ward was the chronic disease, complication of diseases, no family and incomplete medical record.

The hypothesis which had been made based on these concept were not all supported in this study. Not all of risk factors could be proved statistically significant. Of this research result can be made steps to decrease the length of stay special ward patient Budhi Asih Hospital. This research has indicated several suggestions to reduce the length of stay in special ward, such as to develop an outreach program for the nursing home to reduce chronic cases to be referred to this hospital

Bibliography: (1973 - 1978)</i>