

Analisa pemeliharaan pencegahan peralatan kesehatan di rumah sakit umum pusat Dr. Cipto Mangunkusumo Jakarta

Batubara, Torang Panyusunan, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=77944&lokasi=lokal>

Abstrak

ABSTRAK

Disadari sebagian besar peralatan kesehatan belum dapat diproduksi dalam negeri terutama untuk peralatan yang berteknologi tinggi, hal inilah yang membuat peralatan yang digunakan oleh Rumah Sakit harus dalam keadaan siap pakai dengan dilakukan pemeliharaan pencegahan. Banyaknya peralatan kesehatan yang beredar dipasaran dari berbagai merk dan berbagai tipe perlu dilakukan penyeragaman pemeriksaan dan pemeliharaan agar didapat hasil yang optimal.

Tujuan penelitian ini adalah mendapatkan gambaran tentang pemeliharaan pencegahan yang selama ini dilakukan oleh rumah sakit untuk meningkatkan mutu pelayanan. Penelitian dilakukan melalui pengumpulan data sekunder dan pengamatan terhadap aktivitas yang dilakukan dalam hal pemeliharaan peralatan kesehatan. Data diambil periode waktu 1995 - 1996, kemudian dilihat untuk beberapa peralatan yaitu Infusion Pump, ECG, Servo Ventilator, bagaimana peralatan dilakukan pemeliharaan dan bagaimana seharusnya peralatan harus diperlakukan.

Dari Penelitian ini didapat kesimpulan sebagai berikut :

1. Pemeliharaan pencegahan dilakukan oleh pihak ketiga tetapi kriteria pemeriksaan tidak dilakukan menyeluruh dikarenakan formulir yang dibuat hanya menyangkut pemeriksaan mekanik, elektronik, dan elektrik. Dalam kontrak harus dibuat jelas berapa kali kunjungan dalam sebulan dan apa raja yang harus dilakukan untuk setiap alat. Formulir yang digunakan mengacu tabel 7.1, 7.2, dan 7.3.
2. Keterbatasan dana, tenaga, dan sarana perlu diperlukan perhitungan jadwal pemeliharaan atas dasar fungsi, faktor resiko dan kebutuhan akan pemeliharaan, agar alat betul-betul dapat terpelihara dengan baik dan tidak mengganggu pelayanan.
3. Pemeliharaan peralatan teknologi tinggi sebaiknya dilakukan oleh sole agent untuk mempertahankan peralatan dari waktu tidak terpakai cukup lama dan terjaminnya ketersediaan suku cadang.

Disarankan seluruh rekaman pemeliharaan dicatat dalam formulir pemeliharaan dan Log book peralatan, ditempatkan dekat alat serta di Sub. Instalasi Elektromedik agar sejarah alat dapat diketahui dengan jelas.

<hr><i>ABSTRACT</i>

It is realized the most of medical tools have not been made in the country, especially for the hi-tech medical tools, that is why the tools used in the hospitals must be ready to use by conducting a preventive maintenance.

The high number of medical tools distributed in the markets in different marks and types need to standardize in their examination and maintenance in order to get an optimal result.

The goal of the research is to obtain an illustration of the preventive maintenance implemented at the hospitals in the recent days.

The research is conducted by collecting secondary data and observation in the activities where the tools maintained. The data obtained from 1995-1996, then some tools such as Infusion Pump, EGG, Servo Ventilator, are observed to know how to maintain the tools and how to treat them properly.

From the research may be concluded as follows :

1. The preventive maintenance conducted by the third sided persons while the criterions of maintenance are not integrally conducted due to the constructed forms are only about mechanical, electronical, and electrical maintenance. It must be clearly made in the contract how many visits conducted in a month and what must be treated to the tools. The forms applied refer to the tables : 7.1, 7.2, and 7.3.
2. The limited money, man power, and facilities need to consider , besides maintaining schedule based on the function , factors of risks and the necessities of maintenance, so that the tools are really safe in a good condition and they do not distube service activities.
3. The maintenance of hi-tech tools should be conducted by sole agents to endure them when they will use in a long time , and to ensure their spare-parts are available.

It is suggested that all maintaining activities recorded in a maintaining form and in a Log book. They are placed next to the tools and to the Subdivision of Electromedical installation so that we know the recordings clearly.</i>