

Analisis efektivitas biaya pengobatan simptomatik penderita ischialgia di Poliklinik Saraf RS Duren Sawit 2004

Agus Solichien, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=78660&lokasi=lokal>

Abstrak

Ischialgia merupakan gejala dari penyakit yang menyerang saraf Ischiadicus dan banyak dijumpai di poliklinik Saraf RS Duren Sawit. Penyakit ini tidaklah fatal akan tetapi cukup memberikan penderitaan bagi yang menderitanya. Rasa sakit di bokong yang menjalar ke tungkai merupakan ciri khas penyakit ini, dan sering menimbulkan gangguan untuk aktivitas sehari-hari.

Penatalaksanaan penyakit ini, umumnya hanya berupa pengobatan konservatif dengan pemberian anti inflamasi, sambil menunggu regenerasi saraf yang teriritasi.

Kerugian ekonomis yang ditimbulkan oleh penyakit ini sangatlah besar, belum lagi jika dilihat dari tidak dapatnya penderita bekerja akibat sakitnya. Apalagi jika dinilai penderitaan yang diakibatkan penyakit ini sangat mengganggu dan cukup lama.

Untuk itu diperlukan terobosan baru bagi penatalaksanaan penyakit ini. Operasi memang dapat menyembuhkan penyakit ini akan tetapi membutuhkan biaya yang tidak sedikit, belum lagi resiko komplikasi operasi dan kemungkinan relaps. Blok Saraf adalah upaya lain yang selain murah, mudah dilaksanakan dan secara cepat dapat menghilangkan nyeri yang diakibatkan penyakit ini.

Dari hasil penelitian yang dilakukan di Poliklinik Saraf RS Duren Sawit ini dimana penderita diberi tindakan blok saraf, selain diberi obat konservatif dibandingkan dengan pemberian obat saja ternyata tindakan blok saraf terbukti lebih cost effective untuk menyembuhkan penyakit ini.

Dengan keberhasilan tindakan blok saraf untuk kasus Ischialgia, kedepan, dapat juga untuk dilakukan percobaan untuk kasus nyeri bagi penyakit lain.

Daftar Bacaan : 15 (1983-2002)

Cost Effectiveness Analysis Symptomatic Treatment of Ischialgia Patient in Policlinic Neurology Duren Sawit Hospital, 2004 Ischialgia, symptom of disease that affect Ischiadicus nerves is found in many of the patient in Policlinic Neurology Duren Sawit Hospital. This disease is not categorized as a deadly one although it can give severe pain to the patient. The throbbing sensation start from, the buttock goes down to the leg is the specific character of this disease which often impair patient daily.

Medical treatment is generally done by giving an anti inflammatory drug while waiting for the irritated nerves to regenerate themselves.

Economic loss caused by these diseases is substantial as the patients are usually unable to do their activity due to severe pain for a quite long period of time.

The new breakthrough medical treatment for these diseases is done through surgery, though the expense will not be small and the risk of complication as well as disease relapse makes this option not being preferred. Blocking the peripheral nerve is another option that has been considered as easier, cheaper and quicker in eliminating the back pain sensation.

The result of this experimental study which compares the treatment of Nerve Block plus drugs with drugs treatment only have proven that The Nerve Block treatment is more cost effective than conventional treatment.

With this successful finding, it is recommended to perform Nerve Blocking treatment to other cases of ischialgia.

References: 15 (1983-2002)