

Analisis faktor-faktor yang berhubungan dengan Utilisasi Laboratorium Kateterisasi Pediatrik Rumah Sakit Jantung dan Pembuluh Darah Harapan Kita = Analysis of factors related to the utilization of Pediatric Catheterization Laboratory at Harapan Kita Cardiovascular Hospital

Ardyles, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920516198&lokasi=lokal>

Abstrak

Penyakit jantung bawaan (PJB) merupakan salah satu masalah yang perlu mendapatkan perhatian khusus. Diperlukan sarana pelayanan yang memadai serta terjangkau di masyarakat. Laboratorium kateterisasi merupakan salah satu sarana penting sebagai diagnostik dan intervensi, khususnya untuk PJB. Tingginya kebutuhan pelayanan unit ini menuntut utilisasi yang optimal. Utilisasi yang tidak efisien akan memperlama waktu tunggu tindakan, memperboros sumber daya, dan berpotensi pada pemburukan klinis pasien. Utilisasi adalah salah satu indikator non klinik di kamar operasi. Di laboratorium kateterisasi Rumah Sakit Jantung dan Pembuluh Darah Harapan Kita (RSJPDHK), utilisasi menjadi salah satu target indikator mutu pelayanan. Penelitian ini bertujuan untuk melihat utilisasi laboratorium kateterisasi pediatrik dan faktor-faktor yang berhubungan dengan hal tersebut. Dengan mengetahui utilisasi, dapat diperoleh gambaran mengenai efisiensi ruangan tersebut. Jenis penelitian ini adalah kombinasi kuantitatif dan kualitatif yang telah dilaksanakan pada Juni 2022. Data primer diperoleh melalui wawancara mendalam terhadap stakeholder yang berhubungan langsung dengan kebijakan dan implementasi unit pelayanan, sedangkan data sekunder didapatkan melalui catatan register unit, rekam medis, regulasi, dan dokumen objek penelitian lainnya berdasarkan variabel mulai prosedur pertama, jeda waktu antar tindakan, waktu selesai prosedur terakhir, dan jumlah pasien harian. Variabel tersebut juga dianalisis dari sisi Standar Prosedur Operasional (SPO), Sumber Daya Manusia (SDM), dan fasilitas. Hasil penelitian ini menunjukkan angka utilisasi 81,21%, melebihi target bila diukur menurut indikator mutu RSJPDHK. Faktor-faktor yang berhubungan, antara lain jumlah prosedur harian, jenis prosedur, dan waktu selesai prosedur terakhir (p -value < 0,05). Kesimpulan penelitian ini adalah utilisasi unit ini masih perlu ditingkatkan dan target utilisasi 70% atau tujuh jam per hari perlu ditinjau ulang untuk ditingkatkan agar menampung jumlah prosedur yang lebih banyak dan mengurangi waktu tunggu pasien. Sebagai saran, perlu perubahan sistem pengaturan pelaksanaan tindakan, mulai dari sistem penjadwalan, jumlah dan pengelompokan prosedur harian, revisi shift kerja non medis, hingga evaluasi berkala target utilisasi ruang kateterisasi pediatrik.

.....Congenital heart disease (CHD) is a disease that requires special attention. Consequently, adequate facilities and affordable services for the general public are necessary. Catheterization laboratories are essential facilities in performing diagnosis and intervention, especially for CHD. The high demand for service of these units demands optimal utilization. Inefficient utilization will prolong waiting time, waste resources, and potentially worsen patients' clinical condition. Utilization is a non-clinical indicator in operating theatres. In the catheterization laboratory at Harapan Kita Heart and Vascular Hospital (RSJPDHK), utilization is one of the target indicators for service quality. This study aimed to examine the utilization of the pediatric catheterization laboratory and its related factors. By understanding its utilization, a better overview of room efficiency can be obtained. The research combined quantitative and qualitative methods and was carried out in June 2022. Primary data were obtained through in-depth interviews with

relevant stakeholders who were directly related to the policy and implementation of service units. Secondary data were acquired through unit register records; medical records; regulations and research object documents; other variables based on the start of the first procedure; the time lag between procedures; the time of completion of the last procedure; and the number of daily patients. These variables were also analyzed in terms of standard operating procedures (SPO), human resources (HR), and facilities. The study results indicated a utilization rate of 81.21%, which exceeds the target based on the RSJPDHK quality indicators. The related factors included the number of daily procedures, the type of procedure, and the time of the last procedure (p-value <0.05). This study concludes that the utilization of the unit still requires further enhancement, and the utilization target of 70% or seven hours per day needs to be reviewed to accommodate a greater number of procedures and reduce patient waiting time. We suggest changes to the regulatory system for the implementation of several initiatives, including the scheduling system, the number and grouping of daily procedures, the revision of non-medical work shifts, as well as periodic evaluations of pediatric catheterization room utilization targets.