

Distribusi Kasus COVID-19 Dan Faktor Risikonya Di Provinsi Jawa Timur Tahun 2020-2021 : Analisis Spasial = The Risk Distribution of COVID-19 in East Java from 2020 to 2021: A Spatial Analysis

Kustiana Nur Ekawati, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920517147&lokasi=lokal>

Abstrak

Pendahuluan: Saat ini masyarakat di dunia, termasuk Indonesia sedang menghadapi pandemi COVID-19. Sejak ditetapkan kasus pertama COVID-19 di Indonesia sampai 21 Mei 2022, penderita COVID-19 sebanyak 6.052.36 kasus dan 156.519 diantaranya meninggal dunia. Provinsi Jawa Timur merupakan provinsi dengan kasus COVID-19 paling banyak kedua pada tahun 2020 dan peringkat ketiga pada tahun 2021. Case Fatality Rate Provinsi Jawa Timur meningkat dari tahun 2020-2021 yaitu dari 6,9 menjadi 7,4 dan masuk dalam dua provinsi dengan CFR paling tinggi di Indonesia. Tujuan: Penelitian ini bertujuan untuk mengetahui pola persebaran kasus konfirmasi dan meninggal COVID-19 dan faktor risikonya di wilayah Kabupaten/Kota di Jawa Timur secara spasial pada tahun 2020-2021. Metode: Penelitian ini adalah penelitian ekologi dengan menggunakan analisis Moran's I. Populasi yang digunakan adalah seluruh penderita COVID-19 di Jawa Timur tahun 2020-2021 dengan satuan analisis per kab/kota. Hasil dan Pembahasan: Pola persebaran mengelompok pada tahun 2020 dan 2021 terdapat pada variabel konfirmasi COVID-19 dengan variabel persentase penderita hipertensi, persentase penderita diabetes melitus, rasio puskesmas, rasio rumah sakit rujukan COVID-19 dan rasio tenaga kesehatan. Pola persebaran mengelompok pada tahun 2020 dan 2021 terdapat pada variabel meninggal COVID-19 dengan variabel kepadatan penduduk. Fasilitas kesehatan merupakan salah satu faktor penting yang berhubungan dengan kasus konfirmasi dan meninggal pada COVID-19 karena akan mempengaruhi testing, tracing serta treatment dalam penanganan COVID-19.

.....Background: Indonesia is one of countries that facing COVID-19 Pandemic in the world at the moment. Since the first case of COVID-19 was determined in Indonesia until 21 of May 2022, there are 6.052.36 cases in total and 156.519 deaths. East Java is in the second place of provinces with the most case of COVID-19 in 2020 and in the third place in 2021. Case Fatality Rate of East Java increased from 2020 to 2021 which was from 6,9 to 7,4 and became one of two provinces with the highest CFR in Indonesia. Objective: this study aims to know the distribution pattern of confirmed cases and deaths of COVID-19 spatially and its risk factors in districts of East Java in 2020-2021 with unit analysis per district/city. Result and Discussion: the clustered distribution pattern in 2020 and 2021 is found in the COVID-19 confirmation variable with the variable percentage of hypertension patients, percentage of diabetes mellitus patients, ratio of community health centers, ratio of referral hospitals for COVID-19 and ratio of health workers. The clustered distribution pattern in 2020 and 2021 is found in the COVID-19 death variable with the variable of population density. Health facilities are one of the important factors related to confirmed cases and deaths of COVID-19 because it will affect the testing, tracing and treatment in handling COVID-19.