

Hubungan Kesejahteraan Spiritual Dengan Tingkat Kecemasan Pasien Penyakit Jantung Koroner (PJK) di Rumah Sakit = The Relationship Spiritual well Being and anxiety Coronary Artery Disease (CAD) Patients in Hospital

I Gusti Ayu Wiwin Kusuma Dewi, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920518828&lokasi=lokal>

Abstrak

Tanda dan gejala psikologis dari Penyakit jantung Koroner (PJK) salah satunya adalah kecemasan, kecemasan yang tinggi dapat meningkatkan risiko munculnya penyakit jantung lainnya dan meningkatkan risiko serangan jantung berulang. Spiritualitas dilaporkan berkontribusi terhadap kesehatan dan kesejahteraan individu. Studi ini bertujuan mengidentifikasi hubungan kesejahteraan spiritual dengan kecemasan pasien PJK di rumah sakit. Penelitian potong lintang ini melibatkan sampel sebanyak 248 responden pasien PJK di rawat jalan dan rawat inap di rumah sakit di daerah Jakarta Selatan. Cara pemilihan sampel yang digunakan dalam penelitian ini dengan consecutive sampling. Instrumen yang digunakan dengan menggunakan kuesioner Spiritual Well Being Scale (SWBS) dan Hospital anxiety and Depression Scale (HADS). Hasil penelitian menunjukkan ada hubungan antara kesejahteraan spiritual dengan tingkat kecemasan pada pasien PJK dengan $p < 0,001$ kurang dari 0,05. Studi lanjutan perlu dilakukan penelitian mengenai intervensi penerapan pemberian asuhan keperawatan spiritual terhadap pasien PJK.

.....One of the psychological signs and symptoms of coronary heart disease (CHD) is anxiety. High levels of anxiety can increase the risk of developing other heart diseases and increase the risk of recurrent heart attacks. Spirituality is reported to contribute to the health and well-being of individuals. This study aims to identify the relationship between spiritual well being and the anxiety of CHD patients in the hospital. This cross-sectional study involved a sample of 248 CHD patient respondents who were outpatients and inpatients at hospitals in the South Jakarta area. The method of selecting the sample used in this study was by consecutive sampling. The instruments used are the Spiritual Well Being Scale (SWBS) and Hospital Anxiety and Depression Scale (HADS) questionnaires. The results showed that there was a relationship between spiritual well being and anxiety level in CHD patients $p < 0,001$ less than 0.05. Follow-up studies need to do research on interventions in the implementation of spiritual nursing care for CHD patients.