

## Faktor-Faktor yang Berhubungan dengan Cardiac Self-Efficacy Pada Pasien Pasca-Bedah Jantung Coronary Artery Bypass Graft (CABG) = Factors Related to Self-Efficacy in Post Coronary Artery Bypass Graft (CABG) Patients

Arini Sabila, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920519370&lokasi=lokal>

---

### Abstrak

Penyakit jantung merupakan penyebab kematian tertinggi di dunia dan efikasi diri merupakan salah satu faktor yang berkontribusi terhadap kemampuan pasien untuk manajemen diri dan pengelolaan penyakitnya. Coronary Artery Bypass Graft merupakan tatalaksana yang dilakukan pada pasien dengan Penyakit Jantung Koroner yang dapat berdampak secara fisiologi dan psikologis. Penelitian ini bertujuan untuk mengidentifikasi faktor-faktor yang berhubungan dengan efikasi diri pada pasien pasca-bedah jantung CABG. Penelitian ini menggunakan desain deskriptif cross-sectional, dengan jumlah sampel sebanyak 104 responden. Efikasi diri pada penelitian ini menggunakan kuesioner Cardiac Self-Efficacy yang dikembangkan oleh Sullivan. Dari analisis uji Chi-square didapatkan bahwa faktor yang berhubungan dengan efikasi diri adalah usia (p-value 0,008), pekerjaan (p-value 0,046), tingkat Pendidikan (p-value 0,005), status perkawinan (0,006) dan fase rehabilitasi (p-value 0,000) dengan efikasi diri. Penelitian ini merekomendasikan untuk memperhatikan karakteristik demografi dalam meningkatkan efikasi diri agar manajemen diri dan pengelolaan penyakit menjadi lebih baik.

.....Heart disease is the highest cause of death in the world and self-efficacy is one of the factors that contribute to a patient's ability to self-manage and manage their disease. Coronary Artery Bypass Graft is a treatment performed on patients with coronary heart disease which can have physiological and psychological impacts. This study aims to identify factors related to self-efficacy in post-cardiac CABG surgery patients. Design This study uses a cross-sectional, with a total sample of 104 respondents. Self-efficacy in this study used the Cardiac Self-Efficacy developed by Sullivan. From the Chi-square test analysis, it was found that factors related to self-efficacy were age (p-value 0,008), occupation (p-value 0,046), education level (p-value 0,005), marital status (p-value 0,006) and rehabilitation phase (0.000) with self-efficacy. This study recommends paying attention to demographic characteristics in increasing self-efficacy so that self-management and disease management are better.