

Analisis Asuhan Keperawatan Pada Pasien Hepatoceluller Carcinoma (HCC) dengan Gangguan Kebutuhan Cairan Dan Nutrisi Di Rumah Sakit Umum Pusat Nasional Cipto Mangunkusumo Jakarta = Analysis Of Nursing Care In Hepatocellular Carcinoma (Hcc) Patients With Disorders In Fluids And Nutrition Needs In Rsupn Dr Cipto Mangunkusumo

Nisrina Ulfah, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920519976&lokasi=lokal>

Abstrak

Hati adalah organ terbesar dalam tubuh dan organ metabolisme yang sangat penting. Hepatocellular Carcinoma (HCC) merupakan pertumbuhan abnormal dari hepatosit yang ditandai dengan peningkatan jumlah hepatosit yang mampu membelah dan menyertai perubahan sel hati yang menjadi ganas. Karsinoma hepatoselular berisiko terjadi retensi cairan karena rusaknya sel hepatosit yang mengakibatkan terganggunya aliran darah menuju ke hati sehingga menimbulkan distensi pembuluh darah dan terganggunya aliran tersebut juga mengakibatkan terganggunya produksi albumin untuk bisa mempertahankan tekanan onkotik. Asites, varises gastroesofagus yang tidak ditangani segera dapat menurunkan kualitas hidup bahkan kematian. Asites dan edema merupakan penyebab yang paling sering ditemukan pada pasien yang harus menjalani perawatan di rumah sakit. Penulisan karya ilmiah ini menggunakan metode studi kasus dengan menggunakan pemantauan cairan dan nutrisi dibuktikan bahwa pemantauan ini efektif untuk menangani kelebihan volume cairan dibuktikan dengan tidak bertambahnya komplikasi yang terjadi pada pasien.

.....The liver is the largest organ in the body and a very important metabolic organ. Hepatocellular Carcinoma (HCC) is an abnormal growth of hepatocytes which is characterized by an increase in the number of hepatocytes capable of dividing and accompanying changes in liver cells that become malignant. Hepatocellular carcinoma is at risk of fluid retention due to damage to hepatocyte cells which results in disruption of blood flow to the liver, causing distension of blood vessels and disruption of this flow also results in disruption of albumin production to maintain oncotic pressure. Ascites, gastroesophageal varices that are not treated immediately can reduce the quality of life and even death. Ascites and edema are the most common causes in hospitalized patients. The writing of this scientific paper using a case study method using fluid and nutrition monitoring proved that this monitoring is effective for treating excess fluid volume as evidenced by not increasing complications that occur in patients.