

# **Green Synthesis dan Karakterisasi Nanokomposit ZnO/NiWO<sub>4</sub> menggunakan Ekstrak Daun Alpukat (*Persea americana*) serta Uji Aktivitas Fotokatalitiknya = Green Synthesis of ZnO/NiWO<sub>4</sub> Nanocomposite Using Alpukat (*Persea americana*) Leaf Extract and Its Photocatalytic Application**

William Ravii Ghaniezky, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920525947&lokasi=lokal>

---

## **Abstrak**

Pada penelitian ini, nanopartikel ZnO, NiWO<sub>4</sub>, dan ZnO/NiWO<sub>4</sub> berhasil disintesis dengan cara metode green synthesis menggunakan ekstrak daun alpukat (*Persea americana*) dalam sistem satu fasa. Kandungan ekstrak air daun alpukat adalah alkaloid, saponin dan polifenol. Nanopartikel ZnO, NiWO<sub>4</sub>, dan ZnO/NiWO<sub>4</sub> dikarakterisasi menggunakan spektrofotometer Ultraviolet-Visible Diffuse Reflectance Spectroscopy (UV-Vis DRS), X-Ray Diffraction (XRD), Fourier Transform InfraRed (FTIR), Transmission Electron Microscopy (TEM) dan Scanning Electron Microscopy Energy Disperse X-Ray (SEM-EDX). Hasil karakterisasi UV-Vis DRS, nanopartikel ZnO, NiWO<sub>4</sub>, dan ZnO/NiWO<sub>4</sub> memiliki band gap 3,15 eV, 2,35 eV, dan 3,03 eV. Hasil uji aktivitas fotokatalitiknya menggunakan nanokomposit ZnO/NiWO<sub>4</sub> terhadap malasit hijau dibawah iradiasi sinar tampak selama 2 jam memiliki persen degradasi tertinggi dibandingkan dengan NiWO<sub>4</sub> dan ZnO. Persen degradasi ZnO/NiWO<sub>4</sub>, NiWO<sub>4</sub>, ZnO adalah 96,20%, 79,22%, 48,30%.

.....In this research, ZnO, NiWO<sub>4</sub>, and ZnO/NiWO<sub>4</sub> nanoparticles were successfully synthesized by means of green synthesis method using avocado (*Persea americana*) leaf extract in a single phase system. The secondary metabolites of avocado leaf water extract are alkaloids, saponins and polyphenols. ZnO, NiWO<sub>4</sub>, and ZnO/NiWO<sub>4</sub> nanoparticles were characterized using a spectrophotometer Ultraviolet-Visible Diffuse Reflectance Spectroscopy (UV-Vis DRS), X-Ray Diffraction (XRD), Fourier Transform InfraRed (FTIR), Transmission Electron Microscopy (TEM) and Scanning Energy Microscopy Electron Disperse X-Ray (SEM-EDX). The results of the photocathalytic activity test using the ZnO/NiWO<sub>4</sub> nanocomposite against malachite green under visible light irradiation for 2 hours had the highest degradation percent compared to NiWO<sub>4</sub> and ZnO. The degradation percentages of ZnO/NiWO<sub>4</sub>, NiWO<sub>4</sub>, ZnO were 96.81%, 79.71%, 51.38%.