

Pemetaan suhu chiller penyimpanan Cold Chain Product (CCP) di KFTD Jakarta 3 = Mapping Cold Chain Product (CCP) storage chiller temperatures at KFTD Jakarta 3

Alavoe Ta'livin Makhfudya, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920526828&lokasi=lokal>

Abstrak

Pedagang besar farmasi (PBF) merupakan salah satu fasilitas penyaluran sediaan farmasi dan alat kesehatan. PT. Kimia Farma Farma Trading and Distribution (KFTD) adalah salah satu PBF yang telah memiliki sertifikat Cara Distribusi Obat yang Baik (CDOB). Praktek kerja profesi Apoteker (PKPA) di PT. KFTD cabang 3 Jakarta bertujuan untuk memahami peran, tugas, dan tanggung jawab apoteker di PBF sesuai dengan standart CDOB. Salah satu kegiatan yang membutuhkan perhatian khusus di PBF yakni penyimpanan sediaan cold chain product (CCP) pada suhu 2-8oC. Oleh karena itu dalam penyusunan tugas khusus PKPA di KFTD cabang 3 Jakarta ini, dilakukan pemetaan suhu chiller penyimpanan CCP untuk memastikan chilller berfungsi dengan baik sehingga mutu sediaan terjaga sesuai persyaratan CDOB. Pemantauan dilakukan dengan mendokumentasikan suhu yang tercatat dari data logger yang diletakkan pada beberapa titik dalam chiller selama tiga hari dalam rentang waktu tertentu. Hasil yang diperoleh menunjukkan bahwa chiller berfungsi secara efektif sesuai persyaratan dengan rentang suhu 2-8°C. Suhu maksimum berada di titik A yaitu 8,0°C dan suhu minimum berada di titik B yaitu 4,7°C. Suhu yang dihasilkan pada percobaan ini mempunyai rata-rata tinggi karena dipengaruhi oleh produk yang didalamnya. Hasil maksimal dapat diperoleh saat kondisi chiller kosong atau tanpa ada produk didalamnya.

.....Pharmaceutical Wholesalers (PBF) is one of the facilities providing pharmaceutical preparations and medical devices. PT. Kimia Farma Farma Trading and Distribution (KFTD) is one of the PBFs that already has a Good Drug Distribution Method (CDOB) certificate. Pharmacist professional work practice (PKPA) at PT. KFTD branch 3 Jakarta aims to understand the roles, duties and responsibilities of pharmacists at PBF in accordance with CDOB standards. One of the activities that requires special attention at PBF is the storage of cold chain product (CCP) preparations at a temperature of 2-8oC. Therefore, in preparing the PKPA special assignment at KFTD branch 3 Jakarta, a shortage of CCP storage chiller temperatures was carried out to ensure that the chiller functions properly so that the quality of the preparations is maintained according to CDOB requirements. Monitoring is carried out by documenting recorded temperatures from data loggers placed at several points in the chiller for three days within a certain time span. The results obtained show that the chiller functions effectively according to the requirements with a temperature range of 2-8°C. The maximum temperature is at point A which is 8.0°C and the minimum temperature is at point B which is 4.7°C. The temperature produced in this experiment has a high average because it is influenced by the product in it. Maximum results can be obtained when the chiller condition is empty or without product in it.