

# Pemantauan Terapi Obat pada Pasien Rawat Inap dengan Trauma Brain Injury di Gedung Teratai Lantai 6 Selatan RSUP Fatmawati = Monitoring of Drug Therapy in Patients with Trauma Brain Injury at Teratai Building 6th Floor South Fatmawati Hospital

Cindy Alti, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920526926&lokasi=lokal>

---

## Abstrak

Trauma Brain Injury (TBI) merupakan kondisi cedera pada otak yang terjadi ketika terjadi serangan fisik secara tiba-tiba dari kondisi eksternal. Kerusakan dapat bersifat focal (terbatas pada satu area otak) atau diffuse (terjadi di lebih dari satu area otak). Perubahan fisiologis pada pasien geriatri seperti penurunan fungsi ginjal, fungsi hati dan komposisi tubuh menyebabkan adanya perbedaan farmakokinetika dan farmakodinamika pada pasien geriatri. Dengan dilakukannya PTO diharapkan dapat mengoptimalkan efek terapi obat dan mencegah atau meminimalkan efek merugikan akibat penggunaan obat. Apoteker berperan penting dalam pelaksanaan PTO untuk mencegah terjadinya masalah terkait obat. Tujuan dalam penyusunan laporan tugas khusus ini adalah melakukan pemantauan terapi obat dan mengidentifikasi masalah terkait penggunaan obat pada pasien Ny. YS di lantai 6 Selatan Gedung Anggrek di Rumah Sakit Umum Pusat Fatmawati. Berdasarkan hasil kegiatan Pemantauan Terapi Obat pada pada pasien Ny. YS dengan Trauma Brain Injury di Gedung Teratai Lantai 6 Selatan RSUP Fatmawati dapat disimpulkan bahwa pengobatan yang diterima oleh pasien Ny. YS telah tepat indikasi dan tepat dosis. Penggunaan antibiotik seftriakson telah tepat sesuai dengan PPK KSM Bedah Saraf RSUP Fatmawati dengan diagnosis Trauma Brain Injury. Namun durasi penggunaannya terlalu lama yaitu 22 hari.

.....Trauma Brain Injury (TBI) is a condition of injury to the brain that occurs when there is a sudden physical attack from external conditions. Damage can be focal (limited to one area of the brain) or diffuse (occurring in more than one area of the brain). Physiological changes in geriatric patients such as decreased kidney function, liver function and body composition lead to differences in pharmacokinetics and pharmacodynamics in geriatric patients. Drug Therapy Monitoring can optimize the effects of drug therapy and prevent or minimize adverse effects due to drug use. Apothecary play an important role in implementing Drug Therapy Monitoring to prevent drug-related problems. The purpose of preparing this special assignment report is to monitor drug therapy and identify problems related to drug use in Mrs. YS on the 6th floor South of the Orchid Building at Fatmawati General Hospital. Based on the results of monitoring drug therapy activities in patients Ny. YS with Trauma Brain Injury at Teratai Building South Floor 6 Fatmawati Hospital, it can be concluded that the treatment received by patient Ny. YS has the right indication and the right dose. The use of ceftriaxone antibiotics was appropriate according to PPK KSM Neurosurgery at Fatmawati Hospital with a diagnosis of Trauma Brain Injury. But the duration of use is too long (22 days).