

Hubungan Tekanan untuk Makan dengan Food Neophobia pada Anak Usia 2-5 Tahun di DKI Jakarta = The Correlation between Pressure to Eat with Food Neophobia in Children Aged 2-5 Years in Jakarta City

Sitohang, Christine, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920528995&lokasi=lokal>

Abstrak

Anak usia dini seringkali mengalami masalah perilaku makan yang dapat disebabkan oleh berbagai macam faktor. Salah satu faktor masalah makan pada anak adalah food neophobia yang dapat timbul karena berbagai hal, seperti faktor genetik, faktor sensitivitas sensorik, faktor lingkungan, faktor pengalaman awal makan dan praktik pemberian makan. Penelitian ini bertujuan untuk mengidentifikasi hubungan tekanan untuk makan dengan food neophobia pada anak usia 2-5 tahun. Desain penelitian ini adalah studi observasi cross-sectional dengan metode pengambilan sampel consecutive sampling terhadap 107 responden ibu yang memiliki anak usia 2-5 tahun. Instrumen penelitian yang digunakan adalah instrumen mengenai Child Feeding Questionnaire dan Food Neophobia Scale. Analisis uji statistik yang digunakan adalah Fisher Exact. Hasil penelitian menunjukkan adanya hubungan tekanan untuk makan dengan food neophobia pada anak usia 2-5 tahun ($p = 0,005$). Peneliti merekomendasikan untuk meneliti menggunakan variabel yang berbeda dalam penelitian seperti dukungan keluarga, food preference, dan anak dengan kebutuhan khusus.

.....Early childhood often experiences eating behavior problems that can be caused by various factors. One of the factors contributing to eating problems in children is food neophobia, which can arise due to various things, such as genetic factors, sensory sensitivity factors, environmental factors, early eating experience factors, and feeding practices. This study aims to identify the relationship between pressure to eat and food neophobia in children aged 2–5 years. The design of this study was a cross-sectional observational study with consecutive sampling of 107 respondents who had children aged 2–5 years. The research instruments used were instruments regarding the Child Feeding Questionnaire and the Food Neophobia Scale. The statistical test analysis used was Fisher Exact. The results showed that there was a relationship between pressure to eat and food neophobia in children aged 2–5 years ($p = 0.005$). Researchers recommend conducting research using different variables, such as family support, food preferences, and children with special needs.