

Mapping suhu Gudang Coolroom di PT. Enseval Putera Megatrading Cabang Jakarta 1 = Temperature Mapping of Coolroom Storage at PT. Enseval Putera Megatrading Cabang Jakarta 1

Fiona Natania Kurniadi, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920529352&lokasi=lokal>

Abstrak

Pedagang Besar Farmasi (PBF) merupakan perusahaan berbentuk badan hukum yang memiliki izin melaksanakan kegiatan pengadaan, penyimpanan, penyaluran obat dan/atau bahan obat sesuai perundangan. PBF memiliki kewajiban memenuhi kondisi penyimpanan obat sesuai dengan rekomendasi industri farmasi yang memproduksi produk tersebut. PBF harus menjamin ruang penyimpanan telah memenuhi persyaratan suhu yang telah ditentukan, Dalam rangka mengidentifikasi area yang mengalami fluktuasi suhu, dilakukan pemetaan suhu/ mapping suhu. Pemetaan suhu di PT. Enseval Putera Megatrading dilakukan setiap 3 tahun sekali atau jika terdapat perubahan yang mampu mempengaruhi kontrol suhu. Oleh karena terdapat perubahan mesin pendingin ruangan yang digunakan maka dilaksanakan Mapping suhu pada gudang penyimpanan coolroom di PT. Enseval Putera Megatrading Jakarta 1. Mapping dilaksanakan dengan menempatkan 30 data logger sesuai dengan denah di Gudang coolroom pada 9 rak penyimpanan.

Pengukuran suhu dilakukan selama 3 hari sejak tanggal 13 – 16 Februari 2023 dengan interval pengukuran suhu setiap 10 menit. data diolah menggunakan aplikasi Microsoft Excel untuk diketahui suhu tertinggi, terendah, rata-rata, dan rata-rata MKT. Berdasarkan hasil pengukuran telah terjadi penyimpangan suhu pada ruang penyimpanan gudang coolroom yaitu melebihi suhu 25°C sebanyak 6 lokasi pengukuran yang kemungkinan disebabkan karena terdapat perubahan pengaturan pada mesin pendingin ruangan.

.....procurement, and storage of medicines and/or medicinal substances by law. PBF was required to fulfill drug storage requirements by the recommendations of the pharmaceutical industry. PBF must guarantee that the storage area meets the specified temperature requirements. To identify specific areas which develop fluctuations in temperature, temperature mapping was carried out. Temperature mapping at PT. Enseval Putera Megatrading was held once every 3 years or if any changes occurred that could affect temperature control. Mapping of there was a change of the air conditioner in the cool room storage warehouse at PT. Enseval Putera Megatrading Jakarta 1, temperature mapping must be carried out. Temperature mapping was carried out by placing 30 data loggers according to the plan in the cool room warehouse on 9 storage shelves. Temperature measurements were carried out for 3 days from 13 – 16 February 2023 with temperature measurement intervals every 10 minutes. All the data was processed using Microsoft Excel to find out the highest, lowest, average, and MKT average temperatures. Based on the measurement results, there has been a temperature deviation in the cool room warehouse storage room, the temperatures were exceeding 25°C in 6 measurement locations which may be due to a change in the settings on the air conditioner.