

## Biosorbability of coconut husk char in polyatomic ions sequestration from contaminated surface water

Ademola Ajayi-Banji, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920529452&lokasi=lokal>

---

### Abstrak

Agricultural waste has increased colossally with development in agricultural production causing environmental nuisance and degradation. Utilization of coconut husks, one of such type of waste, as a biosorbent for polluted surface water treatment, was considered in this study. Polluted surface water was gently passed through two similar columns loaded with 100 and 200 g of coconut husk char respectively. The treated water samples collected after 30, 60, 90, 120 and 150 mins were examined for SO<sub>4</sub><sup>2-</sup>, NO<sub>3</sub><sup>-</sup> and PO<sub>4</sub><sup>3-</sup> ions concentration. Removal efficiency for SO<sub>4</sub><sup>2-</sup>, NO<sub>3</sub><sup>-</sup> and PO<sub>4</sub><sup>3-</sup> ions on 100 g coconut husk char after 150 mins detention time were 70, 78 and 91% respectively. Freundlich isotherm model gave a better description of the data ( $R^2 > 0.96$ ). Sorption data was well described by second order pseudo kinetics ( $R^2 > 0.85$ ). An amount of 100 g of the biosorbent has a strong affinity for these types of ion removal in contaminated water. Coconut husk char as a biosorbent is a panacea to significant concentrations of polyatomic ions in polluted surface water.