

# Keberadaan Vektor Demam Berdarah Pada container TPA Sebelum dan Sesudah Penyuluhan di Paseban Timur, Jakarta Pusat = The existence of Dengue Haemorrhagic Fever vector before and after briefing to the civilian in daily water containers in East Paseban, Central Jakarta.

Surya Wijaya, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920534671&lokasi=lokal>

---

## Abstrak

Demam Berdarah Dengue (DBD) merupakan penyakit infeksi yang menjadi masalah kesehatan masyarakat di Jakarta antara lain di Kelurahan Paseban. Penyakit infeksi ini ditularkan melalui vector, yaitu nyamuk Aedes sp. Untuk itu, pemberantasan vektor merupakan salah satu cara yang dapat mengurangi angka insidensi penyakit ini. Untuk memberantas vektor DBD perlu diketahui tempat berkembang biak vektor dan kerjasama dari masyarakat. Karena itu diberikanlah penyuluhan tentang cara pemberantasan vector DBD. Tujuan penelitian ini adalah untuk mengetahui pengaruh penyuluhan terhadap keberadaan vektor DBD di tempat penampungan air TPA dalam upaya mempersiapkan pemberantasan vektor DBD oleh masyarakat. Desain penelitian yang dipakai adalah desain eksperimental dengan intervensi berupa penyuluhan. Survei keberadaan vektor DBD dilakukan pada tanggal 3 Mei 2009 di Paseban Timur yang merupakan daerah dengan kasus DBD yang tergolong tinggi di Jakarta Pusat. Selain survei, dilakukan juga penyuluhan kepada warga tentang keberadaan vektor DBD ini, lalu bulan selanjutnya kembali diadakan survei pada tanggal 4 Juni 2009 untuk menilai pengaruh dari penyuluhan yang telah diberikan. Pengambilan data survei masing masing dilakukan di 100 rumah dengan metode single-larvae, yaitu mengambil satu larva di setiap container pada satu rumah lalu diidentifikasi menggunakan mikroskop. Hasil penelitian menunjukkan pada survei awal, dari 100 rumah yang diteliti didapatkan angka keberadaan larva pada container TPA sebesar 11,76%. Setelah dilakukan penyuluhan, pada survei kedua, dari 100 rumah yang diteliti didapatkan angka keberadaan larva pada container TPA sebesar 4,97%. Dengan analisis statistik menggunakan uji McNemar diketahui terdapat perbedaan bermakna ( $p=0,014$ ) antara container TPA sebelum penyuluhan dan sesudah penyuluhan yang diasumsikan keberadaan vektor DBD pada container TPA di paseban Timur menurun setelah penyuluhan

.....Dengue Hemorrhagic Fever (DHF) is an infection which has became a serious public health concern in Jakarta, for instance, at Paseban. This infection is transmitted by a vector, Aedes sp. Therefore the elimination of DHF vector is important in reducing the number of infection. To eliminate the vector, knowledge about the vector itself, together with public awareness is needed. The objective of this research is to assess the effectiveness of DHF vector briefing as a (preparation in reducing)mean to reduce the vector population in daily water containers around the community. The design of the research is experimental design with briefing to the civilian as the intervention. The survey conducted to investigate the presence of the vector was done on May 3rd 2009 at East Paseban the place with one of the highest prevalence of DHF in Central Jakarta. Alongside with the survey, a talk was conducted to brief the citizens about the knowledge of the vector. On the following month, a second survey was conducted on June 4th 2009 to assess the significance of the briefing in helping to reduce the number of Aedes sp. larvae. The data was collected from 100 houses using the single larvae method. It is by taking only one larva in each water container in the house, and then identifying it under the microscope. The containers would then be divided into two

categories: daily water containers, and non-daily water containers. The collected data would then be analyzed using the McNemar data testing, to gauge the briefing effectiveness in reducing the larvae quantity. On the first survey, out of the 100 houses inspected, the percentage of daily water containers populated with larvae is 11,76%. In contrast, after the briefing conducted, on the second survey it was found that the percentage is reduces to 4,97%. The analysis using McNemar statistic implied that the briefing conducted has given a meaningful effect on reducting DHF vector population in daily water container ( $p = 0.014$ ).