

# Faktor-Faktor yang Berhubungan dengan Niat Wanita Usia Subur (WUS) dalam Deteksi Dini Kanker Serviks dengan Metode IVA di Puskesmas Pancoran Mas Kota Depok Tahun 2023 = Factors Associated with the Intention of Women of Childbearing Age in Early Detection of Cervical Cancer with IVA Method at Pancoran Mas Health Center in Depok City in 2023

Tsabita Zahra, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920538034&lokasi=lokal>

---

## Abstrak

Kanker serviks merupakan penyebab utama kematian pada wanita, sehingga perlu upaya deteksi dini kanker serviks salah satunya dengan IVA. Namun, cakupan IVA di Indonesia masih rendah. Penelitian ini bertujuan untuk mengetahui faktor apa saja yang mempengaruhi niat WUS melakukan deteksi dini kanker serviks dengan metode IVA di Puskesmas Pancoran Mas tahun 2023. Penelitian ini menggunakan desain studi cross sectional dengan sampel sebanyak 100 WUS yang melakukan kunjungan ke poli KIA dan KB di Puskesmas Pancoran Mas. Hasil penelitian menunjukkan bahwa 35% WUS tidak memiliki niat untuk melakukan IVA, faktor yang berhubungan dengan niat WUS yaitu sikap (PR= 4,000; 95% CI: 1,93-8,30), Norma subjektif (PR= 4,857; 95% CI: 2,46-9,60), dan Kontrol perilaku (PR= 4,333; 95% CI: 2,28-8,25). Kemudian, faktor latar belakang yang mempengaruhi sikap yaitu pendidikan (PR= 1,976; 95% CI: 1,46-2,68), pekerjaan (PR= 1,632; 95% CI: 1,08-2,47), dan pengetahuan (PR= 3,244; 95% CI: 1,31-8,02). Faktor latar belakang yang mempengaruhi norma subjektif yaitu pengetahuan (PR= 2,609; 95% CI: 1,04-6,53). Serta faktor latar belakang yang mempengaruhi kontrol perilaku yaitu pekerjaan (PR= 1,667; 95% CI: 1,01-2,77), dan pengetahuan (PR= 2,538; 95% CI: 1,01-6,36). Untuk meningkatkan niat WUS melakukan IVA, perlu peningkatan promosi kesehatan mengenai kanker serviks dan IVA yang dilakukan secara komprehensif dan menyeluruh.

.....Cervical cancer is the leading cause of death in women, so early detection of cervical cancer is needed, one of which is with IVA. However, IVA coverage in Indonesia is still low. This study aims to determine what factors influence WUS's intention to conduct early detection of cervical cancer with the IVA method at the Pancoran Mas Health Center in 2023. This study used a cross-sectional study design with a sample of 100 WUS who visited the MCH poly and KB at the Pancoran Mas Health Center. The results showed that 35% of WUS did not have the intention to do IVA, factors related to WUS intention were attitude (PR = 4.000; 95% CI: 1.93-8.30), subjective norms (PR = 4.857; 95% CI: 2.46-9.60), and Behavioral control (PR = 4.333; 95% CI: 2.28-8.25). Then, background factors that influenced attitudes were education (PR = 1.976; 95% CI: 1.46-2.68), occupation (PR = 1.632; 95% CI: 1.08-2.47), and knowledge (PR = 3.244; 95% CI: 1.31-8.02). The background factor influencing subjective norms was knowledge (PR= 2.609; 95% CI: 1.04-6.53). As well as background factors that influence behavioral control, namely occupation (PR = 1.667; 95% CI: 1.01-2.77), and knowledge (PR = 2.538; 95% CI: 1.01-6.36). To increase WUS's intention to conduct IVA, it is necessary to increase health promotion regarding cervical cancer and IVA which is carried out comprehensively and comprehensively