

Waktu door-to-operation room Pasien Cedera Kepala yang Dioperasi di Rumah Sakit Cipto Mangunkusumo Tahun 2020-2021 = Door-to-operating room time in patients with traumatic brain injury operated at Cipto Mangunkusumo National Hospital during 2020-2021

Anggita Rizqy Afriyanti, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920538806&lokasi=lokal>

Abstrak

Latar Belakang: Waktu penanganan sejak penentuan tatalaksana operasi hingga ruang operasi bisa diukur dan digunakan untuk melihat efektivitas dari proses pelayanan kesehatan, Penelitian bertujuan untuk melihat hubungan antara waktu tersebut dengan Glasgow Coma Scale awal pasien dan diagnosis kerja pasien.

Metode: Desain penelitian adalah retrospective cross sectional. Pengambilan sampel dari rekam medis pasien, menggunakan metode consecutive sampling, dengan jumlah sampel sebanyak 90 sampel.

Hasil: Hubungan antara waktu door-to-operating room dengan Glasgow Coma Scale awal pasien tidak signifikan (OR, 1,763; CI 0,18-16,5; P 0,579) dan hubungan antara waktu door-to-operating room dengan diagnosis kerja pasien tidak signifikan ($P > 0,999$).

Kesimpulan: Tidak ada hubungan signifikan antara waktu door-to-operating room dengan Glasgow Coma Scale awal pasien dan diagnosis kerja pasien.

.....Introduction: The time from determining surgical management to the operating room can be measured and used to see the effectiveness of the health service process. The research aims to see the relationship between this time and the patient's initial Glasgow Coma Scale and the patient's working diagnosis.

Methods: The research design is retrospective cross sectional. Sampling was taken from patient medical records, using the consecutive sampling method, with a total sample of 90 samples.

Results The relationship between door-to-operating room time and the patient's initial Glasgow Coma Scale was not significant (OR, 1.763; CI 0.18-16.5; P 0.579) and the relationship between door-to-operating room time and the patient's working diagnosis was not significant ($P > 0.999$).

Conclusion: There was no significant relationship between door-to-operating room time and the patient's initial Glasgow Coma Scale and the patient's working diagnosis, indicated by a p-value > 0.05 .