

Perbandingan uji tapis The Ages and Stages Questionnaires, 3rd edition (ASQ-3) dan uji tapis Denver II untuk deteksi gangguan perkembangan bayi prematur pada usia koreksi 6-12 bulan = Comparison of Ages and Stages Questionnaires, 3rd edition (ASQ-3) Screening Test and Denver II Screening Test for detecting developmental disorders in premature infants at corrected age 6-12 months

Eka Sulastri, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920538944&lokasi=lokal>

Abstrak

Latar belakang: Bayi moderate to late preterm menempati 80% populasi kelompok usia bayi prematur. Banyaknya komplikasi dan komorbiditas yang dapat terjadi pada bayi prematur menuntut adanya pemantauan perkembangan yang konsisten, praktis, efisien, dan sedini mungkin. Hal tersebut ditujukan untuk mencegah, mendeteksi, dan memberikan penanganan awal yang optimal. Instrumen uji tapis yang baik harus memiliki validitas, reliabilitas, sensitivitas dan spesifitas yang baik, serta lengkap meliputi semua aspek ranah perkembangan. Tujuan: Membandingkan sensitivitas dan spesifisitas uji tapis ASQ-3 dan Denver II terhadap baku emas Bayley-III dalam deteksi gangguan perkembangan pada bayi prematur usia koreksi 6–12 bulan.

Metode: Penelitian potong lintang pada bayi prematur usia koreksi 6-12 bulan di Klinik Tumbuh Kembang RSCM pada bulan Oktober-Desember 2023. Kuesioner ASQ-3 diisi oleh orang tua dengan panduan petugas. Pemeriksaan Denver II dan Bayley III dinilai oleh dokter residen anak dan psikolog klinis anak yang terlatih pemeriksaan Bayley III. Hasil pemeriksaan dianalisis statistik dengan SPSS 25.

Hasil: Enam puluh dua subjek penelitian diperiksa dan didapatkan sensitivitas ASQ-3 dan Denver II dibandingkan dengan Bayley-III pada bayi prematur usia koreksi 6-12 bulan masing- masing adalah 89,66% dan 79,31% sedangkan spesifisitasnya sebesar 93,94% dan 87,88%. Selain itu, ASQ-3 memiliki nilai PPV, NPV, PLR, NLR dan akurasi yang lebih tinggi dibandingkan dengan Denver II.

Kesimpulan: Uji tapis ASQ-3 memiliki sensitivitas dan spesifisitas yang lebih baik dibandingkan dengan Denver II untuk deteksi gangguan perkembangan pada bayi prematur usia koreksi 6-12 bulan. Kuesioner ASQ-3 dapat digunakan untuk uji tapis gangguan perkembangan bayi prematur yang efektif dan mudah digunakan.

.....Background: Moderate to late preterm baby occupies 80% age group of preterm babies. The complications and comorbidities occur in preterm require consistent, practical, and efficient early developmental monitoring to aim optimal initial intervention. The developmental screening test instrument must have good validity, reliability, sensitivity and specificity, and covering all aspect developmental domain.

Objective: This study aims to investigate the sensitivity and specificity of two brief developmental screening, the Ages and Stages Questionnaires, 3rd Edition, Indonesian-version (ASQ-3) with the Denver Developmental Screening test II (Denver II).

Method: A cross-sectional design conducted in corrected aged 6 to 12 months preterm infants from Growth and Developmental Social Paediatric Clinic in Cipto Mangunkusumo Hospital in October to December 2023. The ASQ-3 questionnaires was filled in by parents with guidance from health workers. Denver II and

Bayley III was assessed by paediatric resident and trained paediatric clinical psychologist. Results: A total of 62 preterm infant was recruited. Sensitivity of ASQ-3 and Denver II compared to Bayley-III were 89,66% and 79,31%, respectively with specificity 93,94% and 87,88%, respectively. Furthermore, ASQ-3 showed higher PPV, NPV, PLR, NLR, and accuracy compared to Denver II.

Conclusion: The ASQ-3 questionnaires had significantly higher sensitivity and specificity compared to Denver II for developmental delay screening. This tool was appropriate for consistent screening due to its effectiveness and simplicity.