

# Analisis Faktor-Faktor yang Berhubungan dengan Kepatuhan Minum Obat Antihipertensi pada Penderita Hipertensi di Puskesmas Boom Baru Kota Palembang = Factors Associated with Adherence on Taking Antihypertension Medication among Patients with Hypertension at the Boom Baru Public Health Center Palembang City

Nurul Aliyah, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920545459&lokasi=lokal>

---

## Abstrak

Masalah ketidakpatuhan dalam pengobatan sering dijumpai pada penyakit yang memerlukan penanganan jangka panjang, seperti hipertensi. Ketidakpatuhan terhadap pengobatan hipertensi sering kali menjadi penyebab utama berbagai kecacatan. Alasan utama yang mendasari ketidakpatuhan minum obat pada pasien hipertensi tersebut ialah kurangnya pengetahuan pasien akan pentingnya minum obat hipertensi secara teratur. Penelitian ini bertujuan untuk mengetahui faktor-faktor yang berhubungan dengan kepatuhan minum obat antihipertensi penderita hipertensi di Puskesmas Boom baru Kota Palembang berdasarkan teori Lawrence Green. Penelitian ini menggunakan desain cross sectional dengan 102 sampel. Jumlah sampel dihitung dengan rumus Lemeshow dan sampel diambil secara purposive sampling sesuai dengan kriteria inklusi dan eksklusi. Data dikumpulkan dengan wawancara menggunakan kuesioner yang dianalisis secara univariat, bivariat dan multivariat. Hasil penelitian menunjukkan 74 responden (72,5%) patuh dalam minum obat antihipertensi. Faktor-faktor yang berhubungan dengan kepatuhan minum obat antihipertensi meliputi pengetahuan, sikap, motivasi diri, dukungan keluarga dan dukungan tenaga kesehatan. Faktor yang paling dominan berhubungan dengan kepatuhan minum obat antihipertensi, adalah pengetahuan dengan nilai OR = 8,040 (95% CI: 2,151 - 30,050). Perlu dilakukan upaya peningkatan pengetahuan, sikap, motivasi dengan menyediakan media informasi melalui media sosial seperti membuat grup whatsapp sebagai media komunikasi secara daring antara penderita hipertensi dan tenaga kesehatan di Puskesmas Boom baru dan sebagai media penyebaran informasi sebagai upaya peningkatan pengetahuan. Edukasi diperlukan dengan menitikberatkan pada pengetahuan mengenai hipertensi dan tatalaksananya. Juga perlu dilakukan langkah pendekatan dengan keluarga sebagai upaya untuk menjalin kerjasama antara tenaga kesehatan dan keluarga dalam memberikan dukungan bagi penderita hipertensi.

.....The problem of non-adherence medication is often encountered in diseases that require long-term management, such as hypertension. Non-adherence among hypertension medication is often become as main cause of various disabilities. The main reason underlying of the non-adherence medication among hypertension patients are the lack of patients knowledges of the importance of taking hypertension medication regularly. This study aims to determine the factors associated with adherence to taking antihypertension medication among hypertension patients who regularly seek treatment at the Boom Baru Public Health Centre, Palembang City based on Lawrence Green's theory. This study used a cross sectional design with 102 samples. The number of samples was calculated using the Lemeshow and the samples were taken by purposive sampling according to the inclusion and exclusion criterias. Datas were collected by interview using a questionnaire which was analysed univariately, bivariately and multivariately. The results showed that 74 respondents (72.5%) were compliant in taking antihypertension medication. Factors associated with adherence on taking antihypertension medication includes knowledge, attitude, self-

motivation, family support and health worker support. The most dominant factor associated with adherence to taking antihypertension drug is knowledge with OR = 8,040 (95% CI: 2,151 - 30,050). Efforts need to be made to improve knowledge, attitudes, motivation by providing information media through social media such as creating a WhatsApp group as an online communication medium between hypertension patients and health workers at Puskesmas Boom Baru and as a medium for disseminating information as an effort to increase knowledge. Education is needed with an emphasis on knowledge about hypertension and its management. It is also necessary to take steps to approach families as an effort to establish cooperation between health workers and families in providing support for people with hypertension