

Pengaruh Jenis dan Komposisi Logam Kokatalis (M = Ni, Cu, Zn) terhadap Kinerja Fotokatalisis Komposit M/TiO₂/g-C₃N₄ untuk Degradasi Limbah Ciprofloksasin = Effect of Type and Composition of Metal Catalyst (M = Ni, Cu, Zn) on Photocatalysis Performance of M/TiO₂/g-C₃N₄ Composite for Ciprofloxacin Waste Degradation

Faiza Ramadhina Kuncara, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920545554&lokasi=lokal>

Abstrak

Fotokatalis (M = Ni, Cu, Zn)/TiO₂/g-C₃N₄ disiapkan menggunakan metode wet impregnation dengan memvariasikan konsentrasi setiap jenis logamnya. Variasi jenis logam dan komposisinya dipelajari untuk melihat pengaruhnya terhadap degradasi limbah farmasi antibiotik, Ciprofloksasin. Analisis karakterisasi katalis dan produk dilakukan dengan UV-Vis, UV-Vis Diffuse Reflectance Spectroscopy (UV-Vis DRS), dan Fourier Transform Infrared Spectroscopy (FTIR). Dari hasil karakterisasi didapatkan nilai band gap terkecil sebesar 2.4 eV pada katalis (2) Zn/TiO₂/g-C₃N₄. Uji degradasi Ciprofloksasin dilakukan di dalam fotoreaktor dengan penyinaran internal menggunakan lampu UV 20 Watt. Hasil degradasi dengan kalsinasi gas nitrogen pada variasi logam nikel terbaik sebesar 17% pada katalis (2) Ni/TiO₂/g-C₃N₄, variasi logam tembaga terbaik sebesar 26% pada katalis (4) Cu/TiO₂/g-C₃N₄, dan variasi logam seng terbaik sebesar 28% pada katalis (2) Zn/TiO₂/g-C₃N₄.

.....Photocatalysts (M = Ni, Cu, Zn)/ TiO₂/g-C₃N₄ were prepared using wet impregnation method by varying the concentration of each metal type. The variation of metal type and its composition was studied to see its effect on the degradation of pharmaceutical waste antibiotic, Ciprofloxacin. Characterization analysis of the catalyst and product was carried out by UV-Vis, UV-Vis Diffuse Reflectance Spectroscopy (UV-Vis DRS), and Fourier Transform Infrared Spectroscopy (FTIR). From the characterization results, the smallest band gap value of 2.4 eV was obtained on (2) Zn/TiO₂/g-C₃N₄ catalyst. Ciprofloxacin degradation test was conducted in a photoreactor with internal irradiation using a 20 Watt UV lamp. The degradation results with nitrogen gas calcination on the best nickel metal variation was 17% on (2) Ni/TiO₂/g-C₃N₄ catalyst, the best copper metal variation was 26% on (4) Cu/TiO₂/g-C₃N₄ catalyst, and the best iron metal variation was 28% on (2) Zn/TiO₂/g-C₃N₄ catalyst.