

Faktor-Faktor yang Berhubungan dengan Perilaku Pencegahan Penularan Tuberkulosis Paru di Wilayah Kerja UPTD Puskesmas Cilodong Kota Depok Tahun 2024 = Factors Related to Preventive Behavior of Pulmonary Tuberculosis Transmission in the Service Area of UPTD Cilodong Health Center, Depok City, 2024

Eni Istita, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920545960&lokasi=lokal>

Abstrak

Tuberkulosis ditetapkan sebagai penyebab kematian akibat agen infeksi tunggal terbesar kedua di dunia pada tahun 2022. Indonesia menempati peringkat kedua kasus tuberkulosis tertinggi di dunia, dengan kasus mencapai 724.309. Pada tahun 2021-2022, terdapat peningkatan 79,61% kasus tuberkulosis di Kecamatan Cilodong, Kota Depok. Kenaikan kasus tersebut mengakibatkan tingginya risiko penularan, sehingga diperlukan perilaku kesehatan untuk mencegah penularan tuberkulosis. Tujuan penelitian ini adalah menganalisis faktor-faktor yang berhubungan dengan perilaku pencegahan penularan tuberkulosis paru di wilayah kerja UPTD Puskesmas Cilodong tahun 2024. Metode penelitian ini adalah kuantitatif dengan desain cross sectional. Data dikumpulkan dari lembar kuesioner 100 responden. Hasil penelitian menunjukkan nilai rata-rata perilaku masyarakat terhadap pencegahan penularan tuberkulosis dalam skala 100 adalah 80,3. Variabel yang berhubungan dengan perilaku pencegahan penularan tuberkulosis paru meliputi jenis kelamin, pendapatan keluarga, pengetahuan, persepsi kerentanan, persepsi keparahan, persepsi manfaat, persepsi hambatan, isyarat untuk bertindak, dan efikasi diri, dengan nilai- $p < 0,05$. Usia tidak memiliki hubungan dengan perilaku pencegahan penularan tuberkulosis paru. Oleh karena itu, perlu dilakukan pemberian informasi mengenai tuberkulosis paru kepada masyarakat dengan cakupan lebih luas agar dapat menekan angka kasus tuberkulosis.

.....Tuberculosis was the second leading cause of death from a single infectious agent globally in 2022. Indonesia ranked second worldwide for the highest number of tuberculosis cases, with 724,309 cases. In 2021-2022, there was a 79.61% increase in tuberculosis cases in Cilodong District, Depok City. This rise led to a high risk of transmission, necessitating health behaviors to prevent tuberculosis transmission. This study aims to analyze factors related to pulmonary tuberculosis transmission prevention behaviors in the working area of the UPTD Puskesmas Cilodong in 2024. The study used a quantitative method with a cross-sectional design. Data were collected from questionnaires distributed to 100 respondents. The average score for community behavior towards preventing tuberculosis transmission was 80.3 out of 100. Variables related to pulmonary tuberculosis transmission prevention behavior included gender, family income, knowledge, perceived susceptibility, perceived severity, perceived benefits, perceived barriers, cues to action, and self-efficacy, with a p -value < 0.05 . Age did not relate to prevention behavior. Therefore, providing broader information about pulmonary tuberculosis to the society is necessary to help reduce tuberculosis cases. Public awareness and education efforts are crucial to mitigating the spread of this disease.