Universitas Indonesia Library >> UI - Tugas Akhir

Asuhan Keperawatan pada Anak dengan Diare yang Mengalami Ruam Popok Melalui Edukasi Perawatan Perianal dan Penggunaan Virgin Coconut Oil (VCO) = Nursing Care for Children with Diarrhea Who Experience Diaper Rash Through Education on Perianal Care and Use of Virgin Coconut Oil (VCO)

May Veillin Wijaya, author

Deskripsi Lengkap: https://lib.ui.ac.id/detail?id=9999920546398&lokasi=lokal

---

Abstrak

Diare merupakan masalah yang sering terjadi pada anak balita. Diare yang dialami anak dapat meningkatkan risiko terjadinya ruam popok akibat aktivasi enzim protease dan lipase dalam tinja dan kolonisasi mikroba yang bersifat mengiritasi. Ruam popok yang tidak ditangani dapat menimbulkan ketidaknyamanan, rasa sakit, hingga munculnya infeksi sekunder yang dapat membahayakan kesehatan anak. Karya ilmiah ini bertujuan untuk menganalisis asuhan keperawatan pada anak dengan diare yang mengalami ruam popok melalui pemberian edukasi perawatan perianal dan penggunaan Virgin Coconut Oil (VCO) untuk menurunkan skor ruam popok. Hasil karya ilmiah ini menunjukkan bahwa penerapan edukasi perawatan perianal dan penggunaan VCO efektif untuk menurunkan skor ruam popok anak dari derajat sedang menjadi derajat ringan dalam rerata tiga hari masa perawatan. Hasil dalam karya ilmiah ini dapat diterapkan sebagai tatalaksana non farmakologi yang diutamakan untuk mencegah dan mengatasi ruam popok anak.

.....

Diarrhea is a problem that often occurs in children under five. Diarrhea experienced by children can increase the risk of diaper rash due to the activation of protease and lipase enzymes in feces and the colonization of irritating microbes. Untreated diaper rash can cause discomfort, pain, and even secondary infections that can endanger the child's health. This scientific work aims to analyze nursing care for children with diarrhea who experience diaper rash by providing education on perianal care and the use of Virgin Coconut Oil (VCO) to reduce diaper rash scores. The results of this scientific work show that the implementation of perianal care education and the use of VCO is effective in reducing children's diaper rash scores from moderate to mild in an average of three days of treatment. The results in this scientific work can be applied as a priority of non-pharmacological treatment to prevent and treat children's diaper rash.