

Penyusunan Panduan Kegawatdaruratan Syok Anafilaktik, Preeklampsia Berat, dan Hemorrhagic Post Partum di Puskesmas Kecamatan Matraman Periode April 2023 = Making of Emergency Procedures for Anaphylactic Shock, Severe Preeclampsia, and Hemorrhagic Post Partum in the Matraman Subdistrict Health Center with a Period of April 2023

Monica Ramadhanti, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920551471&lokasi=lokal>

Abstrak

Syok anafilaktik, preeklampsia berat, dan perdarahan pascapersalinan merupakan contoh kasus kegawatdaruratan dimana keadaan klinis pasien yang membutuhkan tindakan medis segera untuk penyelamatan nyawa dan pencegahan kecacatan. Puskesmas merupakan fasilitas pelayanan kesehatan primer yang menjadi kontak pertama dengan masyarakat. Oleh karena itu, pentingnya untuk menyusun sebuah panduan sebagai gambaran dalam menegakkan diagnosis dan memberikan tatalaksana yang tepat kepada para tenaga kesehatan yang diharapkan dapat mengurangi kejadian kegawatdaruratan. Penyusunan panduan dilakukan dengan cara penelusuran literatur kemudian menyaring informasi yang terpercaya dan menyusunnya dengan baik. Sehingga dihasilkan tiga sebuah panduan dalam penanganan syok anafilaktik, preeklampsia berat, dan perdarahan pascapersalinan yang masing-masing memuat informasi tentang menegakkan diagnosis, tanda dan gejala, tatalaksana terapi, dan juga upaya pencegahan yang dapat dilakukan. Panduan ini diharapkan dapat meningkatkan kolaborasi dalam menjalankan peran puskesmas promotif dan preventif.

.....

Anaphylactic shock, severe preeclampsia, and postpartum hemorrhage are examples of emergency cases where the patient's clinical condition requires immediate medical action to save life and prevent disability. Subdistrict Health Center (Puskesmas) is a primary health care facility that is the first contact with the community. Therefore, it is important to develop a guide as an illustration in making a diagnosis and providing appropriate treatment to health workers which is expected to reduce the incidence of emergencies. The preparation of the guide was carried out by searching the literature, then filtering reliable information and compiling it well. As a result, three guidelines were produced for treating anaphylactic shock, severe preeclampsia, and postpartum hemorrhage, each of which contains information about making a diagnosis, signs and symptoms, therapeutic management, and also preventive measures that can be taken. It is hoped that this guide can increase collaboration in carrying out the promotive and preventive role of community health centers.