

Penerapan self Care Orem dan Health Promotion Pender Pada Asuhan Keperawatan Ibu Pada Masa Perinatal Dengan Pertumbuhan Janin Terhambat (PJT) : Laporan Residensi Keperawatan Maternitas = Maternity Nursing Residency Report with Application of Self Care Orem Nursing Theory and Health Promotion Pender in Nursing Care of Mother in the Perinatal Period with Intra Uterine Growth Restricted (IUGR)

Maelani Susilowati, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920557469&lokasi=lokal>

Abstrak

Penerapan teori self care Orem dan health promotion Pender yang telah dilakukan pada kelima kasus kelolaan ibu hamil dan melahirkan dengan PJT menunjukkan adanya perubahan perilaku dalam meningkatkan kesehatan ibu dan janin serta meningkatnya pengetahuan ibu dalam melakukan perawatan secara mandiri untuk dapat memantau tanda-tanda bahaya selama kehamilan dan perawatan bayi dengan berat badan rendah. Uji coba evidence based practice nursing (EBPN) yang dapat dilakukan untuk menurunkan tekanan darah pada ibu post partum dengan preeklamsi adalah rendam kaki dengan air hangat, kelima ibu yang telah dilakukan intervensi, menunjukkan adanya penurunan tekanan darah sebesar 48,37% dan ibu dapat melakukan secara mandiri intervensi tersebut. Pencapaian target kompetensi yang harus dipenuhi oleh residensi maternitas telah memenuhi semua target yang harus dicapai dalam 2 semester yaitu pada pelayanan primer dan lanjutan serta laporan terhadap setiap target capaian telah diserahkan sebagai bukti pencapaian yang telah dilakukan oleh residensi maternitas.

..... The application of Orem's self-care theory and Pender's health promotion that have been carried out in the five cases managed by pregnant women and childbirth with PJT shows a change in behavior in improving maternal and fetal health and increasing maternal knowledge in self-care to be able to monitor danger signs during pregnancy and care for low birth weight babies. Evidence based practice nursing (EBPN) trials that can be done to reduce blood pressure in post partum mothers with preeclampsia are foot soaks with warm water, the five mothers who have intervened, showed a decrease in blood pressure of 48.37% and mothers could perform the intervention independently. The achievement of competency targets that must be met by the maternity residency has met all the targets that must be achieved in 2 semesters, namely in primary and advanced services and reports on each achievement target have been submitted as evidence of the achievements made by the maternity residency.