

Hubungan antara Asupan Zat Gizi (Omega-3, Folat, Vitamin D, Vitamin C, Dan Zinc) dan Faktor-Faktor Lainnya terhadap Kejadian Depresi pada Anak Sekolah SMA di SMA Negeri 2 Kota Tangerang Selatan Tahun 2025 = Relationship between Nutritional Intake (Omega-3, Folate, Vitamin D, Vitamin C, and Zinc) and Other Factors on the Incidence of Depression in High School Students at SMA Negeri 2 Kota Tangerang Selatan in 2025

Al Ilham Ksatria Gagah Perkasa, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920573047&lokasi=lokal>

Abstrak

Depresi merupakan gangguan suasana hati yang apabila tidak dicegah atau ditangani dapat berpengaruh terhadap produktivitas, serta kesehatan individu secara keseluruhan, bahkan menjadi penyebab kematian lewat bunuh diri. Lewat gizi, ditemukan beberapa zat gizi serta faktor-faktor lain yang diduga berhubungan dengan pencegahan depresi. Siswa SMA Negeri 2 Kota Tangerang Selatan sebagai siswa dari sekolah unggulan lebih berisiko mengalami depresi dibandingkan sekolah lainnya. Dari situ dilakukan penelitian yang bertujuan untuk melihat hubungan antara kecukupan asupan omega-3, folat, vitamin D, vitamin C, dan zinc beserta faktor-faktor lainnya terhadap depresi pada siswa SMA Negeri 2 Kota Tangerang Selatan. Terdapat 144 responden dari siswa kelas 10 dan 11 SMA Negeri 2 Kota Tangerang Selatan. Penelitian ini menggunakan desain cross-sectional. Data penelitian diambil menggunakan Patient Health Questionnaire-8 for adolescents (PHQ-A), Semi Quantitative Food Frequency Questionnaire (SQFFQ), Depression Literacy Questionnaire (D-Lit), dan kuesioner sosioekonomi rancangan peneliti. Dari hasil univariat, ditemukan proporsi depresi pada responden sebesar 51,4%. Berdasarkan uji bivariat menggunakan chi-square, tidak ditemukan hubungan signifikan pada 7 variabel independent ($p > 0,05$) kecuali pada variabel jenis kelamin ($p = 0,048$).

.....Depression is a mood disorder that if not prevented or treated can affect productivity, as well as the overall health of an individual, and even cause death through suicide. Through nutrition, several nutrients and other factors have been found that are suspected of being related to preventing depression. Students of SMA Negeri 2 Kota Tangerang Selatan as students from excellent schools are at higher risk of experiencing depression than other schools. From there, a study was conducted that aimed to see the relationship between adequate intake of omega-3, folate, vitamin D, vitamin C, and zinc along with other factors to depression in students of SMA Negeri 2 Kota Tangerang Selatan. There were 144 respondents from grade 10 and 11 students of SMA Negeri 2 Kota Tangerang Selatan. This study used a cross-sectional design. The research data were taken using the Patient Health Questionnaire-8 for adolescents (PHQ-A), Semi Quantitative Food Frequency Questionnaire (SQFFQ), Depression Literacy Questionnaire (D-Lit), and a socioeconomic questionnaire designed by the researcher. From the univariate results, the proportion of depression in respondents was 51.4%. Based on the bivariate test, no significant relationship was found in the 7 independent variables ($p > 0.05$) except for the gender variable ($p = 0.048$).