

**HASIL PENGOLAHAN (SPSS) DATA KECELAKAAN KERJA  
DI PT. SIS TAHUN 2006**

**Crosstab**

Insiden	Tindakan_Berbahaya											Total
	1	2	3	4	7	8	10	11	12	13	17	
1	3	0	10	0	0	0	2	0	0	1	3	19
2	0	3	4	0	1	0	0	0	1	3	3	15
3	0	1	4	0	0	0	2	0	0	2	1	10
4	0	0	4	0	0	0	0	0	0	3	1	8
5	0	0	2	0	0	1	0	0	2	1	1	7
6	0	0	2	0	0	0	0	1	0	0	0	3
7	0	0	0	0	0	0	0	0	0	0	1	1
8	0	0	0	0	1	0	0	0	0	0	0	1
10	0	0	0	0	0	0	0	0	0	0	1	1
11	0	0	4	1	2	0	0	0	1	1	0	9
Total	3	4	30	1	4	1	4	1	4	11	11	74

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	120,293(a)	90	,018
Likelihood Ratio	80,003	90	,766
Linear-by-Linear Association	,094	1	,759
N of Valid Cases	74		

a 108 cells (98,2%) have expected count less than 5. The minimum expected count is ,01.

**Crosstab**

Insiden	Kondisi Berbahaya									Total
	2	3	4	5	6	8	12	14	17	
1	0	0	6	3	0	5	4	1	0	19
2	0	1	3	4	0	4	1	2	0	15
3	0	0	1	0	0	8	0	0	1	10
4	0	0	0	0	0	8	0	0	0	8
5	0	0	0	0	0	2	0	2	0	4
6	0	1	1	0	0	0	1	0	0	3
7	0	0	0	0	0	0	0	1	0	1
8	0	1	0	0	0	0	0	0	0	1
10	0	0	0	0	0	0	0	1	0	1
11	1	3	0	0	2	3	0	0	0	9
Total	1	6	11	7	2	30	6	7	1	71

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	115,507(a)	72	,001
Likelihood Ratio	93,395	72	,046
Linear-by-Linear Association	,875	1	,350
N of Valid Cases	71		

a 88 cells (97,8%) have expected count less than 5. The minimum expected count is ,01.

**Crosstabs**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Tindakan_bbhy * F_pribadi	66	83,5%	13	16,5%	79	100,0%

**Crosstabs**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kondisi_bbhy * f_pekerjaan	55	69,6%	24	30,4%	79	100,0%

Tindakan Berbahaya	Faktor Pribadi						Total
	1	2	3	4	5	7	
1	1	0	1	0	0	1	3
2	0	1	1	0	0	2	4
3	0	2	6	3	6	11	28
4	0	0	0	1	0	0	1
7	0	0	1	0	0	2	3
8	0	0	0	0	0	1	1
10	0	0	1	0	0	3	4
11	0	0	1	0	0	0	1
12	0	0	1	0	1	2	4
13	0	0	2	0	1	6	9
17	1	0	3	0	1	3	8
Total	2	3	17	4	9	31	66

**kondisi\_bbhy \* f\_pekerjaan Crosstabulation**

Kondisi Berbahaya	Faktor Pekerjaan							Total
	1	2	4	5	6	7	8	
3	2	0	1	2	1	0	0	6
4	4	0	0	1	3	1	0	9
5	2	1	1	0	2	0	0	6
6	0	0	0	0	2	0	0	2
8	9	3	1	0	7	0	2	22
12	2	0	0	0	1	0	0	3
14	3	0	0	0	2	0	1	6
17	0	0	0	0	1	0	0	1
Total	22	4	3	3	19	1	3	55

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	47,869(a)	50	,559
Likelihood Ratio	35,401	50	,941
Linear-by-Linear Association	,331	1	,565
N of Valid Cases	66		

a. 64 cells (97,0%) have expected count less than 5. The minimum expected count is ,03.

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	34,019(a)	42	,805
Likelihood Ratio	32,462	42	,855
Linear-by-Linear Association	,014	1	,905
N of Valid Cases	55		

a. 54 cells (96,4%) have expected count less than 5. The minimum expected count is ,02.

**Crosstabs**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
tindakan_bbhy * f_pekerjaan	59	74,7%	20	25,3%	79	100,0%

tindakan\_bbhy \* f\_pekerjaan Crosstabulation

Tindakan Berbahaya	Faktor Pekerjaan								Total
	1	2	4	5	6	7	8		
1	1	1	0	0	0	0	0	2	
2	2	0	0	0	1	0	0	3	
3	8	2	1	0	9	1	2	23	
7	1	0	1	1	0	0	1	4	
8	1	0	0	0	0	0	0	1	
10	4	0	0	0	0	0	0	4	
11	0	0	0	1	0	0	0	1	
12	0	0	0	1	2	0	0	3	
13	3	1	0	0	4	0	1	9	
17	3	2	1	0	3	0	0	9	
Total	23	6	3	3	19	1	4	59	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	57,818(a)	54	,336
Likelihood Ratio	46,424	54	,758
Linear-by-Linear Association	,005	1	,943
N of Valid Cases	59		

a. 68 cells (97,1%) have expected count less than 5. The minimum expected count is ,02.

**Crosstabs**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kondisi_bbhy * f_pribadi	59	74,7%	20	25,3%	79	100,0%

kondisi\_bbhy \* f\_pribadi Crosstabulation

Kondisi Berbahaya	Faktor Pribadi							Total
	1	2	3	4	5	7		
2	0	0	0	0	0	1	1	
3	0	0	2	0	1	1	4	
4	0	1	1	0	1	7	10	
5	1	1	3	0	0	2	7	
6	0	0	0	0	0	1	1	
8	0	0	5	4	2	12	23	
12	1	0	1	0	1	3	6	
14	0	0	1	0	1	4	6	
17	0	0	0	0	1	0	1	
Total	2	2	13	4	7	31	59	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	35,025(a)	40	,693
Likelihood Ratio	32,712	40	,787
Linear-by-Linear Association	,253	1	,615
N of Valid Cases	59		

a. 51 cells (94,4%) have expected count less than 5. The minimum expected count is ,03.

**HASIL PENGOLAHAN (SPSS) DATA KECELAKAAN KERJA  
DI PT. SIS TAHUN 2007**

**Crosstabs**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Insiden * tindakan_bbhy	81	94,2%	5	5,8%	86	100,0%
Insiden * kondisi_bbhy	54	62,8%	32	37,2%	86	100,0%

**Crosstab**

Insiden	Tindakan Berbahaya											Total
	1	2	3	4	7	8	10	11	12	13	17	
1	2	1	8	3	0	0	3	0	1	8	3	29
2	0	1	0	0	0	0	2	0	1	0	0	4
3	0	0	1	0	0	2	3	0	0	3	0	9
4	0	0	3	0	0	0	0	0	0	3	0	6
5	0	0	1	0	0	0	0	0	0	0	0	1
6	0	0	1	0	0	0	1	0	1	2	0	5
7	0	0	0	0	0	0	1	0	0	0	0	1
8	0	0	0	0	0	0	0	0	0	0	2	2
9	0	0	0	0	0	1	0	0	0	1	0	2
10	0	0	0	0	0	0	0	1	0	0	0	1
11	1	0	8	0	1	0	2	0	2	3	4	21
Total	3	2	22	3	1	3	12	1	5	20	9	81

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	173,593(a)	100	,000
Likelihood Ratio	84,327	100	,870
Linear-by-Linear Association	,505	1	,477
N of Valid Cases	81		

a. 117 cells (96,7%) have expected count less than 5. The minimum expected count is ,01.

**Crosstab**

Insiden	Kondisi Berbahaya							Total
	3	4	5	7	8	12	14	
1	0	2	0	0	10	1	6	19
2	0	1	0	0	1	0	0	2
3	1	2	0	1	4	0	0	8
4	0	1	0	0	5	0	0	6
5	0	0	1	0	0	0	0	1
6	0	0	0	0	0	0	2	2
7	1	0	0	0	0	0	0	1
8	1	0	0	0	0	0	1	2
9	0	0	0	0	0	0	1	1
10	0	0	0	0	1	0	0	1
11	2	1	0	0	4	1	3	11
Total	5	7	1	1	25	2	13	54

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	100,306(a)	60	,001
Likelihood Ratio	52,846	60	,732
Linear-by-Linear Association	,001	1	,976
N of Valid Cases	54		

a. 75 cells (97,4%) have expected count less than 5. The minimum expected count is ,02.

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
tindakan_bbhy* f_pribadi	68	79,1%	18	20,9%	86	100,0%

**Crosstab**

Tindakan Berbahaya	Faktor Pribadi					Total
	3	4	5	6	7	
1	0	0	0	0	3	3
2	1	1	0	0	0	2
3	8	5	0	0	6	19
4	0	0	2	0	1	3
7	0	0	0	1	0	1
8	0	0	0	0	1	1
10	3	0	1	0	6	10
11	0	0	0	0	1	1
12	0	0	0	0	4	4
13	2	0	0	0	14	16
17	0	0	0	0	8	8
Total	14	6	3	1	44	68

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	131,655(a)	40	,000
Likelihood Ratio	61,229	40	,017
Linear-by-Linear Association	15,042	1	,000
N of Valid Cases	68		

a. 51 cells (92,7%) have expected count less than 5. The minimum expected count is ,01.

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kondisi_bbhy * f_pekerjaan	36	41,9%	50	58,1%	86	100,0%

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
tindakan_bbhy * f_pekerjaan	42	48,8%	44	51,2%	86	100,0%

**Crosstabulation**

Kondisi Berbahaya	f_pekerjaan						Total
	1	2	3	4	6	8	
3	2	0	1	2	0	0	5
4	0	1	0	0	3	0	4
5	1	0	0	0	0	0	1
7	1	0	0	0	0	0	1
8	6	1	1	0	4	2	14
12	0	1	0	0	1	0	2
14	3	1	0	0	4	1	9
Total	13	4	2	2	12	3	36

**Crosstabulation**

Tindakan Berbahaya	Faktor Pekerjaan						Total
	1	2	3	4	6	8	
1	1	0	0	0	0	0	1
2	1	0	0	0	1	0	2
3	8	0	0	2	4	1	15
7	1	0	0	0	0	0	1
8	2	0	0	0	0	0	2
10	2	3	0	0	2	0	7
11	0	0	0	0	1	0	1
12	1	0	0	0	0	1	2
13	0	1	1	0	3	1	6
17	3	0	1	0	1	0	5
Total	19	4	2	2	12	3	42

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	31,096(a)	30	,411
Likelihood Ratio	30,242	30	,453
Linear-by-Linear Association	,526	1	,468
N of Valid Cases	36		

a 41 cells (97,6%) have expected count less than 5. The minimum expected count is ,06.

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	39,476(a)	45	,704
Likelihood Ratio	40,040	45	,682
Linear-by-Linear Association	,359	1	,549
N of Valid Cases	42		

a 59 cells (98,3%) have expected count less than 5. The minimum expected count is ,05.

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kondisi_bbhy * f_pribadi	42	48,8%	44	51,2%	86	100,0%

### Crosstabulation

Count

Kondisi Berbahaya	Faktor Pribadi				Total
	3	4	6	7	
3	1	0	1	1	3
4	1	0	0	2	3
5	1	0	0	0	1
7	0	0	0	1	1
8	4	1	0	17	22
12	0	0	0	1	1
14	2	2	0	7	11
Total	9	3	1	29	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2- sided)
Pearson Chi-Square	21,383(a)	18	,261
Likelihood Ratio	13,557	18	,758
Linear-by-Linear Association	,091	1	,763
N of Valid Cases	42		

a. 26 cells (92,9%) have expected count less than 5. The minimum expected count is ,02.

**HASIL PENGOLAHAN (SPSS) DATA KECELAKAAN KERJA  
DI PT. SIS TAHUN 2008**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
insiden * tindakan_bbhy	71	88,8%	9	11,3%	80	100,0%
insiden * kondisi_bbhy	54	67,5%	26	32,5%	80	100,0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	109,255(a)	70	,002
Likelihood Ratio	73,979	70	,350
Linear-by-Linear Association	2,769	1	,096
N of Valid Cases	71		

a. 86 cells (97,7%) have expected count less than 5. The minimum expected count is ,01.

**Crosstab**

Insiden	Tindakan Berbahaya											Total
	1	2	3	4	7	8	9	10	12	13	17	
1	0	5	18	1	1	0	0	1	0	5	3	34
2	0	0	2	0	0	0	0	0	0	0	0	2
3	0	1	2	0	0	1	0	0	0	0	0	4
4	0	0	2	1	0	0	0	0	0	0	2	5
5	0	0	0	0	1	0	0	2	0	0	0	3
6	1	0	0	0	0	1	0	1	0	0	0	3
10	0	0	0	0	0	0	0	0	0	1	0	1
11	0	1	7	0	1	0	1	4	3	0	2	19
Total	1	7	31	2	3	2	1	8	3	6	7	71



**Crosstab**

Insiden	Kondisi Berbahaya						Total
	3	4	5	8	12	14	
1	1	7	3	10	1	2	24
2	0	0	1	1	0	0	2
3	0	1	0	1	0	0	2
4	0	0	1	2	0	0	3
5	1	0	0	0	1	0	2
6	0	0	1	0	0	0	1
10	0	1	0	0	0	0	1
11	8	2	1	6	1	1	19
Total	10	11	7	20	3	3	54

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	40,287(a)	35	,248
Likelihood Ratio	35,381	35	,450
Linear-by-Linear Association	1,508	1	,219
N of Valid Cases	54		

a 46 cells (95,8%) have expected count less than 5. The minimum expected count is ,06.

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
tindakan_bbhy * f_pribadi	58	72,5%	22	27,5%	80	100,0%

**Crosstabulation**

Tindakan Berbahaya	Faktor Pribadi					Total
	2	3	4	5	7	
1	0	1	0	0	0	1
2	0	4	0	0	1	5
3	2	10	4	4	7	27
4	0	1	0	0	1	2
7	0	1	0	0	0	1
8	0	1	0	0	1	2
9	0	1	0	0	0	1
10	0	4	1	0	1	6
12	0	1	1	0	0	2
13	0	2	0	0	4	6
17	0	1	0	3	1	5
Total	2	27	6	7	16	58

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	32,305(a)	40	,801
Likelihood Ratio	32,196	40	,805
Linear-by-Linear Association	1,250	1	,263
N of Valid Cases	58		

a 53 cells (96,4%) have expected count less than 5. The minimum expected count is ,03.

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kondisi_bbhy * f_pekerjaan	44	55,0%	36	45,0%	80	100,0%

**Crosstabulation**

Kondisi Berbahaya	Faktor Pekerjaan								Total
	1	2	3	4	5	6	7	8	
3	2	0	0	1	2	3	1	1	10
4	5	1	0	1	0	1	0	0	8
5	5	0	0	0	0	2	0	0	7
8	3	4	1	3	0	2	0	2	15
12	3	0	0	0	0	0	0	0	3
14	0	0	0	1	0	0	0	0	1
Total	18	5	1	6	2	8	1	3	44

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	37,775(a)	35	,344
Likelihood Ratio	37,835	35	,341
Linear-by-Linear Association	1,180	1	,277
N of Valid Cases	44		

a 47 cells (97,9%) have expected count less than 5. The minimum expected count is ,02.

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
tindakan_bbhy * f_pekerjaan	50	62,5%	30	37,5%	80	100,0%

**Crosstabulation**

Tindakan Berbahaya	Faktor Pekerjaan								Total
	1	2	3	4	5	6	8		
1	1	0	0	0	0	0	0	0	1
2	4	1	0	1	0	0	0	0	6
3	7	4	1	1	0	2	3	18	
4	1	0	0	0	0	0	0	1	
7	0	0	0	2	1	0	0	3	
8	1	1	0	0	0	0	0	2	
9	0	0	0	0	0	1	0	1	
10	4	1	0	0	0	1	0	6	
12	1	0	0	0	1	1	0	3	
13	1	0	0	0	0	1	1	3	
17	1	1	0	1	0	3	0	6	
Total	21	8	1	5	2	9	4	50	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	55,758(a)	60	,631
Likelihood Ratio	48,692	60	,852
Linear-by-Linear Association	2,820	1	,093
N of Valid Cases	50		

a 76 cells (98,7%) have expected count less than 5. The minimum expected count is ,02.

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kondisi_bbhy * f_pribadi	38	47,5%	42	52,5%	80	100,0%

### Crosstabulation

Kondisi Berbahaya	Faktor Pribadi					Total
	1	3	4	5	7	
3	0	4	0	0	1	5
4	0	6	2	2	1	11
5	0	3	0	0	1	4
8	1	4	2	0	6	13
12	0	1	2	0	0	3
14	0	0	0	0	2	2
Total	1	18	6	2	11	38

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	24,589(a)	20	,218
Likelihood Ratio	25,022	20	,201
Linear-by-Linear Association	3,117	1	,077
N of Valid Cases	38		

a. 28 cells (93,3%) have expected count less than 5. The minimum expected count is ,05.