

LAMPIRAN

HASIL ANALISIS UNIVARIAT

Statistics

		Konversi	PMT/Non PMT	Kategori Umur	Jenis Kelamin	Jarak	Tipe Puskesmas	Tipe Penderita
N	Valid	151	151	151	151	151	151	151
	Missing	0	0	0	0	0	0	0
Mean		1.96	1.50	2.50	1.38	1.75	1.69	1.97
Median		2.00	1.00	2.00	1.00	2.00	2.00	2.00

KONVERSI

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Pos	6	4.0	4.0	4.0
	Neg	145	96.0	96.0	100.0
Total		151	100.0	100.0	

PMT/NON PMT

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Non PMT	76	50.3	50.3	50.3
	PMT	75	49.7	49.7	100.0
Total		151	100.0	100.0	

KATEGORI UMUR

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	15-24	32	21.2	21.2	21.2
	25-34	51	33.8	33.8	55.0
	35-44	38	25.2	25.2	80.1
	45-54	20	13.2	13.2	93.4
	>54	10	6.6	6.6	100.0
Total		151	100.0	100.0	

USIA PRODUKTIF

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Produktif	10	6.6	6.6	6.6
	Produktif	141	93.4	93.4	100.0
Total		151	100.0	100.0	

JENIS KELAMIN

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Laki-laki	94	62.3	62.3	62.3
	Perempuan	57	37.7	37.7	100.0
Total		151	100.0	100.0	

JARAK

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Jauh	37	24.5	24.5	24.5
	Dekat	114	75.5	75.5	100.0
	Total	151	100.0	100.0	

TIPE PUSKESMAS

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	PS	47	31.1	31.1	31.1
	PRM	104	68.9	68.9	100.0
	Total	151	100.0	100.0	

TIPE PENDERITA

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kasus Lama	4	2.6	2.6	2.6
	Kasus Baru	147	97.4	97.4	100.0
	Total	151	100.0	100.0	

HASIL ANALISIS BIVARIAT

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
PMT/NON PMT * KONVERSI	151	100.0%	0	.0%	151	100.0%

PMT/NON PMT * KONVERSI Crosstabulation

			KONVERSI		Total
			Pos	Neg	
PMT/NON PMT	Non PMT	Count	5	71	76
		% within PMT/NON PMT	6.6%	93.4%	100.0%
		% within KONVERSI	83.3%	49.0%	50.3%
PMT	PMT	Count	1	74	75
		% within PMT/NON PMT	1.3%	98.7%	100.0%
		% within KONVERSI	16.7%	51.0%	49.7%
Total		Count	6	145	151
		% within PMT/NON PMT	4.0%	96.0%	100.0%
		% within KONVERSI	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.722(b)	1	.099		

Continuity Correction(a)	1.521	1	.217		
Likelihood Ratio	2.966	1	.085		
Fisher's Exact Test				.209	.108
Linear-by-Linear Association	2.704	1	.100		
N of Valid Cases	151				

a Computed only for a 2x2 table

b 2 cells (50.0%) have expected count less than 5. The minimum expected count is 2.98.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PMT/NON PMT (Non PMT / PMT)	5.211	.594	45.714
For cohort KONVERSI = Pos	4.934	.590	41.239
For cohort KONVERSI = Neg	.947	.887	1.011
N of Valid Cases	151		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
USIA PRODUKTIF * KONVERSI	151	100.0%	0	.0%	151	100.0%

USIA PRODUKTIF * KONVERSI Crosstabulation

			KONVERSI		Total
			Pos	Neg	
USIA PRODUKTIF	Tidak Produktif	Count	1	9	10
		% within USIA PRODUKTIF	10.0%	90.0%	100.0%
		% within KONVERSI	16.7%	6.2%	6.6%
	Produktif	Count	5	136	141
		% within USIA PRODUKTIF	3.5%	96.5%	100.0%
		% within KONVERSI	83.3%	93.8%	93.4%
Total	Count	6	145	151	
	% within USIA PRODUKTIF	4.0%	96.0%	100.0%	
	% within KONVERSI	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.019(b)	1	.313		

Continuity Correction(a)	.030	1	.863		
Likelihood Ratio	.749	1	.387		
Fisher's Exact Test				.342	.342
Linear-by-Linear Association	1.013	1	.314		
N of Valid Cases	151				

a Computed only for a 2x2 table

b 1 cells (25.0%) have expected count less than 5. The minimum expected count is .40.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for USIA PRODUKTIF (Tidak Produktif / Produktif)	3.022	.318	28.689
For cohort KONVERSI = Pos	2.820	.363	21.883
For cohort KONVERSI = Neg	.933	.757	1.150
N of Valid Cases	151		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
JENIS KELAMIN * KONVERSI	151	100.0%	0	.0%	151	100.0%

JENIS KELAMIN * KONVERSI Crosstabulation

			KONVERSI		Total
			Pos	Neg	
JENIS KELAMIN	Laki-laki	Count	3	91	94
		% within JENIS KELAMIN	3.2%	96.8%	100.0%
		% within KONVERSI	50.0%	62.8%	62.3%
	Perempuan	Count	3	54	57
		% within JENIS KELAMIN	5.3%	94.7%	100.0%
		% within KONVERSI	50.0%	37.2%	37.7%
Total	Count	6	145	151	
	% within JENIS KELAMIN	4.0%	96.0%	100.0%	
	% within KONVERSI	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.399(b)	1	.528		
Continuity Correction(a)	.041	1	.840		

Likelihood Ratio	.387	1	.534		
Fisher's Exact Test				.673	.408
Linear-by-Linear Association	.396	1	.529		
N of Valid Cases	151				

a Computed only for a 2x2 table

b 2 cells (50.0%) have expected count less than 5. The minimum expected count is 2.26.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for JENIS KELAMIN (Laki-laki / Perempuan)	.593	.116	3.045
For cohort KONVERSI = Pos	.606	.127	2.903
For cohort KONVERSI = Neg	1.022	.951	1.097
N of Valid Cases	151		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
JARAK * KONVERSI	151	100.0%	0	.0%	151	100.0%

JARAK * KONVERSI Crosstabulation

			KONVERSI		Total
			Pos	Neg	
JARAK	Jauh	Count	1	36	37
		% within JARAK	2.7%	97.3%	100.0%
		% within KONVERSI	16.7%	24.8%	24.5%
Dekat	Dekat	Count	5	109	114
		% within JARAK	4.4%	95.6%	100.0%
		% within KONVERSI	83.3%	75.2%	75.5%
Total	Total	Count	6	145	151
		% within JARAK	4.0%	96.0%	100.0%
		% within KONVERSI	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.207(b)	1	.649		
Continuity Correction(a)	.000	1	1.000		
Likelihood Ratio	.225	1	.635		

Fisher's Exact Test				1.000	.544
Linear-by-Linear Association	.206	1	.650		
N of Valid Cases	151				

a Computed only for a 2x2 table

b 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.47.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for JARAK (Jauh / Dekat)	.606	.068	5.356
For cohort KONVERSI = Pos	.616	.074	5.107
For cohort KONVERSI = Neg	1.018	.952	1.088
N of Valid Cases	151		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
TIPE PUSKESMAS * KONVERSI	151	100.0%	0	.0%	151	100.0%

TIPE PUSKESMAS * KONVERSI Crosstabulation

			KONVERSI		Total
			Pos	Neg	
TIPE PUSKESMAS	PS	Count	5	42	47
		% within TIPE PUSKESMAS	10.6%	89.4%	100.0%
	PRM	Count	1	103	104
		% within TIPE PUSKESMAS	1.0%	99.0%	100.0%
Total		% within KONVERSI	83.3%	29.0%	31.1%
		Count	6	145	151
		% within TIPE PUSKESMAS	4.0%	96.0%	100.0%
		% within KONVERSI	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7.944(b)	1	.005		
Continuity Correction(a)	5.610	1	.018		

Likelihood Ratio	7.330	1	.007		
Fisher's Exact Test				.011	.011
Linear-by-Linear Association	7.892	1	.005		
N of Valid Cases	151				

a Computed only for a 2x2 table

b 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.87.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for TIPE PUSKESMAS (PS / PRM)	12.262	1.391	108.127
For cohort KONVERSI = Pos	11.064	1.329	92.102
For cohort KONVERSI = Neg	.902	.816	.998
N of Valid Cases	151		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
TIPE PENDERITA * KONVERSI	151	100.0%	0	.0%	151	100.0%

TIPE PENDERITA * KONVERSI Crosstabulation

			KONVERSI		Total
			Pos	Neg	
TIPE PENDERITA	Kasus Lama	Count	0	4	4
		% within TIPE PENDERITA	.0%	100.0%	100.0%
		% within KONVERSI	.0%	2.8%	2.6%
	Kasus Baru	Count	6	141	147
		% within TIPE PENDERITA	4.1%	95.9%	100.0%
		% within KONVERSI	100.0%	97.2%	97.4%
Total	Count	6	145	151	
	% within TIPE PENDERITA	4.0%	96.0%	100.0%	
	% within KONVERSI	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.170(b)	1	.680		
Continuity Correction(a)	.000	1	1.000		
Likelihood Ratio	.329	1	.566		

Fisher's Exact Test				1.000	.849
Linear-by-Linear Association	.169	1	.681		
N of Valid Cases	151				

a Computed only for a 2x2 table

b 2 cells (50.0%) have expected count less than 5. The minimum expected count is .16.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
For cohort KONVERSI = Neg	1.043	1.008	1.078
N of Valid Cases	151		

