

## DAFTAR ACUAN

- [1] Kebamoto, *Gelombang Nanoteknologi* (Jakarta: YSM, 2005), hal. 4
- [2] Herbert Gleiter, "Nanostrutured Materials," *Journal Advanced Materials* (4) 1992
- [3] S. Shingubara, O. Okino., H. Sakaue, T. Takahagi, "Ordered two-dimensional nanowire array formation using selforganized nanoholes of anodically oxidized aluminum," *J. Appl. Phys.* (36) 1997: 7791.
- [4] [http://www.nanotech-now.com/news.cgi?story\\_id=06788](http://www.nanotech-now.com/news.cgi?story_id=06788)
- [5] Kenneth Chang, "Tiny Is Beautiful: Translating 'Nano' Into Practical," *New York Times*, 22 Februari 2005.
- [6] Diana M. Bowman, Graeme A. Hodge, "Nanotechnology: Mapping wild regulatory frontier," *Future* (38) 2006
- [7] [http://synkera.com/technology/self\\_org\\_aao.htm](http://synkera.com/technology/self_org_aao.htm)
- [8] Keller F., M.S. Hunter, D.L. Robinson, "Structural Features of Oxide Coatings on Aluminum," *J. Electrochem. Soc.* (100) 1953: 411.
- [9] Thompson G.E., R.C. Furneaux, G.C. Wood, J.A. Richardson, J.S. Goode, "Nucleation And Growth Of Porous Anodic Films On Aluminum." *Nature* (272) 1978: 433.
- [10] Masuda H., K. Fukuda, "Ordered Metal Nanohole Arrays Made by A Two-Step Replication of Honeycomb Structures of Anodic Alumina," *Science* (268) 1995: 1466.
- [11] Iijima S., "Helical Microtubules of Graphite Carbon," *Nature* (354) 1991: 56-58.
- [12] TU/e Group, *The Wondrous World of Carbon Nanotubes*. (Eindhoven University of Technology, 2003)
- [13] Li J., C. Papadopoulos, J.M. Xu, "Highly-ordered carbon nanotube arrays for electronics applications," *Appl. Phys. Lett.* (75) 1999: 367.
- [14] [www.intel.com/research/silicon/mooreslaw.htm](http://www.intel.com/research/silicon/mooreslaw.htm)

- [15] Group-Nanoteknologi, "Paper Anvaced Materials: Nanoteknologi," (FTUI Depok, 2007)
- [16] John C. Miller, Ruben Serrato, Jose Miguel Represas-Cardenas, Griffith Kundahl, *The Handbook of Nanotechnology Business, Policy, and Intellectual Property Law*, (New Jersey: John Wiley & Sons, 2005)
- [17] Se Young Jeong, Fucheng Y, Dojin Kim, Mun Cheol Paek, Kwang-Young Kang, "MBE Growth of Nanodot Arrays Using Anodic Aluminum Oxide Templates," *TNT* 2007
- [18] J. Liang, H. Luo, R. Beresford, J.M. Xu, "A Growth Pathway for Highly Ordered Quantum Dot Arrays," *Appl. Phys. Lett.* (85) 2004: 5974-5976.
- [19]  
[www.es.anl.gov/Energy\\_systems/Archived\\_Highlights/2007/ALD\\_Fuels\\_Future\\_Solutions/index.html](http://www.es.anl.gov/Energy_systems/Archived_Highlights/2007/ALD_Fuels_Future_Solutions/index.html)
- [20] Yanchun Zhao, Miao Chen, Yanan Zhang, Tao Xu, Weimin Liu, "A Facile Approach to Formation of Through-Hole Porous Anodic Aluminum Oxide Film," *Materials Letters* (59) 2005: 40-43.
- [21] *ASM Metal Handbook Vol.5 Surface Engineering*. ASM International, 1994.
- [22] "Diktat Panduan Praktikum Korosi dan Perlindungan Logam." Depok: Laboratorium korosi dan Perlindungan Logam jurusan Teknik Metalurgi, 1999.
- [23] [www.nhn.ou.edu/~bumm/NanoLab/ppt](http://www.nhn.ou.edu/~bumm/NanoLab/ppt)
- [24] G.D Sulka, *Nanostructured Materials in Electrochemistry: Highly Ordered Anodic Porous Alumina Formation by Self-Organized Anodizing*. (Wiley, 2008)
- [25] Zhao, Nai-Qin, "Effects of Anodizing Conditions on Anodic Alumina Structure," *J Mater Sci* (42) 2007: 3878–3882.
- [26] Allen Bai, Chi-Chang Hub, Yong-Feng Yang, Chi-Cheng Lin, "Pore diameter control of anodic aluminum oxide with ordered array of nanopores," *Electrochimica Acta* (53) 2008: 2258–2264.
- [27] I. Vrublevskya, V. Parkouna, J. Schreckenbach, G. Marx, "Effect of the Current Density on the Volume Expansion of the Deposited Thin Films of Aluminum during Porous Oxide Formation," *Applied Surface Science* (220) 2003: 51–59.
- [28] T. Aerts, Th. Dimogerontakis, I. De Graeve, J. Fransaer, H. Terryn, "Influence of the Anodizing Temperature on the Porosity and the Mechanical

Properties of the Porous Anodic Oxide Film," *Surface & Coatings Technology* (201) 2007: 7310–7317.

[29] Ji Hoon Kim, Kyoung Soo Ahn, Kyoung Nam Lee, Chae Ok Kim, Jin Pyo Hong, "Size Control of Anodic Alumina Oxide Layer by an Anodic Oxidation Method for the Application of Magnetic Quantum Dots and Carbon Nanotubes," *Journal of the Korean Physical Society* 2004: 141-144.

[30] Soo Hwan Jeong, Kun Hong Lee, "Field Emission Properties of Low-Density Carbon Nanotubes Prepared on Anodic Aluminum-Oxide Template," *Journal of the Korean Physical Society* 2004: 252-255.

[31] Shoso Shingubara, "Fabrication of nanomaterials using porous alumina templates," *Journal of Nanoparticle Research* (5) 2003: 17–30.

[32] G.D. Sulka, K.G. Parkoła, "Temperature influence on well-ordered nanopore structures grown by anodization of aluminium in sulphuric acid," *Electrochimica Acta* (52) 2007: 1880–1888.

[33] Władysław Skoneczny, Jan Jurusik, Andrzej Burian, "Investigations of the surface morphology of Al<sub>2</sub>O<sub>3</sub> layers by atomic force microscopy," *Materials Science-Poland* 2004: 265-278.