

## ABSTRAK

Nama : Matthew Mindo P Simangunsong  
Program Studi : Pendidikan Dokter Umum  
Judul : Status Gizi Bayi Usia 1,5 – 8 Bulan dan Faktor-Faktor yang Berhubungan di Jakarta Utara

Status gizi seseorang menunjukkan seberapa besar kebutuhan fisiologis individu tersebut telah terpenuhi. Status gizi dipengaruhi oleh berbagai faktor. Penelitian ini bertujuan untuk mengetahui sebaran status gizi bayi usia 1,5-8 bulan di Jakarta Utara dan hubungannya dengan jenis kelamin bayi, pendidikan terakhir ibu, pekerjaan ibu, penghasilan ibu, usia ibu saat melahirkan, morbiditas diare dan Infeksi Saluran Napas Atas (ISPA), dan pemberian Air Susu Ibu (ASI). Penelitian menggunakan studi *cross-sectional* dan dilakukan pada 86 responden yang memiliki bayi usia 1,5 hingga 8 bulan di Jakarta Utara. Data didapatkan berupa status gizi bayi, jenis kelamin bayi, usia ibu saat melahirkan, tingkat pendidikan ibu, penghasilan ibu, morbiditas diare dan ISPA, dan pemberian ASI yang akan diteliti hubungannya dengan status gizi bayi yang diuji dengan uji *Chi-Square* ( $p < 0,05$ ). Dari hasil penelitian didapatkan proporsi status gizi wasted sebesar 2,3%, dengan proporsi jenis kelamin bayi laki-laki 45,3%, dan perempuan 54,7%, pemberian ASI sebesar 32,6%, ibu bekerja 11,6%, diare dan ISPA bayi dalam kurun waktu 2 minggu terakhir masing-masing 3,5% dan 32,6%, tingkat pendidikan ibu rendah 61,6%, sedang 38,4%, dan tidak ada yang tinggi, tingkat penghasilan keluarga sedang 53,5% dan tinggi 46,5, semuanya tidak memiliki hubungan yang bermakna ( $p > 0,05$ ).

Kata kunci:

Status gizi, jenis kelamin bayi, pendidikan ibu, penghasilan orang tua, morbiditas diare dan ISPA, usia ibu saat melahirkan, pekerjaan ibu, dan ASI eksklusif.

## ABSTRACT

Nama : Matthew Mindo P. Simangunsong  
Program Studi : General Medicine  
Judul : Nutrition Status of Infants Age 1,5 – 8 Months and the Associated Factors in North Jakarta

Nutrition status of someone showing how big the individual physiological needs have been met. Nutritional status is influenced by various factors. This study aims to know the nutritional status of infants aged 1,5-8 months in East Jakarta and the relationship with the infant's gender, history of breast feeding , maternal education level, working mother, family's income, maternal age at giving birth, diarrhea, and upper respiratory tract infection (URTI). Research used cross-sectional study conducted on 86 and respondents who have an infants aged 1.5 to 8 months in East Jakarta. Data obtained form the nutrition status of the baby, the baby's gender, maternal age at giving birth, maternal education level, working mother, family's income, morbiditas diarrhea and URTI, and the breast feeding will be related to the nutritional status of infants tested with the Chi-Square test ( $p < 0,05$ ). Research results obtained from the proportion of wasted nutritional status of 1.1%. With the proportion of boy 45.3%, and girl 54.7%, 32.6% breastfeeding, maternal age at giving birth less than 20 years and more than 35 years 26.7%, working mother 11.6%, diarrhea URTI over the last 2 weeks each 3.5% and 32.6%, low maternal education level are 61.6%, moderate family income levels are 53.5% and high are 46,5% , all does not have a meaningful association ( $p > 0,05$ ).

**Keywords:**

Nutritional status, infant sex, maternal education, family income, morbidity diarrhea and URTI, maternal age at giving birth, working mother, and exclusive breastfeeding.