

## DAFTAR PUSTAKA

- [1] Anonymous. Pit and fissure sealant. [cited 2008 September]; Available from: <http://www.healthyteeth.org/prevention/pitFissure.html>
- [2] Mount G J, Hume W R. Preservation and Restoration of Tooth Structure. 2 ed ed. Queensland: Knowledge Books and Software 2005, p 21-3; 249.
- [3] Kesehatan M. KEPUTUSAN MENTERI KESEHATAN REPUBLIK INDONESIA NOMOR 1415/MENKES/SK/X/2005. 2005 [cited 2008 November]; Available from:
- [4] Harris N O, Garcia F, Godoy. Primary Preventive Dentistry. 6 th ed. New Jersey: Pearson 2004, p12; 287.
- [5] Keyf F, Tuna S H, Sen M, Safrany A. Water Sorption and Solubility of Different Luting and Restorative Dental Cements. Journal of Turkey Medical Science 2006;36(1):p 47-55.
- [6] Veranes. Y, Correa. D, Martin. J. M, Krael. R, Alvarez. R. Characterization of light-cured dental composites prepared from Bis-GMA/TEEDGDMA and Bis-GMA/MPS mixtures. Latin American Applied Research. Maret 2006;36 no 1.
- [7] Annusavice K J. Phillips Science of Dental Materials. Philadelphia: W.B Saunders 1996, p 312-3.
- [8] Craig's, Powers J M, Sakaguchi RL. Restorative Dental Materials. 12 th ed. St. Louis: Mosby Elsevier 2006, p 46;167-9.
- [9] O'Brien W J. Dental Material and Their Selection. 3 rd ed. Chicago: Quintessence Publishing Co, Inc 2002, p 76-7.
- [10] Craig R G, Powers J M, Wataha J C. Dental Material Properties and Manipulation. 8 th ed. St. Louis: Mosby Elsevier 2004, p 43-9.
- [11] Schneider L F, Consani S, Correr-Sobrinho L, Correr A B, Sinhoreti M A. Halogen and LED light curing of composite: temperature increase and Knoop hardness. J Clinical Oral Investigation. 2006;10:66-71.
- [12] Ip T B, Rock W P. A comparison of three light curing units for bonding adhesive pre-coated brackets Journal of Orthodontics. 2004 September 31(3):243-7.
- [13] Yap A U , Soh M S, Han VTS. Influence of curing lights and modes on cross-link density of dental composites. Oper Dent. 2004;29(4):p 410-5.
- [14] Arches L R, Caldas D B, Rached R N, Viera S, Souza E M. Sorption and Solubility of Composites Cured with Quartz-tungsten Halogen and Light Emitting Diode Light-curing Units. Journal Contemporary Dental practice. 2008 Februari;9(2).
- [15] Agustiono P, Irnawati D. Pola Kelarutan dan Penyerapan Air pada Bahan Tumpatan Gigi Hibrida Semen Ionomer Kaca dan Resin Komposit Aktivasi Sinar Tampak. Jurnal Kedokteran Gigi Universitas Indonesia. 1997;4 ed khusus KPPIKG.
- [16] Gerdolle D A, Mortier E, Jacquot B, Panighi M M. Water Sorption and Water Solubility of current luting cement : An in vitro study. Quintessence International. 2008 Maret;39(3).
- [17] Noort R V. Introduction to Dental Materials. 3rd ed. London: Mosby Elsevier 2007, p 62-3; 115.

- [18] Barbosa C M, Fraga M A, Gonçalves TD. Acrylic Resin Water Sorption Under Different Pressure, Temperature and Time Conditions. *Materials Research*. 2001;4(1):p 1-6.
- [19] Cefaly D F, Wang L, de Mello L L, dos Santos J L, dos Santos J R, Lauris J R. Water sorption of resin-modified glass-ionomer cements photoactivated with LED. *Brazilian Oral Research*. 2006;20(4):p 342-6.
- [20] Dahlan S. *Statistika untuk kedokteran dan kesehatan*. Jakarta: PT Arkansas 2006, hal 99.
- [21] Palin WM, Fleming GJP, Burke FJT, Marquis PM, Randall RC. The influence of short and mediumterm water immersion on the hydrolytic stability of novel low-shrink dental composites. *Dent Mater*. 2005;21:p 852-63.
- [22] Örtengren U, Wellendorf H, Karlsson S, Ruyter IE. Water sorption and solubility of dental composites and identification of monomers released in an aqueous environment. *J Oral Rehabil*. 2001;28:p 1106-15.
- [23] Ferracane J. Hygroscopic and hydrolytic effects in dental polymer networks. *Dental Materials*. 2006;22:p 211-22.

