

Lampiran 1

**ANALISA UNIVARIAT**

**1.Karakteristik Responden**

**UMRBARU**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Muda	73	44,8	44,8	44,8

**agama responden**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid islam	144	88,3	88,3	88,3
kristen protestan	16	9,8	9,8	98,2

**pendidikan sebelumnya**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid d3 keperawatan	16	9,8	9,8	9,8
kebidanan	45	27,6	27,6	37,4

**pekerjaan**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid kerja	45	27,6	27,6	27,6
tidak bekerja	118	72,4	72,4	100,0
Total	163	100,0	100,0	

**lokasi tempat tinggal**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid jakarta	77	47,2	47,2	47,2
luar jakarta/daerah	86	52,8	52,8	100,0
Total	163	100,0	100,0	

**kb pada orang tua**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid ya	101	62,0	62,0	62,0
tidak	62	38,0	38,0	100,0
Total	163	100,0	100,0	

**lama pernikahan**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	128	78,5	78,5	78,5
0 - 2 tahun	6	3,7	3,7	82,2
3-5 tahun	11	6,7	6,7	89,0
lebih dari 6	18	11,0	11,0	100,0
Total	163	100,0	100,0	

**status pernikahan**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid nikah	35	21,5	21,5	21,5
tidak nikah	128	78,5	78,5	100,0
Total	163	100,0	100,0	

**Jumlah anak**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	128	78,5	78,5	78,5
0-2	18	11,0	11,0	89,6
lebih dari 3	17	10,4	10,4	100,0
Total	163	100,0	100,0	

**apakah pernah/sedang KB**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid ya	28	17,2	17,2	17,2
tidak	135	82,8	82,8	100,0
Total	163	100,0	100,0	

**penggunaan alkon**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	128	78,5	78,5	78,5
iud	11	6,7	6,7	85,3
suntik kb	11	6,7	6,7	92,0
pil kb	12	7,4	7,4	99,4
MOP/MOW	1	,6	,6	100,0
Total	163	100,0	100,0	

## Frequencies

### Statistics

score hasil pengetahuan

N	Valid	163
	Missing	0

score hasil pengetahuan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	kurang dari mean	69	42.3	42.3	42.3
	lebih dari/sama dengan mean	94	57.7	57.7	100.0
	Total	163	100.0	100.0	

## Frequencies

### Statistics

score hasil sikap

N	Valid	163
	Missing	0

score hasil sikap

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	negatif	81	49.7	49.7	49.7
	positif	82	50.3	50.3	100.0
	Total	163	100.0	100.0	

pandangan KB

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	negatif	69	42,3	42,3	42,3
	positif	94	57,7	57,7	100,0
	Total	163	100,0	100,0	

## Lampiran 2

### ANALISIS BIVARIAT

CROSSTABS

/TABLES=SCOREPA BY PnSA

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ RISK

/CELLS= COUNT ROW

/COUNT ROUND CELL .

### Crosstabs

score hasil pengetahuan \* pandangan KB Crosstabulation

			pandangan KB		Total
			negatif	positif	
score hasil pengetahuan	kurang dari mean	Count	58	11	69
		% within score hasil pengetahuan	84,1%	15,9%	100,0%
	lebih dari/sama dengan mean	Count	11	83	94
		% within score hasil pengetahuan	11,7%	88,3%	100,0%
Total		Count	69	94	163
		% within score hasil pengetahuan	42,3%	57,7%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	85,336 <sup>a</sup>	1	,000		
Continuity Correction <sup>b</sup>	82,398	1	,000		
Likelihood Ratio	93,717	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	84,813	1	,000		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 29,21.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for score hasil pengetahuan (kurang dari mean / lebih dari/sama dengan mean)	39,785	16,167	97,908
For cohort pandangan KB = negatif	7,183	4,084	12,635
For cohort pandangan KB = positif	,181	,105	,312
N of Valid Cases	163		

```

CROSSTABS
  /TABLES=SCORESA BY PnSA
  /FORMAT=AVALUE TABLES
  /STATISTIC=CHISQ RISK
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .

```

## Crosstabs

score hasil sikap \* pandangan KB Crosstabulation

			pandangan KB		Total
			negatif	positif	
score hasil sikap	negatif	Count	54	27	81
		% within score hasil sikap	66,7%	33,3%	100,0%
	positif	Count	15	67	82
		% within score hasil sikap	18,3%	81,7%	100,0%
Total	Count	69	94	163	
	% within score hasil sikap	42,3%	57,7%	100,0%	

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	39,060 <sup>b</sup>	1	,000		
Continuity Correction <sup>a</sup>	37,104	1	,000		
Likelihood Ratio	40,970	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	38,820	1	,000		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 34,29.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for score hasil sikap (negatif / positif)	8,933	4,323	18,460
For cohort pandangan KB = negatif	3,644	2,249	5,905
For cohort pandangan KB = positif	,408	,295	,564
N of Valid Cases	163		

### CROSSTABS

```

/TABLES=SCOREPA BY SCORESA
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ RISK
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

### Crosstabs

#### score hasil pengetahuan \* score hasil sikap Crosstabulation

			score hasil sikap		Total
			negatif	positif	
score hasil pengetahuan	kurang dari mean	Count	43	26	69
		% within score hasil pengetahuan	62,3%	37,7%	100,0%
	lebih dari/sama dengan mean	Count	38	56	94
		% within score hasil pengetahuan	40,4%	59,6%	100,0%
Total		Count	81	82	163
		% within score hasil pengetahuan	49,7%	50,3%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7,629 <sup>b</sup>	1	,006		
Continuity Correction <sup>a</sup>	6,779	1	,009		
Likelihood Ratio	7,694	1	,006		
Fisher's Exact Test				,007	,005
Linear-by-Linear Association	7,583	1	,006		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 34,29.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for score hasil pengetahuan (kurang dari mean / lebih dari/sama dengan mean)	2,437	1,288	4,612
For cohort score hasil sikap = negatif	1,542	1,135	2,094
For cohort score hasil sikap = positif	,633	,447	,894
N of Valid Cases	163		

### CROSSTABS

```

/TABLES=UMRBARU BY PnSA
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ RISK
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

### Crosstabs

#### UMRBARU \* pandangan KB Crosstabulation

			pandangan KB		Total
			negatif	positif	
UMRBARU	Muda	Count	39	34	73
		% within UMRBARU	53,4%	46,6%	100,0%
	Tua	Count	30	60	90
		% within UMRBARU	33,3%	66,7%	100,0%
Total		Count	69	94	163
		% within UMRBARU	42,3%	57,7%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	6,665 <sup>b</sup>	1	,010		
Continuity Correction <sup>a</sup>	5,867	1	,015		
Likelihood Ratio	6,687	1	,010		
Fisher's Exact Test				,011	,008
Linear-by-Linear Association	6,624	1	,010		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 30,90.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for UMRBARU (Muda / Tua)	2,294	1,215	4,330
For cohort pandangan KB = negatif	1,603	1,116	2,302
For cohort pandangan KB = positif	,699	,525	,930
N of Valid Cases	163		

```

CROSSTABS
  /TABLES=agama BY PnSA
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ RISK
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .
  
```

### Crosstabs

#### agama responden \* pandangan KB Crosstabulation

			pandangan KB		Total
			negatif	positif	
agama responden	islam	Count	60	84	144
		% within agama responden	41,7%	58,3%	100,0%
	kristen protestan	Count	8	8	16
		% within agama responden	50,0%	50,0%	100,0%
	katolik	Count	1	2	3
		% within agama responden	33,3%	66,7%	100,0%
Total		Count	69	94	163
		% within agama responden	42,3%	57,7%	100,0%



### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	,511 <sup>a</sup>	2	,775
Likelihood Ratio	,509	2	,775
Linear-by-Linear Association	,077	1	,782
N of Valid Cases	163		

a. 2 cells (33,3%) have expected count less than 5. The minimum expected count is 1,27.

### Risk Estimate

	Value
Odds Ratio for agama responden (islam / kristen protestan)	a

a. Risk Estimate statistics cannot be computed. They are only computed for a 2\*2 table without empty cells.

```
CROSSTABS
  /TABLES=pddk4 BY PnSA
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ RISK
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .
```

### Crosstabs

**pendidikan sebelumnya \* pandangan KB Crosstabulation**

			pandangan KB		Total
			negatif	positif	
pendidikan sebelumnya	d3 keperawatan	Count	8	8	16
		% within pendidikan sebelumnya	50,0%	50,0%	100,0%
	kebidanan	Count	14	31	45
		% within pendidikan sebelumnya	31,1%	68,9%	100,0%
	SMA - sederajat	Count	47	55	102
		% within pendidikan sebelumnya	46,1%	53,9%	100,0%
Total		Count	69	94	163
		% within pendidikan sebelumnya	42,3%	57,7%	100,0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3,293 <sup>a</sup>	2	,193
Likelihood Ratio	3,363	2	,186
Linear-by-Linear Association	,378	1	,539
N of Valid Cases	163		

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 6,77.

**Risk Estimate**

	Value
Odds Ratio for pendidikan sebelumnya (d3 keperawatan / kebidanan)	a

a. Risk Estimate statistics cannot be computed. They are only computed for a 2\*2 table without empty cells.

```

CROSSTABS
  /TABLES=kerja5 BY PnSA
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ RISK
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .
    
```

## Crosstabs

pekerjaan \* pandangan KB Crosstabulation

			pandangan KB		Total
			negatif	positif	
pekerjaan	kerja	Count	20	25	45
		% within pekerjaan	44,4%	55,6%	100,0%
	tidak bekerja	Count	49	69	118
		% within pekerjaan	41,5%	58,5%	100,0%
Total		Count	69	94	163
		% within pekerjaan	42,3%	57,7%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,114 <sup>b</sup>	1	,736		
Continuity Correction <sup>a</sup>	,026	1	,873		
Likelihood Ratio	,113	1	,736		
Fisher's Exact Test				,859	,435
Linear-by-Linear Association	,113	1	,737		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 19,05.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pekerjaan (kerja / tidak bekerja)	1,127	,564	2,252
For cohort pandangan KB = negatif	1,070	,724	1,582
For cohort pandangan KB = positif	,950	,702	1,285
N of Valid Cases	163		

CROSSTABS

/TABLES=lokasi6 BY PnSA

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ RISK

/CELLS= COUNT ROW

/COUNT ROUND CELL .

## Crosstabs

lokasi tempat tinggal \* pandangan KB Crosstabulation

			pandangan KB		Total
			negatif	positif	
lokasi tempat tinggal	jakarta	Count	27	50	77
		% within lokasi tempat tinggal	35,1%	64,9%	100,0%
	luar jakarta/daerah	Count	42	44	86
		% within lokasi tempat tinggal	48,8%	51,2%	100,0%
Total		Count	69	94	163
		% within lokasi tempat tinggal	42,3%	57,7%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3,157 <sup>b</sup>	1	,076	,083	,053
Continuity Correction <sup>a</sup>	2,618	1	,106		
Likelihood Ratio	3,173	1	,075		
Fisher's Exact Test					
Linear-by-Linear Association	3,137	1	,077		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 32,60.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for lokasi tempat tinggal (jakarta / luar jakarta/daerah)	,566	,301	1,063
For cohort pandangan KB = negatif	,718	,494	1,043
For cohort pandangan KB = positif	1,269	,975	1,652
N of Valid Cases	163		

CROSSTABS

/TABLES=kbortu8 BY PnSA

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ RISK  
 /CELLS= COUNT ROW  
 /COUNT ROUND CELL .

## Crosstabs

kb pada orang tua \* pandangan KB Crosstabulation

			pandangan KB		Total
			negatif	positif	
kb pada orang tua	ya	Count	43	58	101
		% within kb pada orang tua	42,6%	57,4%	100,0%
	tidak	Count	26	36	62
		% within kb pada orang tua	41,9%	58,1%	100,0%
Total		Count	69	94	163
		% within kb pada orang tua	42,3%	57,7%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,006 <sup>b</sup>	1	,936		
Continuity Correction <sup>a</sup>	,000	1	1,000		
Likelihood Ratio	,006	1	,936		
Fisher's Exact Test				1,000	,534
Linear-by-Linear Association	,006	1	,936		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 26,25.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kb pada orang tua (ya / tidak)	1,027	,541	1,947
For cohort pandangan KB = negatif	1,015	,701	1,470
For cohort pandangan KB = positif	,989	,755	1,296
N of Valid Cases	163		

CROSSTABS

```

/TABLES=nikah9 BY PnSA
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ RISK
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

## Crosstabs

### status pernikahan \* pandangan KB Crosstabulation

			pandangan KB		Total
			negatif	positif	
status pernikahan	nikah	Count	13	22	35
		% within status pernikahan	37,1%	62,9%	100,0%
	tidak nikah	Count	56	72	128
		% within status pernikahan	43,8%	56,3%	100,0%
Total		Count	69	94	163
		% within status pernikahan	42,3%	57,7%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,491 <sup>b</sup>	1	,483		
Continuity Correction <sup>a</sup>	,258	1	,611		
Likelihood Ratio	,496	1	,481		
Fisher's Exact Test				,564	,307
Linear-by-Linear Association	,488	1	,485		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14,82.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for status pernikahan (nikah / tidak nikah)	,760	,352	1,640
For cohort pandangan KB = negatif	,849	,529	1,363
For cohort pandangan KB = positif	1,117	,830	1,504
N of Valid Cases	163		

```

CROSSTABS
  /TABLES=laman10 BY PnSA
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ RISK
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .

```

## Crosstabs

**lama pernikahan \* pandangan KB Crosstabulation**

			pandangan KB		Total
			negatif	positif	
lama pernikahan	0	Count	56	72	128
		% within lama pernikahan	43,8%	56,3%	100,0%
	0 - 2 tahun	Count	2	4	6
		% within lama pernikahan	33,3%	66,7%	100,0%
	3-5 tahun	Count	5	6	11
		% within lama pernikahan	45,5%	54,5%	100,0%
	lebih dari 6	Count	6	12	18
		% within lama pernikahan	33,3%	66,7%	100,0%
Total	Count	69	94	163	
	% within lama pernikahan	42,3%	57,7%	100,0%	

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	,945 <sup>a</sup>	3	,814
Likelihood Ratio	,965	3	,810
Linear-by-Linear Association	,529	1	,467
N of Valid Cases	163		

a. 3 cells (37,5%) have expected count less than 5. The minimum expected count is 2,54.

### Risk Estimate

	Value
Odds Ratio for lama pernikahan (0 / 0 - 2 tahun)	a

a. Risk Estimate statistics cannot be computed. They are only computed for a 2\*2 table without empty cells.

```
CROSSTABS
  /TABLES=ja11 BY PnSA
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ RISK
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .
```

### Crosstabs

#### Jumlah anak \* pandangan KB Crosstabulation

		pandangan KB		Total	
		negatif	positif		
Jumlah anak	0	Count	56	72	128
		% within Jumlah anak	43,8%	56,3%	100,0%
0-2	Count	6	12	18	
	% within Jumlah anak	33,3%	66,7%	100,0%	
lebih dari 3	Count	7	10	17	
	% within Jumlah anak	41,2%	58,8%	100,0%	
Total	Count	69	94	163	
	% within Jumlah anak	42,3%	57,7%	100,0%	

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	,712 <sup>a</sup>	2	,701
Likelihood Ratio	,727	2	,695
Linear-by-Linear Association	,238	1	,626
N of Valid Cases	163		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7,20.



### Risk Estimate

	Value
Odds Ratio for Jumlah anak (0 / 0-2)	a

a. Risk Estimate statistics cannot be computed. They are only computed for a 2\*2 table without empty cells.

```
CROSSTABS
  /TABLES=prnkb12 BY PnSA
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ RISK
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .
```

### Crosstabs

#### apakah pernah/sedang KB \* pandangan KB Crosstabulation

			pandangan KB		Total
			negatif	positif	
apakah pernah/sedang KB	ya	Count	10	18	28
		% within apakah pernah/sedang KB	35,7%	64,3%	100,0%
	tidak	Count	59	76	135
		% within apakah pernah/sedang KB	43,7%	56,3%	100,0%
Total		Count	69	94	163
		% within apakah pernah/sedang KB	42,3%	57,7%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,606 <sup>b</sup>	1	,436		
Continuity Correction <sup>a</sup>	,323	1	,570		
Likelihood Ratio	,615	1	,433		
Fisher's Exact Test				,530	,287
Linear-by-Linear Association	,603	1	,438		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 11,85.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for apakah pernah/sedang KB (ya / tidak)	,716	,308	1,665
For cohort pandangan KB = negatif	,817	,480	1,392
For cohort pandangan KB = positif	1,142	,835	1,562
N of Valid Cases	163		

```

CROSSTABS
  /TABLES=alkon13 BY PnSA
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ RISK
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .
  
```

### Crosstabs

**penggunaan alkon \* pandangan KB Crosstabulation**

			pandangan KB		Total
			negatif	positif	
penggunaan alkon	0	Count	56	72	128
		% within penggunaan alkon	43,8%	56,3%	100,0%
iud		Count	2	9	11
		% within penggunaan alkon	18,2%	81,8%	100,0%
suntik kb		Count	4	7	11
		% within penggunaan alkon	36,4%	63,6%	100,0%
pil kb		Count	6	6	12
		% within penggunaan alkon	50,0%	50,0%	100,0%
MOP/MOW		Count	1	0	1
		% within penggunaan alkon	100,0%	,0%	100,0%
Total		Count	69	94	163
		% within penggunaan alkon	42,3%	57,7%	100,0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4,545 <sup>a</sup>	4	,337
Likelihood Ratio	5,189	4	,268
Linear-by-Linear Association	,173	1	,677
N of Valid Cases	163		

a. 4 cells (40,0%) have expected count less than 5. The minimum expected count is ,42.

**Risk Estimate**

	Value
Odds Ratio for penggunaan alkon (0 / iud)	a

a. Risk Estimate statistics cannot be computed. They are only computed for a 2\*2 table without empty cells.

/COUNT ROUND CELL .

**Crosstabs**

**UMRBARU \* score hasil pengetahuan Crosstabulation**

			score hasil pengetahuan		Total
			kurang dari mean	lebih dari/sama dengan mean	
UMRBARU	Muda	Count	36	37	73
		% within UMRBARU	49,3%	50,7%	100,0%
	Tua	Count	33	57	90
		% within UMRBARU	36,7%	63,3%	100,0%
Total		Count	69	94	163
		% within UMRBARU	42,3%	57,7%	100,0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2,641 <sup>b</sup>	1	,104		
Continuity Correction <sup>a</sup>	2,149	1	,143		
Likelihood Ratio	2,642	1	,104		
Fisher's Exact Test				,114	,071
Linear-by-Linear Association	2,625	1	,105		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 30,90.

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for UMRBARU (Muda / Tua)	1,681	,897	3,149
For cohort score hasil pengetahuan = kurang dari mean	1,345	,941	1,923
For cohort score hasil pengetahuan = lebih dari/sama dengan mean	,800	,608	1,054
N of Valid Cases	163		

CROSSTABS  
 /TABLES=agama BY SCOREPA  
 /FORMAT= AVALUE TABLES

/STATISTIC=CHISQ RISK  
 /CELLS= COUNT ROW  
 /COUNT ROUND CELL .

## Crosstabs

### agama responden \* score hasil pengetahuan Crosstabulation

			score hasil pengetahuan		Total
			kurang dari mean	lebih dari/sama dengan mean	
agama responden	islam	Count % within agama responden	63 43,8%	81 56,3%	144 100,0%
	kristen protestan	Count % within agama responden	6 37,5%	10 62,5%	16 100,0%
	katolik	Count % within agama responden	0 ,0%	3 100,0%	3 100,0%
Total		Count % within agama responden	69 42,3%	94 57,7%	163 100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2,474 <sup>a</sup>	2	,290
Likelihood Ratio	3,576	2	,167
Linear-by-Linear Association	1,785	1	,182
N of Valid Cases	163		

a. 2 cells (33,3%) have expected count less than 5. The minimum expected count is 1,27.

### Risk Estimate

	Value
Odds Ratio for agama responden (islam / kristen protestan)	a

a. Risk Estimate statistics cannot be computed. They are only computed for a 2\*2 table without empty cells.

```

CROSSTABS
  /TABLES=pddk4 BY SCOREPA
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ RISK
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .

```

## Crosstabs

### pendidikan sebelumnya \* score hasil pengetahuan Crosstabulation

			score hasil pengetahuan		Total
			kurang dari mean	lebih dari/sama dengan mean	
pendidikan sebelumnya	d3 keperawatan	Count	8	8	16
		% within pendidikan sebelumnya	50,0%	50,0%	100,0%
	kebidanan	Count	16	29	45
		% within pendidikan sebelumnya	35,6%	64,4%	100,0%
	SMA - sederajat	Count	45	57	102
		% within pendidikan sebelumnya	44,1%	55,9%	100,0%
Total		Count	69	94	163
		% within pendidikan sebelumnya	42,3%	57,7%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1,365 <sup>a</sup>	2	,505
Likelihood Ratio	1,375	2	,503
Linear-by-Linear Association	,020	1	,888
N of Valid Cases	163		

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 6,77.

### Risk Estimate

	Value
Odds Ratio for pendidikan sebelumnya (d3 keperawatan / kebidanan)	a

a. Risk Estimate statistics cannot be computed. They are only computed for a 2\*2 table without empty cells.

### CROSSTABS

```

/TABLES=kerja5 BY SCOREPA
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ RISK
/CELLS= COUNT ROW
/COUNT ROUND CELL .
    
```

### Crosstabs

#### pekerjaan \* score hasil pengetahuan Crosstabulation

			score hasil pengetahuan		Total
			kurang dari mean	lebih dari/sama dengan mean	
pekerjaan	kerja	Count	18	27	45
		% within pekerjaan	40,0%	60,0%	100,0%
	tidak bekerja	Count	51	67	118
		% within pekerjaan	43,2%	56,8%	100,0%
Total		Count	69	94	163
		% within pekerjaan	42,3%	57,7%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,138 <sup>b</sup>	1	,710		
Continuity Correction <sup>a</sup>	,038	1	,846		
Likelihood Ratio	,139	1	,709		
Fisher's Exact Test				,727	,424
Linear-by-Linear Association	,138	1	,711		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 19,05.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pekerjaan (kerja / tidak bekerja)	,876	,435	1,762
For cohort score hasil pengetahuan = kurang dari mean	,925	,612	1,399
For cohort score hasil pengetahuan = lebih dari/sama dengan mean	1,057	,794	1,406
N of Valid Cases	163		

```

CROSSTABS
  /TABLES=lokasi6 BY SCOREPA
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ RISK
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .
  
```

### Crosstabs

lokasi tempat tinggal \* score hasil pengetahuan Crosstabulation

			score hasil pengetahuan		Total
			kurang dari mean	lebih dari/sama dengan mean	
lokasi tempat tinggal	jakarta	Count	29	48	77
		% within lokasi tempat tinggal	37,7%	62,3%	100,0%
	luar jakarta/daerah	Count	40	46	86
		% within lokasi tempat tinggal	46,5%	53,5%	100,0%
Total		Count	69	94	163
		% within lokasi tempat tinggal	42,3%	57,7%	100,0%



### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,303 <sup>b</sup>	1	,254		
Continuity Correction <sup>a</sup>	,966	1	,326		
Likelihood Ratio	1,306	1	,253		
Fisher's Exact Test				,270	,163
Linear-by-Linear Association	1,295	1	,255		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 32,60.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for lokasi tempat tinggal (jakarta / luar jakarta/daerah)	,695	,371	1,300
For cohort score hasil pengetahuan = kurang dari mean	,810	,562	1,168
For cohort score hasil pengetahuan = lebih dari/sama dengan mean	1,165	,896	1,516
N of Valid Cases	163		

```
CROSSTABS
  /TABLES=kbortu8 BY SCOREPA
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ RISK
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .
```

### Crosstabs

**kb pada orang tua \* score hasil pengetahuan Crosstabulation**

			score hasil pengetahuan		Total
			kurang dari mean	lebih dari/sama dengan mean	
kb pada orang tua	ya	Count	41	60	101
		% within kb pada orang tua	40,6%	59,4%	100,0%
	tidak	Count	28	34	62
		% within kb pada orang tua	45,2%	54,8%	100,0%
Total		Count	69	94	163
		% within kb pada orang tua	42,3%	57,7%	100,0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,328 <sup>b</sup>	1	,567		
Continuity Correction <sup>a</sup>	,168	1	,682		
Likelihood Ratio	,328	1	,567		
Fisher's Exact Test				,625	,340
Linear-by-Linear Association	,326	1	,568		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 26,25.

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kb pada orang tua (ya / tidak)	,830	,438	1,572
For cohort score hasil pengetahuan = kurang dari mean	,899	,626	1,291
For cohort score hasil pengetahuan = lebih dari/sama dengan mean	1,083	,821	1,430
N of Valid Cases	163		

CROSSTABS

/TABLES=nikah9 BY SCOREPA  
 /FORMAT= AVALUE TABLES  
 /STATISTIC=CHISQ RISK  
 /CELLS= COUNT ROW

/COUNT ROUND CELL .

## Crosstabs

status pernikahan \* score hasil pengetahuan Crosstabulation

			score hasil pengetahuan		Total
			kurang dari mean	lebih dari/sama dengan mean	
status pernikahan	nikah	Count	12	23	35
		% within status pernikahan	34,3%	65,7%	100,0%
	tidak nikah	Count	57	71	128
		% within status pernikahan	44,5%	55,5%	100,0%
Total		Count	69	94	163
		% within status pernikahan	42,3%	57,7%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,182 <sup>b</sup>	1	,277		
Continuity Correction <sup>a</sup>	,799	1	,371		
Likelihood Ratio	1,201	1	,273		
Fisher's Exact Test				,336	,186
Linear-by-Linear Association	1,175	1	,278		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14,82.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for status pernikahan (nikah / tidak nikah)	,650	,298	1,418
For cohort score hasil pengetahuan = kurang dari mean	,770	,468	1,267
For cohort score hasil pengetahuan = lebih dari/sama dengan mean	1,185	,891	1,576
N of Valid Cases	163		

CROSSTABS

/TABLES=laman10 BY SCOREPA

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ RISK  
 /CELLS= COUNT ROW  
 /COUNT ROUND CELL .

## Crosstabs

**lama pernikahan \* score hasil pengetahuan Crosstabulation**

			score hasil pengetahuan		Total
			kurang dari mean	lebih dari/sama dengan mean	
lama pernikahan	0	Count	57	71	128
		% within lama pernikahan	44,5%	55,5%	100,0%
	0 - 2 tahun	Count	2	4	6
		% within lama pernikahan	33,3%	66,7%	100,0%
	3-5 tahun	Count	6	5	11
		% within lama pernikahan	54,5%	45,5%	100,0%
	lebih dari 6	Count	4	14	18
		% within lama pernikahan	22,2%	77,8%	100,0%
Total		Count	69	94	163
		% within lama pernikahan	42,3%	57,7%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4,107 <sup>a</sup>	3	,250
Likelihood Ratio	4,339	3	,227
Linear-by-Linear Association	1,810	1	,179
N of Valid Cases	163		

a. 3 cells (37,5%) have expected count less than 5. The minimum expected count is 2,54.

### Risk Estimate

	Value
Odds Ratio for lama pernikahan (0 / 0 - 2 tahun)	<sup>a</sup>

a. Risk Estimate statistics cannot be computed. They are only computed for a 2\*2 table without empty cells.

```

CROSSTABS
  /TABLES=ja11 BY SCOREPA
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ RISK
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .

```

## Crosstabs

Jumlah anak \* score hasil pengetahuan Crosstabulation

			score hasil pengetahuan		Total
			kurang dari mean	lebih dari/sama dengan mean	
Jumlah anak	0	Count	57	71	128
		% within Jumlah anak	44,5%	55,5%	100,0%
	0-2	Count	5	13	18
		% within Jumlah anak	27,8%	72,2%	100,0%
lebih dari 3	Count	7	10	17	
	% within Jumlah anak	41,2%	58,8%	100,0%	
Total	Count	69	94	163	
	% within Jumlah anak	42,3%	57,7%	100,0%	

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1,825 <sup>a</sup>	2	,402
Likelihood Ratio	1,900	2	,387
Linear-by-Linear Association	,532	1	,466
N of Valid Cases	163		

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 7,20.

### Risk Estimate

	Value
Odds Ratio for Jumlah anak (0 / 0-2)	a

a. Risk Estimate statistics cannot be computed. They are only computed for a 2\*2 table without empty cells.

```

CROSSTABS
  /TABLES=prnkb12 BY SCOREPA
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ RISK
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .

```

## Crosstabs

apakah pernah/sedang KB \* score hasil pengetahuan Crosstabulation

			score hasil pengetahuan		Total
			kurang dari mean	lebih dari/sama dengan mean	
apakah pernah/sedang KB	ya	Count % within apakah pernah/sedang KB	10 35,7%	18 64,3%	28 100,0%
	tidak	Count % within apakah pernah/sedang KB	59 43,7%	76 56,3%	135 100,0%
Total		Count % within apakah pernah/sedang KB	69 42,3%	94 57,7%	163 100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,606 <sup>b</sup>	1	,436		
Continuity Correction <sup>a</sup>	,323	1	,570		
Likelihood Ratio	,615	1	,433		
Fisher's Exact Test				,530	,287
Linear-by-Linear Association	,603	1	,438		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 11,85.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for apakah pernah/sedang KB (ya / tidak)	,716	,308	1,665
For cohort score hasil pengetahuan = kurang dari mean	,817	,480	1,392
For cohort score hasil pengetahuan = lebih dari/sama dengan mean	1,142	,835	1,562
N of Valid Cases	163		

```

CROSSTABS
  /TABLES=alkon13 BY SCOREPA
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ RISK
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .
  
```

### Crosstabs

#### penggunaan alkon \* score hasil pengetahuan Crosstabulation

		score hasil pengetahuan		Total	
		kurang dari mean	lebih dari/sama dengan mean		
penggunaan alkon	0	Count	57	71	128
		% within penggunaan alkon	44,5%	55,5%	100,0%
iud		Count	2	9	11
		% within penggunaan alkon	18,2%	81,8%	100,0%
suntik kb		Count	3	8	11
		% within penggunaan alkon	27,3%	72,7%	100,0%
pil kb		Count	6	6	12
		% within penggunaan alkon	50,0%	50,0%	100,0%
MOP/MOW		Count	1	0	1
		% within penggunaan alkon	100,0%	,0%	100,0%
Total		Count	69	94	163
		% within penggunaan alkon	42,3%	57,7%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5,555 <sup>a</sup>	4	,235
Likelihood Ratio	6,248	4	,181
Linear-by-Linear Association	,024	1	,878
N of Valid Cases	163		

a. 4 cells (40,0%) have expected count less than 5. The minimum expected count is ,42.

### Risk Estimate

	Value
Odds Ratio for penggunaan alkon (0 / iud)	a

a. Risk Estimate statistics cannot be computed. They are only computed for a 2\*2 table without empty cells.

CROSSTABS

/TABLES=UMRBARU BY SCORESA  
 /FORMAT= AVALUE TABLES  
 /STATISTIC=CHISQ RISK  
 /CELLS= COUNT ROW  
 /COUNT ROUND CELL .

### Crosstabs

#### UMRBARU \* score hasil sikap Crosstabulation

			score hasil sikap		Total
			negatif	positif	
UMRBARU	Muda	Count	43	30	73
		% within UMRBARU	58,9%	41,1%	100,0%
	Tua	Count	38	52	90
		% within UMRBARU	42,2%	57,8%	100,0%
Total		Count	81	82	163
		% within UMRBARU	49,7%	50,3%	100,0%



### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4,487 <sup>b</sup>	1	,034		
Continuity Correction <sup>a</sup>	3,844	1	,050		
Likelihood Ratio	4,508	1	,034		
Fisher's Exact Test				,041	,025
Linear-by-Linear Association	4,459	1	,035		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 36,28.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for UMRBARU (Muda / Tua)	1,961	1,048	3,669
For cohort score hasil sikap = negatif	1,395	1,025	1,899
For cohort score hasil sikap = positif	,711	,513	,986
N of Valid Cases	163		

```

CROSSTABS
  /TABLES=agama BY SCORESA
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ RISK
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .
    
```

### Crosstabs

**agama responden \* score hasil sikap Crosstabulation**

			score hasil sikap		Total
			negatif	positif	
agama responden	islam	Count % within agama responden	71 49,3%	73 50,7%	144 100,0%
	kristen protestan	Count % within agama responden	9 56,3%	7 43,8%	16 100,0%
	katolik	Count % within agama responden	1 33,3%	2 66,7%	3 100,0%
Total		Count % within agama responden	81 49,7%	82 50,3%	163 100,0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	,605 <sup>a</sup>	2	,739
Likelihood Ratio	,612	2	,736
Linear-by-Linear Association	,001	1	,979
N of Valid Cases	163		

a. 2 cells (33,3%) have expected count less than 5. The minimum expected count is 1,49.

**Risk Estimate**

	Value
Odds Ratio for agama responden (islam / kristen protestan)	a

a. Risk Estimate statistics cannot be computed. They are only computed for a 2\*2 table without empty cells.

```
CROSSTABS
  /TABLES=pddk4 BY SCORESA
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ RISK
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .
```

## Crosstabs

pendidikan sebelumnya \* score hasil sikap Crosstabulation

			score hasil sikap		Total
			negatif	positif	
pendidikan sebelumnya	d3 keperawatan	Count	8	8	16
		% within pendidikan sebelumnya	50,0%	50,0%	100,0%
	kebidanan	Count	16	29	45
		% within pendidikan sebelumnya	35,6%	64,4%	100,0%
	SMA - sederajat	Count	57	45	102
		% within pendidikan sebelumnya	55,9%	44,1%	100,0%
Total		Count	81	82	163
		% within pendidikan sebelumnya	49,7%	50,3%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5,161 <sup>a</sup>	2	,076
Likelihood Ratio	5,219	2	,074
Linear-by-Linear Association	2,148	1	,143
N of Valid Cases	163		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7,95.

### Risk Estimate

	Value
Odds Ratio for pendidikan sebelumnya (d3 keperawatan / kebidanan)	a

a. Risk Estimate statistics cannot be computed. They are only computed for a 2\*2 table without empty cells.

```
CROSSTABS
  /TABLES=kerja5 BY SCORESA
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ RISK
  /CELLS= COUNT ROW
```

/COUNT ROUND CELL .

## Crosstabs

pekerjaan \* score hasil sikap Crosstabulation

			score hasil sikap		Total
			negatif	positif	
pekerjaan	kerja	Count	21	24	45
		% within pekerjaan	46,7%	53,3%	100,0%
	tidak bekerja	Count	60	58	118
		% within pekerjaan	50,8%	49,2%	100,0%
Total		Count	81	82	163
		% within pekerjaan	49,7%	50,3%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,228 <sup>b</sup>	1	,633	,727	,381
Continuity Correction <sup>a</sup>	,091	1	,763		
Likelihood Ratio	,228	1	,633		
Fisher's Exact Test					
Linear-by-Linear Association	,226	1	,634		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 22,36.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pekerjaan (kerja / tidak bekerja)	,846	,425	1,683
For cohort score hasil sikap = negatif	,918	,641	1,314
For cohort score hasil sikap = positif	1,085	,781	1,508
N of Valid Cases	163		

CROSSTABS

/TABLES=lokasi6 BY SCORESA

/FORMAT= AVALUE TABLES  
 /STATISTIC=CHISQ RISK  
 /CELLS= COUNT ROW  
 /COUNT ROUND CELL .

## Crosstabs

lokasi tempat tinggal \* score hasil sikap Crosstabulation

			score hasil sikap		Total
			negatif	positif	
lokasi tempat tinggal	jakarta	Count	34	43	77
		% within lokasi tempat tinggal	44,2%	55,8%	100,0%
	luar jakarta/daerah	Count	47	39	86
		% within lokasi tempat tinggal	54,7%	45,3%	100,0%
Total		Count	81	82	163
		% within lokasi tempat tinggal	49,7%	50,3%	100,0%

## Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,790 <sup>b</sup>	1	,181		
Continuity Correction <sup>a</sup>	1,395	1	,238		
Likelihood Ratio	1,793	1	,181		
Fisher's Exact Test				,211	,119
Linear-by-Linear Association	1,779	1	,182		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 38,26.

## Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for lokasi tempat tinggal (jakarta / luar jakarta/daerah)	,656	,353	1,218
For cohort score hasil sikap = negatif	,808	,589	1,109
For cohort score hasil sikap = positif	1,231	,907	1,671
N of Valid Cases	163		

```

CROSSTABS
  /TABLES=kbortu8 BY SCORESA
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ RISK
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .

```

## Crosstabs

### kb pada orang tua \* score hasil sikap Crosstabulation

			score hasil sikap		Total
			negatif	positif	
kb pada orang tua	ya	Count	50	51	101
		% within kb pada orang tua	49,5%	50,5%	100,0%
	tidak	Count	31	31	62
		% within kb pada orang tua	50,0%	50,0%	100,0%
Total		Count	81	82	163
		% within kb pada orang tua	49,7%	50,3%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,004 <sup>b</sup>	1	,951		
Continuity Correction <sup>a</sup>	,000	1	1,000		
Likelihood Ratio	,004	1	,951		
Fisher's Exact Test				1,000	,540
Linear-by-Linear Association	,004	1	,951		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 30,81.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kb pada orang tua (ya / tidak)	,980	,521	1,845
For cohort score hasil sikap = negatif	,990	,721	1,360
For cohort score hasil sikap = positif	1,010	,737	1,384
N of Valid Cases	163		

```

CROSSTABS
  /TABLES=nikah9 BY SCORESA
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ RISK
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .

```

## Crosstabs

status pernikahan \* score hasil sikap Crosstabulation

			score hasil sikap		Total
			negatif	positif	
status pernikahan	nikah	Count	16	19	35
		% within status pernikahan	45,7%	54,3%	100,0%
	tidak nikah	Count	65	63	128
		% within status pernikahan	50,8%	49,2%	100,0%
Total		Count	81	82	163
		% within status pernikahan	49,7%	50,3%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,282 <sup>b</sup>	1	,595		
Continuity Correction <sup>a</sup>	,116	1	,733		
Likelihood Ratio	,283	1	,595		
Fisher's Exact Test				,703	,367
Linear-by-Linear Association	,281	1	,596		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 17,39.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for status pernikahan (nikah / tidak nikah)	,816	,386	1,728
For cohort score hasil sikap = negatif	,900	,604	1,342
For cohort score hasil sikap = positif	1,103	,776	1,567
N of Valid Cases	163		

### CROSSTABS

```

/TABLES=laman10 BY SCORESA
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ RISK
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

### Crosstabs

#### lama pernikahan \* score hasil sikap Crosstabulation

			score hasil sikap		Total
			negatif	positif	
lama pernikahan	0	Count	65	63	128
		% within lama pernikahan	50,8%	49,2%	100,0%
	0 - 2 tahun	Count	3	3	6
		% within lama pernikahan	50,0%	50,0%	100,0%
	3-5 tahun	Count	7	4	11
		% within lama pernikahan	63,6%	36,4%	100,0%
	lebih dari 6	Count	6	12	18
		% within lama pernikahan	33,3%	66,7%	100,0%
Total		Count	81	82	163
		% within lama pernikahan	49,7%	50,3%	100,0%



### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2,843 <sup>a</sup>	3	,416
Likelihood Ratio	2,893	3	,408
Linear-by-Linear Association	,769	1	,380
N of Valid Cases	163		

a. 2 cells (25,0%) have expected count less than 5. The minimum expected count is 2,98.

### Risk Estimate

	Value
Odds Ratio for lama pernikahan (0 / 0 - 2 tahun)	a

a. Risk Estimate statistics cannot be computed. They are only computed for a 2\*2 table without empty cells.

```
CROSSTABS
  /TABLES=ja11 BY SCORESA
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ RISK
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .
```

### Crosstabs

#### Jumlah anak \* score hasil sikap Crosstabulation

			score hasil sikap		Total
			negatif	positif	
Jumlah anak	0	Count	65	63	128
		% within Jumlah anak	50,8%	49,2%	100,0%
	0-2	Count	11	7	18
		% within Jumlah anak	61,1%	38,9%	100,0%
	lebih dari 3	Count	5	12	17
		% within Jumlah anak	29,4%	70,6%	100,0%
Total	Count	81	82	163	
	% within Jumlah anak	49,7%	50,3%	100,0%	

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3,796 <sup>a</sup>	2	,150
Likelihood Ratio	3,891	2	,143
Linear-by-Linear Association	1,342	1	,247
N of Valid Cases	163		

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 8,45.

### Risk Estimate

	Value
Odds Ratio for Jumlah anak (0 / 0-2)	a

a. Risk Estimate statistics cannot be computed. They are only computed for a 2\*2 table without empty cells.

CROSSTABS  
 /TABLES=prnkb12 BY SCORESA  
 /FORMAT= AVALUE TABLES  
 /STATISTIC=CHISQ RISK  
 /CELLS= COUNT ROW  
 /COUNT ROUND CELL .

### Crosstabs

apakah pernah/sedang KB \* score hasil sikap Crosstabulation

			score hasil sikap		Total
			negatif	positif	
apakah pernah/sedang KB	ya	Count	10	18	28
		% within apakah pernah/sedang KB	35,7%	64,3%	100,0%
	tidak	Count	71	64	135
		% within apakah pernah/sedang KB	52,6%	47,4%	100,0%
Total		Count	81	82	163
		% within apakah pernah/sedang KB	49,7%	50,3%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2,643 <sup>b</sup>	1	,104		
Continuity Correction <sup>a</sup>	2,011	1	,156		
Likelihood Ratio	2,675	1	,102		
Fisher's Exact Test				,145	,078
Linear-by-Linear Association	2,626	1	,105		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 13,91.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for apakah pernah/sedang KB (ya / tidak)	,501	,215	1,164
For cohort score hasil sikap = negatif	,679	,403	1,145
For cohort score hasil sikap = positif	1,356	,977	1,883
N of Valid Cases	163		

```

CROSSTABS
  /TABLES=alkon13 BY SCORESA
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ RISK
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .
  
```

### Crosstabs

**penggunaan alkon \* score hasil sikap Crosstabulation**

			score hasil sikap		Total
			negatif	positif	
penggunaan alkon	0	Count % within penggunaan alkon	65 50,8%	63 49,2%	128 100,0%
	iud	Count % within penggunaan alkon	3 27,3%	8 72,7%	11 100,0%
	suntik kb	Count % within penggunaan alkon	6 54,5%	5 45,5%	11 100,0%
	pil kb	Count % within penggunaan alkon	6 50,0%	6 50,0%	12 100,0%
	MOP/MOW	Count % within penggunaan alkon	1 100,0%	0 ,0%	1 100,0%
Total		Count % within penggunaan alkon	81 49,7%	82 50,3%	163 100,0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3,389 <sup>a</sup>	4	,495
Likelihood Ratio	3,861	4	,425
Linear-by-Linear Association	,052	1	,819
N of Valid Cases	163		

a. 2 cells (20,0%) have expected count less than 5. The minimum expected count is ,50.

**Risk Estimate**

	Value
Odds Ratio for penggunaan alkon (0 / iud)	a

a. Risk Estimate statistics cannot be computed. They are only computed for a 2\*2 table without empty cells.

```

CROSSTABS
  /TABLES=SCOREPA BY PnSA
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ RISK
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .
    
```

## Crosstabs

score hasil pengetahuan \* pandangan KB Crosstabulation

			pandangan KB		Total
			negatif	positif	
score hasil pengetahuan	kurang dari mean	Count	58	11	69
		% within score hasil pengetahuan	84,1%	15,9%	100,0%
	lebih dari/sama dengan mean	Count	11	83	94
		% within score hasil pengetahuan	11,7%	88,3%	100,0%
Total		Count	69	94	163
		% within score hasil pengetahuan	42,3%	57,7%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	85,336 <sup>b</sup>	1	,000		
Continuity Correction <sup>a</sup>	82,398	1	,000		
Likelihood Ratio	93,717	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	84,813	1	,000		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 29,21.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for score hasil pengetahuan (kurang dari mean / lebih dari/sama dengan mean)	39,785	16,167	97,908
For cohort pandangan KB = negatif	7,183	4,084	12,635
For cohort pandangan KB = positif	,181	,105	,312
N of Valid Cases	163		

### CROSSTABS

```

/TABLES=SCORESA BY PnSA
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ RISK
/CELLS= COUNT ROW
    
```

/COUNT ROUND CELL .

## Crosstabs

score hasil sikap \* pandangan KB Crosstabulation

			pandangan KB		Total
			negatif	positif	
score hasil sikap	negatif	Count	54	27	81
		% within score hasil sikap	66,7%	33,3%	100,0%
	positif	Count	15	67	82
		% within score hasil sikap	18,3%	81,7%	100,0%
Total		Count	69	94	163
		% within score hasil sikap	42,3%	57,7%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	39,060 <sup>b</sup>	1	,000		
Continuity Correction <sup>a</sup>	37,104	1	,000		
Likelihood Ratio	40,970	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	38,820	1	,000		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 34,29.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for score hasil sikap (negatif / positif)	8,933	4,323	18,460
For cohort pandangan KB = negatif	3,644	2,249	5,905
For cohort pandangan KB = positif	,408	,295	,564
N of Valid Cases	163		

CROSSTABS

/TABLES=SCOREPA BY SCORESA

/FORMAT= AVALUE TABLES  
 /STATISTIC=CHISQ RISK  
 /CELLS= COUNT ROW  
 /COUNT ROUND CELL .

## Crosstabs

score hasil pengetahuan \* score hasil sikap Crosstabulation

			score hasil sikap		Total
			negatif	positif	
score hasil pengetahuan	kurang dari mean	Count	43	26	69
		% within score hasil pengetahuan	62,3%	37,7%	100,0%
	lebih dari/sama dengan mean	Count	38	56	94
		% within score hasil pengetahuan	40,4%	59,6%	100,0%
Total		Count	81	82	163
		% within score hasil pengetahuan	49,7%	50,3%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7,629 <sup>b</sup>	1	,006		
Continuity Correction <sup>a</sup>	6,779	1	,009		
Likelihood Ratio	7,694	1	,006		
Fisher's Exact Test				,007	,005
Linear-by-Linear Association	7,583	1	,006		
N of Valid Cases	163				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 34,29.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for score hasil pengetahuan (kurang dari mean / lebih dari/sama dengan mean)	2,437	1,288	4,612
For cohort score hasil sikap = negatif	1,542	1,135	2,094
For cohort score hasil sikap = positif	,633	,447	,894
N of Valid Cases	163		

